### RECEIVED

Revised 10/03

CORRES. CONTROL INCOMING LTR NO.

00995 RF03

DUE DATE ACTION

RODGERS, A. D SHELTON, D. C.

WILLIAMS, J



Mr. Steven H. Gunderson

2003 OCT 27 A 10: 20 Department of Energy

CORRESPONDENCE CONTROL 10808 HIGHWAY 93, UNIT A GOLDEN, COLORADO 80403-8200

03-DOE-01098

OCT 23 2003

DIST.	LTA	ENC	Rocky F
BERARDINI. J. H.	X		Colorado
BOGNAR, E. S.	X		
BROOKS, L	X		4300 Ch
BUTLER, L	$\mathbf{x}$		Denver,
CROCKETT, G. A.	1		Donver,
DECK, C. A.	$\mathbf{x}$		
DEGENHART, K. R.	x		Mr. Time
DIETER, T. J.	1		
DIETERLE, S. E.	1		Rocky F
FERRERA D. W.	X		United S
GIACOMINI, J. J.			
HETT, S. B.	X		999 18 <sup>th</sup>
ISOM, J. H.			~

Rocky Flats Cleanup Agreement Project Coordinator Colorado Department of Public Health and Environment 4300 Cherry Creek Drive South Denver, Colorado 80246-1530

Mr. Timothy Rehder Rocky Flats Cleanup Project Manager United States Environmental Protection Agency 999 18<sup>th</sup> Street, Suite 500 Denver, Colorado 80202-2466

Dear Mr. Gunderson and Mr. Rehder:

Enclosed is the Rocky Flats Cleanup Agreement (RFCA) Implementation Quarterly Status Report for the Third Quarter for Fiscal Year 2003.

The RFCA Parties have agreed to modify certain RFCA attachments to reflect progress made or changed conditions at the Rocky Flats Environmental Technology Site (Site) since these attachments were originally issued or make changes to conform to modified Attachments 5 and 10. The following RFCA Attachments contain agreed to modifications and are attached to the Status Report for your review and approval:

Attachment 1: Operable Unit Consolidation Plan,

Attachment 2: Site Map; and

Attachment 3: Individual Hazardous Substance Sites Attachment 4: Environmental Restoration Ranking;

Attachment 7: List of Repositories, and

Attachment 11: List of Addresses

If you have any questions or comments, please contact me at (303) 966-2282 or Richard Schassburger at (303) 966-4888.

COR. CONTROL	X	
ADMN, RECORD		
PATS/130		

Reviewed for Addressee Corres. Control RFP

10/27/03 Zc Date By Sincerely,

Joseph A. Legare Assistant Manager

for Environment and Stewardship

Ref. Ltr. #

Enclosure

DOE ORDER #

cc w/o Encl.:

SCAR /

F. Lockhart, OOM, RFFO R. Schassburger, HR, RFFO

D. Shelton, K-H

DOCUMENT CLASSIFICATION TOOKS, K-H
REVIEW WAIVER PER
CLASSIFIC TION OFFICE

ADMINIPED WE

IA-A-001755

# **ATTACHMENT 3**

RFETS INDIVIDUAL HAZARDOUS SUBSTANCE SITE (IHSS) LIST

IHSS	ΟU	Old OU	PAC	Description
101*	ΙA	4	000-101	207 Solar Evaporation Ponds
102	1	1	800-102	Oil Sludge Pit
103	1	1	800-103	Chemical Burial
104	1	1	800-104	Liquid Dumping
105.1	1	1	800-105.1	Bldg. 881 Westernmost Out of Service Fuel Tanks .
105.2	1	1	800-105.2	Bldg. 881 Easternmost Out of Service Fuel Tanks
106	1	1	800-106	Bldg. 881, Outfall
107	1	1	800-107	Bldg. 881, Hillside Oil Leak
108	BZ		900-108	Trench T-1
109	BZ		900-109	Trench T-2 - Ryan's Pit
	BZ		NE-110	Trench T-3
111.1	BZ		NE-111.1	Trench T-4
111.2	BZ		NE-111.2	Trench T-5
111.3	BZ		NE-111.3	Trench T-6
111.4	BZ		NE-111.4	Trench T-7
	BZ		NE-111.5	Trench T-8
111.6			NE-111.6	Trench T-9
111.7	BZ	·	NE-111.7	Trench T-10
111.8	BZ		NE-111.8	Trench T-11
112	BZ		900-112	903 Pad (IAG Name: 903 Drum Storage Area)
113	BZ		900-113	Mound Area
114*	BZ		NW-114	Present Landfill
115	IA		SW-115	Original Landfill
116.1	IA		400-116.1	West Loading Dock, Building 447 (IAG Name: West Loading Dock Area)
116.2	IA .		400-116.2	South Loading Dock, Building 444 (IAG Name: South Loading Dock Area)
117.1	IA		500-117.1	North Site Chemical Storage
117.2	IA		500-117.2	Middle Site Chemical Storage
117.3	IA		600-117.3	Chemical Storage – South Site
118.1	IA		700-118.1	Multiple Solvent Spills West of Building 730
118.2	IA		700-118.2	Multiple Solvent Spills South End of Building 776
119.1	1		900-119.1	West Scrap Metal Storage Area and Solvent Spill
119.2	1		900-119.2	East Scrap Metal Storage Area and Solvent Spill
120.1	IA			Fiberglassing Area North of Building 664
120.2	IA		600-120.2	Fiberglassing Area West of Building 664
121			000-121	Original Process Waste Lines (includes Tanks T-2, T-3, T-10, T-14, T-16, T-40)
122	IA		400-122	Underground Concrete Tank
123.1	IA		700-123.1	Valve Vault West of Building 707
123.2	IA	9	700-123.2	Valve Vault West of Building 707
124.1	IA		700-124.1	30,000 Gallon Tank (Tank #68) 14,000 Gallon Tank (Tank #66)
124.2		9	700-124.2	14,000 Gallon Tank (Tank #66)
124.3			700-124.3	Holding Tank (Tank #66) (This is the same tank identified in IHSS 124.2)
125	IA	9	700-125	Westernmost Out-of-Service Waste Tank
126.1	IA IA	9.	700-126.1	Easternmost Out-or-Service Waste Tank  Easternmost Out-or-Service Waste Tank
126.2	IA	9	700-126.2	
127	IA	9	700-127	Low-Level Radioactive Waste Leak

400	1.4		1000 100	IOI Dum Da No. 4
128		13	300-128	Oil Burn Pit No. 1
129		10	400-129 .	Building 443 Oil Leak
130		1	900-130	Contaminated Soil Disposal Area East of Bldg. 881
131	IA	14	700-131	Radioactive Site - 700 Area Site #1
132	IA	9	700-132	Radioactive Site - 700 Area Site #4
133.1	BZ	5	SW-133.1	Ash Pit 1
133.2	BZ	5	SW-133.2	Ash Pit 2
133.3	BZ	5	SW-133.3	Ash Pit 3
133.4	BZ	5	SW-133.4	Ash Pit 4
133.5	BZ	5	SW-133.5	Incinerator Facility
133.6	BZ	5	SW-133.6	Concrete Wash Pad
134N	IA	13	300-134N	Lithium Metal Destruction Site
1348	IA	13	300-134\$	Lithium Metal Destruction Site
135	IA	8	300-135	Cooling Tower Blowdown
136.1	IA	12	400-136.1	Cooling Tower Pond West of Building 444 (IAG Name: Cooling Tower Pond Northeast Corner of Building 460)
136.2	ΙA	12	400-136.2	Cooling Tower Pond East of Building 444 (IAG Name: Cooling Tower Pond West of Building 460)
137	IA	8.	700-137	Cooling Tower Blowdown Buildings 712 and 713 (IAG Name: Cooling Tower Blowdown Building 774)
138	IA	8	700-138	Cooling Tower Blowdown Building 779
139.1N( a)	IA	8	700-139.1N(a)	Caustic/Acid Spills Hydroxide Tank Area
139.1N( b)	IA	8	700-139.1N(b)	Caustic/Acid Spills Hydroxide Tank Area
139.15	IA	8	700-139.1S	Caustic/Acid Spills Hydroxide Tank Area
139.2	IA	8	700-139.2	Caustic/Acid Spills Hydrofluoric Acid Tanks
140	BZ	2	900-140	Hazardous Disposal Area (IAG Name: Reactive Metal Destruction Site)
141	BZ	6	900-141	Sludge Disposal
142.1	BZ	6	NE-142.1	Pond A-1
142.2	BZ	6	NE-142.2	Pond A-2
142.3	BZ	6	NE-142.3	Pond A-3
142.4	BZ	6	NE-142.4	Pond A-4
142.5	BZ	6	NE-142.5	Pond B-1
142.6		6	NE-142.6	Pond B-2
142.7		6	NE-142.7	Pond B-3
142.8		6 -	NE-142.8	Pond B-4
142.9		6	NE-142.9	Pond B-5
		5		Pond C-1
142.11	BZ	5		Pond C-2
				Flume Pond (IAG Name: Newly Identified Pond A-5)
143			700-143	Bldg. 771 Outfall
144N	IA	8	700-144(N)	Sewer Line Overflow (IAG Name: Sewer Line Break)
	1	1		
		9	<del></del>	
146.20	IA	9	700-146.2	Concrete Process Waste Tanks 7,500 Gallon Tank (32)
142.10 142.11 142.12 143 144N 144S 145 146.1p	BZ BZ IA IA IA IA IA	5 6 6 8 8 1 9	SE-142.10 SE-142.11 NE-142.12 700-143 700-144(N) 700-144(S) 800-145 700-146.1	Pond C-1 Pond C-2 Flume Pond (IAG Name: Newly Identified Pond A-5) Bldg. 771 Outfall Sewer Line Overflow (IAG Name: Sewer Line Break) Sewer Line Overflow (IAG Name: Sewer Line Break) Sanitary Waste Line Leak Concrete Process Waste Tanks 7,500 Gallon Tank (31)

		·	I=00 d d = 0	10 1 D W 1 T 1 T 100 O W T 1 10 T 100
146.3¤		9	700-146.3	Concrete Process Waste Tanks 7,500 Gallon Tank (34W)
146.4¤		9	700-146.4	Concrete Process Waste Tanks 7,500 Gallon Tank (34E)
146.5¤		9	700-146.5	Concrete Process Waste Tanks 3,750 Gallon Tank (30)
146.6¤	IA	9	700-146.6	Concrete Process Waste Tanks 3,750 Gallon Tank (33)
147.1	IA	9	700-147.1	Process Waste Line Leaks (IAG Name: Maas Area)
147.2	IA	12	800-147.2	Bldg. Conversion Activity Contamination Area
148	IA	13	100-148	Waste Spills
149.1	IA	9	700-149.1	Effluent Pipe
149.2	IA	9	700-149.2	Effluent Pipe
150.1	IA	8	700-150.1	Radioactive Site North of Building 771 (IAG Name: Radioactive Leak North of Building 771)
150.2	IA	8	700-150.2	Radioactive Site West of Buildings 771 and 776 (IAG Name: Radioactive Leak West of Building 771)
150.3	IA	8	700-150.3	Radioactive Site Between Buildings 771 & 774 (IAG Name: Radioactive Leak Between Buildings 771 & 774)
150.4	IA	8	700-150.4	Radioactive Site Northwest of Building 750 (IAG Name: Radioactive Leak East of Building 750)
150.5	IA	8	700-150.5	Radioactive Site West of Building 707 (IAG Name: Radioactive Leak West of Building 707) (This is a duplicate of IHSS 123.2.)
150.6	IA	8	700-150.6	Radioactive Site South of Building 779 (IAG Name: Radioactive Leak South of Building 779)
150.7	IA	8	700-150.7	Radioactive Site South of Building 776 (IAG Name: Radioactive Leak South of Building 776)
150.8	IA	8	700-150.8	Radioactive Site Northeast of Building 779 (IAG Name: Radioactive Leak Northeast of Building 779)
151	IA	8	300-151	Tank 262 Fuel Oil Spills
152	IA	13	600-152	Fuel Oil Tank 221 Spills
153	BZ	2	900-153	Oil Burn Pit No. 2
154	BZ	2	900-154	Pallet Burn Site
155	BZ	2	900-155	903 Lip Area
156.1	IA	14	300-156.1	Building 371 Parking Lot
156.2	BZ	6	NE-156.2	Soil Dump Area Between the A and B Series Drainages
157.1	IA	13	400-157.1	Radioactive Site North Area
157.2	IA	12	400-157.2	Radioactive Site South Area
158	ĪΑ	13	500-158	Radioactive Site - Building 551
159	IA	9	500-159	Radioactive Site - Building 559
160		. 14	600-160	Radioactive Site Building 444 Parking Lot
161		14	600-161	Radioactive Site - Building 664
162		14	000-162	Radioactive Site - 700 Area Site # 2
163.1	IA	8	700-163.1	Radioactive Site 700 Area Site No.3 Wash Area
163.2	IA	8	700-163.2	Radioactive Site 700 Area Site No.3 Buried Slab
164.1	IA	14	600-164.1	Radioactive Slab from Bldg. 771
164.2	IA	14	800-164.2	Radioactive Site 800 Area Site #2, Building 886 Spills
164.3	IA	14	800-164.3	Radioactive Site 800 Area Site #2, Building 889 Storage Pad
165	IA	6	900-165	Triangle Area
12001			NE 400 4	
166.1	BZ [	6	NE-166.1	Trench A

166.3	BZ	6	NE-166.3	Trench C
167.1	BZ	6	NE-167.1	Landfill North Area Spray Field
167.2	BZ	6	NE-167.2	Pond Area Spray Field (Center Area)
167.3	BZ	6	NE-167.3	South Area Spray Field
168*	11	11	000-168	West Spray Field
169	IA	13	500-169	Waste Drum Peroxide Burial
170	BZ	10	NW-170	PU&D Storage Yard - Waste Spills
171	IA	13	300-171	Solvent Burning Ground
172	IA	8	000-172	Central Avenue Waste Spill
: 173	IA	8	900-173	South Dock - Building 991 (IAG Name: Radioactive Site - 900 Area)
174A*	BZ	10	NW-174A	PU&D Yard Container Storage Area
174B*	BZ	10	NW-174B	PU&D Container Storage Facilities
175	IA	10	900-175	S&W Building 980 Container Storage Facility
176	IA	10	900-176	S&W Contractor Storage Yard
177	IA	10	800-177	Building 885 Drum Storage and Paint Storage (IAG Name: Building 885 Drum
				Storage Area)
178	15	15	800-178	Building 881 Drum Storage Area
179	15	15	800-179	Building 865 Drum Storage; refer to OU 15 CAD/ROD)
180	15	15	800-180	Building 883 Drum Storage; refer to OU 15 CAD/ROD)
181	IA	10	300-181	Building 334 Cargo Container Area
182	IA	10	400-182	Building 444/453 Drum Storage Area
183	BZ	2	900-183	Gas Detoxification Area
184	IA	8	900-184	Building 991 Steam Cleaning Area
185	16	16	700-185	Solvent Spill
186	IA	13	300-186	Valve Vault 12
187	IA'	12	400-187	Sulfuric Acid Spill (IAG Name: Acid Leaks [2]
188	IA	8	300-188	Acid Leak
189	IA	12	600-189	Nitric Acid Tanks
190	IA	13	000-190	Caustic Leak (also referred to as Central Avenue Ditch)
191	IA	13	400-191	Hydrogen Peroxide Spill
192	16	16	000-192	Antifreeze Discharge
193	16	16	400-193	Steam Condensate Leak
194	16	. 16	700-194	Steam Condensate Leak
195	16	16	NW-195	Nickel Carbonyl Disposal
196	IA .	5 and 16	SW-196	Water Treatment Plant Backwash Pond
197	16	16	500-197	Scrap Metal Sites
199	3	3	OFF-SITE	Off-Site Area 1
1		,	AREA 1	
200	3	3	OFF-SITE	Great Western Reservoir
			AREA 2	
201	3	3	OFF-SITE	Standley Lake
202	3	3	AREA 3 OFF-SITE	Mower Reservoir
202	3	ا ا	AREA 4	INIOWOL LIGGOLVOIL
203	BZ	7	NW-203	Inactive Hazardous Waste Storage Area
		15	400-204	Original Uranium Chip Roaster
205		10	400-205	Building 460 Sump #3 Acid Side
		<u>·</u> ~	1.55 255	I amount of the second of the

	<del></del> ,			
206	IA	10	300-206	Inactive D-836 Hazardous Waste Tank
207	IA	10	400-207 .	Inactive 444 Acid Dumpster
208	IA	10	400-208	Inactive 444/447 Waste Storage Area
209		5	SE-209	Surface Disturbance Southeast of Bldg. 881
210	· IA	10	900-210	Building 980 Cargo Container, Unit 16
211	15	15	800-211	Building 881 Drum Storage, Unit 26
212	15	15	300-212	Building 371 Drum Storage Area, Unit 63
213	IA	10	900-213	Unit 15, 904 Pad Pondcrete Storage
214	IA	10	700-214	750 Pad Pondcrete & Saltcrete Storage, Unit 25
215	IA	9	700-215	Process Waste Tank T-40, Unit 55.13
216.1	BZ	6	NE-216.1	East Spray Fields - North Area
216.2	BZ	2	NE-216.2	East Spray Field
216.3	BZ	2	NE-216.3	East Spray Field
217	15	15	800-217	Building 881, CN- Bench Scale Treatment, Unit 32
NA	IA	NA	000-500	Sanitary Sewer System
NA	BZ	NA	000-501	Roadway Spraying
NA	IA	NA	000-502	ITS Water Spill (identified in Quarterly 2 as 000-502; reassigned as 900-1310 in
				Quarterly 7; the number 000-502 is no longer in use.)
NA	IA	NA	000-503	Solar Pond Water Spill Along Central Avenue
NA	IA	NA	000-504	New Process Waste Lines
NA	IA	NA	000-505	Storm Drains
NA	IA	NA	100-600	Mercury Spill-Valve Vault 124-B, Building 124
NA	IA	NA	100-601	Building 123 Phosphoric Acid Spill
NA	IA	NA	100-602	Building 123 Process Waste Line Break
NA	IA	NA	100-603	Building 123 Bioassay Waste Spill
NA	BZ	NA	100-604	T130 Complex Sewer Line Leaks
NA	IA	NA	100-605	Building 115 Hydraulic Oil Spill
NA	IA	NA	100-606	Building 125 TCE Spill
NA	IA	NA	100-607	Building 111 Transformer PCB Leak
NA	IA	NA	100-608	Building 131 Transformer Leak
NA	IA	NA	100-609	Building 121 Security Incinerator
NA	IA	NA	100-610	Asbestos Release – Building 123
NA	IA	NA	100-611	Building 123 Scrubber Solution Spill
	IA	NA	100-612	Battery Solution Spill - Building 119
NA	BZ	NA	100-613	Asphalt Surface in Lay-down Yard North of Building 130 (identified as 000-501
				in Quarterly 4; reassigned as 100-613 in Quarterly 7).
NA	IA	NA	300-700	Scrap Roofing Disposal
NA	IA:	NA	300-701	Sulfuric Acid Spill – Building 371
NA	IA	NA	300-702	Pesticide Shed
NA	IA	NA	300-703	Building 331 North Area
NA	IA	NA	300-704	Roof Fire, Building 381
NA	IA	NA	300-705	Potassium Hydroxide Spill North of Building 374
NA	IA	NA	300-706	Evaporator Tanks North of Building 374
NA	ΙA	NA	300-707	Sanitizer Spill
NA	ΙA	NA	300-708	Transformers North of Building 371
NA	IA	NA	300-709	Transformer Leak 334-1
NA	IA	NA	300-710	Gasoline Spill North of Building 331
			<del></del>	

NA	IA	NA	300-711	Nickel-Cadmium Battery Acid Spill Outside of Building 373
NA NA	IA	NA	300-711	0.5-Gallon Antifreeze Spilled by Street Sweeper Outside of Building 373
NA NA	IA	NA	300-712	Caustic Spill North of Building 331
NA NA	IA	NA	300-713	Laundry Waste Water Spill from Tank T-803, North of Building 374
NA NA	IA.	NA	300-715	Battery Acid Spill
NA NA	IA	NA	400-800	Transformer 443-1
NA	IA	NA	400-801	Transformer, Roof of Building 447
NA NA	IA IA	NA	400-802	Storage Area, South of Building 334
NA NA	IA	NA	400-803	Miscellaneous Dumping, Building 460 Storm Drain
NA NA	IA	NA NA	400-804	Road North of Building 460
NA NA	IA	NA NA	400-805	Building 443 Tank #9 Leak
NA	IA	NA NA	400-806	Catalyst Spill, Building 440
NA NA	IA	NA NA	400-807	Sandblasting Area
NA NA	IA I	NA NA	400-808	Vacuum Pump Leak - Building 442
NA NA	IA	NA	400-809	Oil Leak - 446 Guard Post
NA NA	IA	NA NA	400-810	Beryllium Fire - Building 444
NA NA	IA	NA NA	400-811	Transformer 443-2, Building 443
NA NA	IA	NA NA	400-812	Tank T-2 Spill in Building 460
NA NA	IA	NA	400-813	RCRA Tank Leak in Building 460
NA	IA	NA	400-814	Air Conditioner Compressor Release, Bldg. 444 Roof
	IA	NA	400-815	RCRA Tank Leak in Building 460
	IA	NA	400-820	Central Avenue Ditch Soil Spreading (identified in Quarterly 6 as 400-820,
	"	1473	100 020	reassigned as 600-1004 in Quarterly 7; the number 400-820 is no longer in
				use).
NA	IA	N/A	500-900	Transformer Leak – 515/516
NA	IA	N/A	500-901	Transformer Leak – 555
NA	IA	N/A	500-902	Transformer Leak – 559
NA	IA	NA	500-903	RCRA Storage Unit #1
NA	IA	NA	500-904	Transformer Leak – 223-1/223-2
NA	IA	NA	500-905	Transformer Leak – 558-1
NA	IA	NA	500-906	Asphalt Surface Near Building 559
NA	IA	NA	500-907	Tanker Truck Release of Hazardous Waste from Tank 231B
NA	IA	NA	500-908	Oil Released from Air Compressor
		NA	500-909	Release of Spent Photographic Fixer Solution
NA	IA	NA	600-1000	Transformer Storage Building 662
NA	IA	NA	600-1001	Temporary Waste Storage Building 663
NA	IA	NA	600-1001(a)	Waste Oil Identified in PAC-1001
NA	IA		600-1002	Transformer Storage - West of Building 666
NA	IA	NA	600-1003	Transformers North and South of 661-675 Substation
NA	IA	NA	600-1004	Central Avenue Ditch Cleaning Incident (formerly identified as 400-820)
NA,	IA	NA	600-1005	Former Pesticide Storage Area
	IA	NA	700-1100	French Drain North of Building 776/777
NA	IA	NA	700-1101	Laundry Tank Overflow - Building 732
NA	IA	NA	700-1102	Transformer Leak – 776-4
NA	IA	NA	700-1103	Leaking Transformers - Building 707
NA	IA	NA .	700-1104	Leaking Transformers - Building 708
NA	IA	NA	700-1105	Transformer Leak - 779-1/779-2

NA	IA	NA	700-1106	Process Waste Spill - Portal 1
NA	IA	NA	700-1107	Compressor Waste Oil Spill - Building 776
NA	IA	- NA	700-1108	771/774 Footing Drain Pond
NA	IA	NA	700-1109	Uranium Incident - Building 778
NA	IA	NA	700-1110	Nickel Carbonyl Burial West of Building 771
NA	IA_	NA	700-1111	Leaking Transformer - Building 750
NA	IA	NA	700-1112	Leaking Transformer - 776-5
NA	IA	NA	700-1113	Water Released from 207C Solar Evaporation Pond
NA	IA	NA	700-1114a	Release During Liquid Transfer Operations from Bldg. 774
NA	IA	NA	700-1114b	Release During Liquid Transfer Operations from Bldg. 774
NA	IA	NA	700-1115	Identification of Diesel Fuel in Subsurface Soils
NA	ΙA	NA	700-1116	Leaking Transformer South of Building 776
NA	IA	NA	700-1117	Building 701 Water Line, Soil Put-back
NA	IA	NA	800-1200	Valve Vault 2
NA	IA	NA	800-1201	Radioactive Site South of Building 883
NA	IA	NA	800-1202	Sulfuric Acid Spill, Building 883
NA	IA	NA	800-1203	Sanitary Sewer Line Break Between Buildings 865 and 886
NA	ΙA	NA	800-1204	Building 866 Spills
NA	IA	NA	800-1205	Building 881, East Dock
NA	ΙA	NA	800-1206	Fire, Building 883
NA	ΙA	NA	800-1207	Transformer 883-4
NA	IA .	NA	800-1208	Transformer 881-4
NA	ĪΑ	NA	800-1209	Leaking Transformers, 800 Area
NA	IA	NA	800-1210	Transformers 865-1 and 865-2
NA	IA	NA	800-1211	Capacitor Leak, Building 883
NA	IA	NA	800-1212	Building 866 Sump Spill
NA	IA	NA	900-1300	RO Plant Sludge Drying Beds
NA	ĪΑ	NA	900-1301	Building 991 Enclosed Area
NA	IA	NA	900-1302	Gasoline Spill
NA	IA	NA	900-1303	Natural Gas Leak
NA	ĪΑ	NA	900-1304	Chromic Acid Spill - Building 991
NA	IA	NA	900-1305	Building 991 Roof
NA	ΪΑ	NA	900-1306	Transformers 991-1 and 991-2
NA	ΪΑ	NA	900-1307	Explosive Bonding Pit
NA	IA	NA	900-1308	Gasoline Spill Outside of Building 980
NA	BZ	NA .	900-1309	OU 2 Field Treatability Unit Spill
NA	IA	NA .	900-1310	ITS Water Spill (identified as 000-502 in Quarterly 2; reassigned 900-1310 in
11/	'^	IN/A	300-1010	Quarterly 7)
NA	IA	NA	900-1311	Septic Tank East of Building 991
NA	IA	NA	900-1312	OU-2 Water Spill
NA	IA	NA	900-1313	Seep Area Near OU-2 Influent
NA	IA	NA	900-1314	Solar Evaporation Pond 207B Sludge Release
NA	IA	NA	900-1315	Tanker Truck Release on East Patrol Road, North of Spruce Ave.
NA	BZ	NA	900-1316	Elevated Chromium (total) Identified During Geotechnical Drilling
NA	IA.	NA	900-1317	Soil Released from Wooden Crate in 964 Laydown Yard
NA	IA	NA	900-1318	Release of F001 Listed Waste Water to Soil (identified as 900-1307 in Annual 1997; reassigned 900-1318 in Annual 1998).
			L	

NA	ΒZ	NA	NE-1400	Tear Gas Powder Release
NA NA	BZ	NA NA	NE-1401	NE Buffer Zone Gas Line Break
NA NA	BZ	NA	NE-1402	East Inner Gate PCB Spill
NA	BZ	NA	NE-1403	Gasoline Spill - Building 920 Guard Post
NA NA	BZ	NA NA	NE-1404	Diesel Spill at Pond B-2 Spillway
NA NA		NA NA	NE-1405	Diesel Fuel Spill at Field Treatability Unit (identified as NE-1404; reassigned
INA	DZ		NE-1403	NE-1405 in Quarterly 7)
NA	BZ	NA	NE-1406	771 Hillside Sludge Release
NA	BZ	NA	NE-1407	OU 2 Treatment Facility
NA	BZ	NA	NE-1408	OU 2 Test Well (formerly NE-1406)
NA	BZ	NA	NE-1409	Modular Tanks and 910 Treatment System Spill (formerly 000-503)
NA	BZ	NA	NE-1410	Diesel Fuel Spill at Field Treatability Unit
NA	BZ	NA	NE-1411	Diesel Fuel Overflowed from Tanker at OU 2 Field Treatability Unit
NA	BZ	NA	NE-1412	Trench T-12 Located in OU 2 East Trenches
NA	BZ	NA	NE-1413	Trench T-13 Located in OU 2 East Trenches
NA	BZ	NA	NW-1500	Diesel Spill at PU&D Yard (formerly NW-175)
NA	BZ	NA	NW-1501	Asbestos Release at PU&D Yard (formerly NW-176)
NA	BZ	7	NW-1502	Improper Disposal of Diesel-Contaminated Material at Landfill (formerly NW-177)
NA	BZ	7	NW-1503	Improper Disposal of Fuel-Contaminated Material at Landfill
NA	BZ	7	NW-1504	Improper Disposal of Thorosilane-Contaminated Material at Landfill
NA	BZ	NA	NW-1505	North Firing Range
NA	BZ	NA	SE-1600	Pond 7-Steam Condensate Releases
NA	BZ	NA	SE-1601	Pond 8 - Cooling Tower Discharge Releases
NA	BZ	NA	SE-1602	East Firing Range
NA	BZ	NA	SW-1700	Fuel Spill into Woman Creek Drainage
NA	BZ	5	SW-1701	Recently Identified Ash Pit
NA	BZ	5	SW-1702	Recently Identified Ash Pit
NA	IA	NA	UBC-122	Building 122 (UBC-122)
NA	IA	NA	UBC-123	Building 123 (UBC-123)
NA	IA	NA	UBC-125	Building 125 (UBC-125)
NA	IA	NA	UBC-331	Building 331 (UBC-331)
NA	IA	NA	UBC-371	Building 371 (UBC-371)
NA	IA	NA	UBC-374	Building 374 (UBC-374)
NA	IA	NA	UBC-439	Building 439 (UBC-439)
NA	IA	NA	UBC-440	Building 440 (UBC-440)
NA	IA	NA	UBC-441	Building 441 UBC-441)
NA	IA	NA	UBC-442	Building 442 (UBC-442)
NA	IA	NA	UBC-444	Building 444 (UBC-444)
NA	ΙĀ	NA	UBC-447	Building 447 (UBC-447)
NA	IA	NA	UBC-528	Building 528 (UBC-528)
NA	IA	NA	UBC-559	Building 559 (UBC-559)
.NA	IA	NA	UBC-701	Building 701 (UBC-701)
NA	IA	NA	UBC-707	Building 707 (UBC-707)
NA	IA	NA	UBC-731	Building 731 (UBC-731)
NA	IA	NA	UBC-770	Building 770 UBC-770)
NA	IA	NA	UBC-771	Building 771(UBC-771)

NA	IA	NA	UBC-774	Building 774 (UBC-774)
NA	IA	NA	UBC-776 .	Building 776 (UBC-776)
NA	ΙA	NA	UBC-777	Building 777 (UBC-777)
NA	IA	NA	UBC-778	Building 778 (UBC-778)
NA	ΙĀ	NA	UBC-779	Building 779 (UBC-779)
NA	IA	NA	UBC-865	Building 865 (UBC-865)
NA	İΑ	NA	UBC-881	Building 881 (UBC-881)
NA	IA	NA	UBC-883	Building 883 (UBC-883)
NA	IA	NA	UBC-886	Building 886 (UBC-886)
NA	IA	NA	UBC-887	Building 887 (UBC-887)
NA	ΙA	NA	UBC-889	Building 889 (UBC-889)
NA	IA	NA	UBC-991	Building 991 (UBC-991)

#### Notes:

- 1. NA Not Applicable
- 2. IHSS 198 was deleted in 1990.
- PAC 000-502 was renamed PAC 900-1310. Therefore, PAC 000-502 is no longer used.
   PAC 400-820 was renamed PAC 600-1104. Therefore, PAC 400-820 is no longer used.
- \* Denotes IHSSs that are RCRA units per the Historical Release Report (See RFCA Attachment 12 for reference.)

# **ATTACHMENT 4**

ENVIRONMENTAL RESTORATION RANKING

Final RFCA Attachment 4 May 28, 2003

#### ENVIRONMENTAL RESTORATION RANKING

A prioritized list of Environmental Restoration (ER) locations was originally developed to select the top priority locations for remediation. Effective with the March 21, 2000 update to RFCA, the ER Ranking was determined by the RFCA Parties to no longer be the sole source for identifying the remedial action sequence. Instead, the Parties recognized that future remedial actions should be based on opportunity and decontamination and decommissioning (D&D) schedules. The preparation and annual updating of an ER Ranking list was appropriate in the early years of conducting accelerated actions at Rocky Flats when the site closure baseline was under development. However, there is now a detailed baseline and schedule for closing the entire site that addresses the sequencing of D&D and ER projects, and therefore, the RFCA Project Coordinators believe that subsequent revisions are unlikely. The ER Ranking was most recently updated in September 2001. That version is included in this updated attachment. The RFCA Parties have determined that this will be the last update.

A L	<del></del>	T		<u> </u>		1	Т			$\neg$					-T-	<del>.</del> ].
Exceeds Tier I AL	yes	yes	yes	yes	Ves	Ves	yes	yes	Ves	2	yes	VAS	yes.	Sey N	2 2	yes
Total Priority Score	40	40	24	14	4	14	9	9	9	8	ω	000	1	. 6	9	9
Professional Judgement Multiplier	<b>-</b>	-		1	2	-	-		-	-	-	2	-	-	-	-
Potential for Further Release Multiplier	2	2	2	-	-	2	-	-	-	2	-	-	-	-	2	-
SW impact Score Multiplier	2	2	1.5	2	-	-	-	-	2	-	-	-	-	-	-	-
ALF Score	10	9	8	7	7	7	9	10	5	4	ω	4	7	9	က	9
Total Chemical Score	48845	48845	4715	3150	1013	4125	50000000	73365	420	134	9167	128	2615	653	119	685
Total Surface Soll	655	655	2	435	٦	4110	c		188	⊽	C	⊽	E	2	119	101
Total Subsurfac e Soll	6764	6764	2325	312	د	7	c		17	٦	L	128	٦			9
Total Ground Water	41426	41426	1194	2403	1013	7	20000000	73365	215	134	9167	⊽	2615	. 651	c	578
Total Tank Contents			1194			15										
Kanki	-	2	က	4	5	9	7	∞	6	10	=	12	13	14	15	16
Status Hanki																
	903 Pad	903 Lip Area	Solvent Spills W B730	Solar Ponds	OPWL	Tank 29 - OPWL	Carbon Tet Plume	903 Pad/Ryan's Pit Plume	Triangle Area	Fire Training	881PL 881 Hillside Plume M	111.4 Trench T-7	IAPLM Industrial Area Plume	117.2 M. Chem. Storage Site	Rad Site 700 Area	Rad Site B444 Parking Lot:
2	112	155	118.1	101	121	T29	CTPL M	RPPL M	165	171	881PL M	111.4	IAPLM	1	131	160
4 4	006 ss	006 ss	ss 700	000 s	000 ss	7 000	Σ	∑	006 ss	300	Σ	SS NE	Σ	ss 500	00Z SS	009 ss
-	IHSS	HSS	IHSS	SSHI	IHSS	TNK	P.	PLM	SSHI	HSS	P.	SSHI	PLM	SSHI	IHSS	HSS

															ı —	
ou	ou	ou U	ဥ	은	ou Ou	0	yes	on	ou	OU	Ou	2	2	2	ဥ	on
ဖ	9	9	ည	2	52	Ω	2	2	2	. 5	ß	4	4	4	4	4
2	-	-	0.5	-	<b>T</b>	-	₩	-	0.5	1	<b>-</b>	1	-	8	α.	2
-	-	-	-	-	-	-	-	γ-	۳	ŀ	<b>,</b>	-	<b>-</b>		-	-
-	-	-	2	<b>1</b>	-	-	-	<b>-</b>	2	1	-	1	-	-	-	<u>-</u>
9	9	9	IJ	2	52	2	ည	ည	2	2	သ	4	4	2	8	C)
103	553	672	446	252	376	421	264	257	415	435	308	156	142	58	58	64
98	c	242	31	92	374	က	c		c	435	9	⊽	⊽	53	53	64
2	c	258	⊽	115	2	E	7		د	c	258	ב	_	c	c	c
  -	553	172	415	46	c	418	257	257	415	c	44	156	142	c	c .	<u></u>
17	18	19	20	21	22	23	24	52	56	27	78	53	8	3	32	33
		ľ													_	
Rad Site W of B664	PU&D Yard Plume	Original Landfill	Present Landfill	Old Outfall -B771	Rad Site W B 771/776	Rad Site B551	B881 UBC	B881 Area Plume	Present Landfill Plume	Rad Site S B779	Backwash Pond (Listed as OU-5 on Map)		B707 UBC	N. Chem. Storage Site	Scrap Metal Stor.	B779 UBC
161	PUDP	115	114	143	150.2	158	B881	881AF	PLFPL M	<u> </u>	196				197	D B779
009		SW	NN N	700	IHSS 700	200	UBC 800	<u> </u>					3 700			IHSS 700
	600 161 Rad Site W of B664 17 n 5 98 103 3 1 1 2 6	600         161         Rad Site W of B664         17         n         5         98         103         3         1         1         2         6           PUDP PU&D Yard Plume         18         553         n         n         553         6         1         1         1         6	600         161         Rad Site W of B664         17         n         5         98         103         3         1         1         2         6           PUDP PUSD Yard Plume         18         553         n         n         553         6         1         1         1         6           SW 115         Original Landfill         19         172         258         242         672         6         1         1         1         6	600         161         Rad Site W of B664         17         n         55         98         103         3         1         1         2         6           PUDP PU&D Yard Plume         18         553         n         n         n         553         6         1         1         6           SW         115         Original Landfill         19         172         258         242         672         6         1         1         6           NW         114         Present Landfill         20         415         <1	161         Rad Site W of B664         17         n         5         98         103         3         1         1         2         6           PUDP PUSD Yard Plume         18         553         n         n         553         6         1         1         6           LM         LM         115         Original Landfill         19         172         258         242         672         6         1         1         6           114         Present Landfill         20         415         <1         31         446         5         2         1         0.5         5           114         Present Landfill         20         415         <41         31         446         5         2         1         0.5         5           1143         Old Outfall -B771         21         46         115         92         252         5         1         1         1         5	600         161         Rad Site W of B664         17         n         563         n         563         6         1         1         2         6           PUDP LWD PU&D Yard Plume         18         553         n         n         553         6         1         1         1         6           SW         115         Original Landfill         20         415         <1	600         161         Rad Site W of B664         17         n         553         n         n         553         6         1         1         1         2         6         1           PUDP PU&D Yard Plume         18         553         n         n         553         6         1         1         1         6         1           SW         115         Original Landfill         19         172         258         242         672         6         1         1         1         6         1           NW         114         Present Landfill         20         415         <1	600         161         Rad Site W of B664         17         n         553         n         n         553         n         17         2         6         1         1         1         1         6         8           PUDP PU&D Yard Plume         18         553         n         n         553         n         1         1         1         1         1         1         1         1         1         6         1         1         1         1         6         1         1         1         1         6         1         1         1         6         1         1         1         6         1         1         1         6         1         1         1         1         1         1         1         1         1         1         1         1         1         1         6         1	600         161         Rad Site W of B664         17         n         553         n         n         553         n         10         10         11         1 <th< td=""><td>600         161         Rad Site W of B664         17         n         553         n         553         n         10         10         10         10         10         10         10         10         11         1         1         1         1         6         8           SW         115         Ordinal Landfill         19         172         258         242         672         6         1         1         1         6         8           NW         114         Present Landfill         20         415          46         115         92         252         5         1         1         1         6         5           700         150.2         Rad Site W B 771/776         22         n         2         374         376         5         1         1         1         5           500         158         Rad Site W B 771/776         22         n         23         418         n         3         421         5         1         1         1         5           800         B881         B881 Area Plume         25         257         7         n         267         5         1         1</td><td>600         161         Rad Site W of B664         17         n         563         n         653         103         3         1         1         2         6           LMD         LMD         PU2D PU2D Yard Plume         18         583         n         n         553         6         1         1         1         6           SW         115         Original Landfill         19         172         258         242         672         6         1         1         1         6           NW         114         Present Landfill         20         415         &lt;1</td>         346         5         1         1         1         6           700         150.2         Rad Site B551         22         n         2         374         376         5         1         1         1         5           500         150.2         Rad Site B551         23         418         n         3         421         5         1         1         1         5           500         150.2         Rad Site B551         23         7         n         264         5         1         1         1         5           801<!--</td--><td>FOOD         161         Rad Site W of B664         17         n         563         n         n         563         n         10         2         6           PUDP         PUSD Yard Plume         18         563         n         n         563         n         11         1         1         1         1         6         1         1         1         1         6         1         1         1         1         6         1         1         1         1         1         6         1         1         1         1         6         1         1         1         1         6         1</td><td>600         161         Rad Site W of B664         17         n         563         n         15         98         103         3         1         1         2         6         n           LM         PUDP         PUDP         PURD Yard Plurne         18         563         n         n         563         n         172         258         242         672         6         1         1         1         6         n           NW         115         92         242         672         6         1         1         1         6         n           NW         114         Present Landfill         20         415         &lt;41</td>         31         446         5         2         1         1         6         n           700         143         Old Outfall - B771         21         46         115         92         26         1         1         1         1         6         7           500         158         Rad Site W B 771/776         22         n         23         418         n         342         5         1         1         1         5         7           500         158         Rad</th<>	600         161         Rad Site W of B664         17         n         553         n         553         n         10         10         10         10         10         10         10         10         11         1         1         1         1         6         8           SW         115         Ordinal Landfill         19         172         258         242         672         6         1         1         1         6         8           NW         114         Present Landfill         20         415          46         115         92         252         5         1         1         1         6         5           700         150.2         Rad Site W B 771/776         22         n         2         374         376         5         1         1         1         5           500         158         Rad Site W B 771/776         22         n         23         418         n         3         421         5         1         1         1         5           800         B881         B881 Area Plume         25         257         7         n         267         5         1         1	600         161         Rad Site W of B664         17         n         563         n         653         103         3         1         1         2         6           LMD         LMD         PU2D PU2D Yard Plume         18         583         n         n         553         6         1         1         1         6           SW         115         Original Landfill         19         172         258         242         672         6         1         1         1         6           NW         114         Present Landfill         20         415         <1	FOOD         161         Rad Site W of B664         17         n         563         n         n         563         n         10         2         6           PUDP         PUSD Yard Plume         18         563         n         n         563         n         11         1         1         1         1         6         1         1         1         1         6         1         1         1         1         6         1         1         1         1         1         6         1         1         1         1         6         1         1         1         1         6         1	600         161         Rad Site W of B664         17         n         563         n         15         98         103         3         1         1         2         6         n           LM         PUDP         PUDP         PURD Yard Plurne         18         563         n         n         563         n         172         258         242         672         6         1         1         1         6         n           NW         115         92         242         672         6         1         1         1         6         n           NW         114         Present Landfill         20         415         <41	600         161         Rad Site W of B664         17         n         55         98         103         3         1         1         2         6         n           LM         PUDP         PU&D P D&D Yard Plume         18         553         n         n         553         6         1         1         1         1         6         n           LM         PUDP         PUBD P D&D Yard Plume         18         172         258         242         672         6         1         1         1         6         n           NW         114         Present Landfill         20         415         6         17         1         1         1         1         6         n           700         143         Old Outrall -B771         21         46         15         92         25         1	No.	Figure   F

Attachment 4, Page 4-4

Fig.   Partial   Partial   Partial   Total											<b>,</b>	.,	<del>-,</del>				<del>,</del>	т
Description   Status   Ranki   Tanki   Total   Total   Total   Total   Surface   Sur	Exceeds Tier I AL	2	ou	92	ou	೭	2	92	ဥ	2	2	o.	OL OL	6	yes	2	ou	OU
Description   Status   Famici   Total   Tota	Total Priority Score	က	က	က	ဇ	က	8	ဇ	8	က	2.5	2	2	2	-	-	-	-
Description   Status Rank   Tank   Total   Total   Total   Total   Total   Score   S	Professional Judgement Multiplier	-	<b>-</b> _	·	-	-	-	-	-	-	0.5	0.5	-	-	-	0.5		<b>-</b>
In   Description   Status   Fank   Total   Total   Total   Total   Total   Surface	Potential for Further Release Multiplier	-	~-	-	-	_	-	_	-	_	-	-	_	-	-	<b>-</b>	-	1
10   Description   Status   Ranki   Total   Total   Total   Total   Store   Contents   Water   Soli   Score   Soli   So	SW Impact Score Multiplier	-	-	<b>-</b>	-	-	-	-	-	-	<b>T</b>	-	-	-	-	-	-	<b>,</b> —
120.2   Elberglass Area W   120.2   Elberglass Area W   157.1   Rad Site N   Saw Contractor Yard   150.1   Rad Site N   150.1	ALF Score	ဗ	ဗ	3	က	င	က	က	က	က	ഹ	4	2	2	-	2	-	τ
ID   Description   Status   Rankf   Total   Total   Total   Total   Sulfamiliary   Contents   Water   Soil   Soi	Total Chemical Score	96	102	26	102	105	117	<b>6</b> 6	102	114	379	174	62	59	17	32	50	<b>,</b>
ID         Description         Status Tank Tank Tank Tank Tank Tank Tank Tank	Total Surface Soil	⊽	86	26	8	100	113	66	102	114	374	c	62	23	-	က	50	-
ID         Description         Status         Rank1         Total Total Total           111.8         Trench T-11         34         Tank Contents           120.2         Elberglass Area W B64         35         Elberglass Area W B664           138         B779 Cooling Tower BD         36         Elberglass Area W B664           144         Sewer Line Overflow BD         37         A0           144         Sewer Line Overflow BD         38         A0           157.1         Rad Site N         38         A1           157.2         Rad Site BS Dill         A1         A1           150.1         Rad Site N B771         A2         A3           162         Rad Site N B771         A2         A4           150.1         Rad Site Nortractor Yard         A4         A4           162         Rad Site Nortractor Yard         A4         A4           M         B7712/713 Cooling         A5         A6           M         Tower BD.         Tower BD.         A6           T27         Tank 27 - OPWL         A6         A7           B664         B664         A7         A9           136.1         B664         A7         A9	Total Subsurfac e Soll	٧	4	u	94	u	2	۲	u	c	2	<b>E</b>	ᄃ	u	7	29	ב	C
ID         Description         Status         Rankf           111.8         Trench T-11         34           120.2         Fiberglass Area W         35           188         B779 Cooling Tower         36           144         Sewer Line Overflow         37           (N)         157.1         Rad Site N         38           157.2         Rad Site Spill         40           157.2         Rad Site Spill         41           157.2         Rad Site N B771         42           150.1         Rad Site 700 Area         43           162         Rad Site 700 Area         44           150.1         Rad Site 700 Area         45           162         Rad Site 700 Area         45           157.1         Tower BD.         45           137         B.712/713 Cooling         45           127         Tank 27 - OPWL         46           B123         B123 UBC         47           119.1         Solvent Spill Site OU1         49           120.1         Fiberglass Area N         49           136.4         W of B444         40	Total Ground Water	96	<b>c</b> ,	<b>E</b>	L .	5	2	7	c	c	c	174	c	E	စ	7	c	E
10 Pescription  111.8 Trench T-11  120.2 Fiberglass Area W B664  138 B779 Cooling Tower BD 144 Sewer Line Overflow (N) 157.1 Rad Site N 157.2 Rad Site 8  164.2 Rad Site 8  164.2 Rad Site 8  164.2 Rad Site 8  164.2 Rad Site 8  165.1 Rad Site N B771  162 Rad Site 700 Area OLPL Old Landfill Plume M 137 B.712/713 Cooling Tower BD. T27 Tank 27 - OPWL B123 B123 UBC  120.1 Fiberglass Area N B664  136.1 Cooling Tower Pond W of B444	Total Tank Contents																	
10 Pescription  111.8 Trench T-11  120.2 Fiberglass Area W B664  138 B779 Cooling Tower BD 144 Sewer Line Overflow (N) 157.1 Rad Site N 157.2 Rad Site 8  164.2 Rad Site 8  164.2 Rad Site 8  164.2 Rad Site 8  164.2 Rad Site 8  165.1 Rad Site N B771  162 Rad Site 700 Area OLPL Old Landfill Plume M 137 B.712/713 Cooling Tower BD. T27 Tank 27 - OPWL B123 B123 UBC  120.1 Fiberglass Area N B664  136.1 Cooling Tower Pond W of B444	Rank1	34	35	98	37	38	88	40	41	42	43	44	45	46	47	48	49	20
10.2 111.8 120.2 138 138 144 (N) 157.1 157.1 164.2 164.2 164.2 167.2 162 00LPL M 137 119.1 120.1	Status																	
<u> </u>	Description			B779 Cooling Tower BD	Sewer Line Overflow				S&W Contractor Yard	-	Rad Site 700 Area		B.712/713 Cooling Tower BD.	Tank 27 - OPWL				
New	111.8					1					OLPL M							
Ⅰ ಏ ಏ ಏ 의 더 의 된 된 된 된 된 된 된 회	TYPE Area	HSS NE	009 SSHI	1HSS 700	HSS 700	IHSS 400	IHSS 400	ная 800	006 SSHI	IHSS 700	000 SSHI	PLM	UBC 700	TNK 800		оо6 ssні	009 взні	IHSS 400

			<b>.</b>	<b></b>		,	,				,	т	,	<del>,</del>		т
Exceeds Tier I AL	<u>و</u>	6	ဥ	OL	01	00	OU	2	OU	ou	ဝ	은	2	은	၉	ou
Total Priority Score	<del></del>	-	-	-	-	-	-		-	-	-	-	-	-	0.5	0.5
Professional Judgement Multipiler	ļ		-	-	<b>*</b> -	-	-	-	<b>-</b>	0.5	0.5	<b>T</b>	-	<b>*</b>	0.5	0.5
Potential for Further Release Multiplier	1	-	-	-	·	-	<b>-</b>		<b>-</b>	<del></del>	<b>-</b> -	-	-	-	_	-
SW Impact Score Multiplier	1	Υ-	-	-	<del>-</del> -	<b>-</b>	-	<b>-</b> -	<b>,-</b>	<b>-</b>	<del>, -</del>	-	-	-	Ψ,	_
ALF Score	<del>-</del>	-	-	<b>,</b> -		<b>~</b>	<b>,</b>	<b>-</b>	-	2	2	-	-	-	<del></del>	Ψ-
Total Chemical Score	4	16	16	2	5	5	5	9	13	56	37	9	11	က	· •	53
Total Surface Soil	4	ဇ	16	8	2	2	ဍ	4	13	26	32	ב	11	က	<b>-</b>	23
Total Subsurfac e Soll	ב	4	c	c	u	u	c	Ľ	c	u	c	9	u	c	7	E
Total Ground Water	u	o o	c	כ	נו	۲	c	12	<b>L</b>	0	נ	Ċ	u	c	7	c
Total Tank Contents																
Rank1	51	52	53	54	22	26	22	28	29	09	61	62	63	64	92	99
Status Rank1																
Description		Waste Leaks	Rad Site B 771/774	Rad Site 700 North B774	S&W B980 Cont. Storage	B885 Drum Storage	Sulphuric Acid Spill B443	Caustic Leak	750 Pad- Pondcrete/Saltcrete Stor.	Transformer, Roof of Building 447	Bowman's Pond	B440 UBC	Effluent Line	Effluent Line	Trench T-5	Hydroxide Tank, KOHm NaOH
<u>α</u>	136.2	148	150.3	163.1	175	177	187	190	214		700-	B440	149.1	149.2	111.2	139.1 N(a)
TYPE Area	IHSS 400	IHSS 100	IHSS 700	IHSS 700	006 SSHI	1HSS 800	IHSS 400	1HSS 000	IHSS 700	PAC   400	PAC   700	UBC 400	002 SSHI	IHSS 700	IHSS NE	1HSS 700

Exceeds Tier I AL			2	2	ou	o <sub>L</sub>												
Total Priority Score			0.5	0.5	0.5	0.5	0	0	0	0	0	0	0	0	0	0	0	0
Professional Judgement Multiplier			0.5	0.5	0.5	0.5	0.5		1	-	-	-	T	-	<del></del>	-	-	-
Potential for Further Release Multiplier			-	-	-	<b>-</b>	<b>,</b>	·	-	-	-	-	<del>-</del>	-	က	က	<b>T</b>	-
SW Impact Score Multiplier			-	-	-	-	-	-	-			-	-	-	-	τ-	-	-
ALF Score			-	-	-	-	0	0	0	0	0	0	0	0	0	0	0	0
Total Chemical Score			19	m <sup>'</sup>	12	12	0	⊽	⊽	⊽	⊽	0	0	0	⊽ .	⊽	⊽	0
Total Surface Soll			19	c	12	12	0	<b>.</b>	⊽	⊽	pq	⊽	⊽	⊽	⊽	٧	⊽	⊽
Total Subsurfac e Soil			C	3	د	c	c	<b>!&gt;</b>	⊽	۲,	tbd	c	c	ב	⊽	⊽	c	E
Total Ground Water			c	c	u	c	0	<b>c</b>	⊽	۲	ᆮ	ב	c	⊽	ב	c	ב	7
Total Tank Contents	· .														7	⊽		
Rank1			29	89	69	70	NR	NR	R E	NR	NN.	R H	R R	R R	R	R R	E E	Æ.
Status Rank1									:									
Description		condensate	HF Acid Tank	Haz Disposal Area	PU&D Storage Yard	PU&D Yard - Drum Storage	Transformer Leak - 779-1/779-2	Trench T-6	Trench T-8	Trench T-9	Trench T-10	W. Loading Dock B447	S. Loading Dock B 444	Solvent Spills N B707	Process Waste Tks Westermost		Low Level Rad Waste Leak	Oil Burn Pit #1
۵			139.2	140	170	174a	700- 1105	111.3	111.5	111.6	111.7	116.1	116.2	118.2	126.1	126.2	127	128
TYPE Area			3 700	006 8	MN (α	NN (S	200	JN (s	s NE	S NE	S NE	s 400	s 400	IHSS 700	IHSS 700	s 700	s 700	s 300
TYPE			HSS	HSS	IHSS	IHSS	PAC	IHSS	HSS	IHSS	HSS	SH	HSS	Σ Ε	E E	IHSS	HSS	IHSS

Final RFCA Attachment 4 May 28, 2003

Exceeds Tier I AL																		
Total Priority Score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Professional Judgement Multiplier	<b>-</b>	-	0.5	0.5	0.5	0.5	0.5	0.5	-	-	-	-	-	0.5	2	8	2	2
Potential for Further Release Multiplier	-	-	-	-	-	-	-	-	-	-	1	F	-	-	1	-	-	-
SW Impact Score Multiplier	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ALF Score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Chemical Score	⊽	⊽	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Surface Soll	⊽	⊽	⊽	⊽	V	V	⊽	⊽	⊽	⊽	⊽	⊽	⊽	⊽	c	٦	د	c
Subsurfac e Soil	7	c	7	₹	⊽	⊽	7	V	⊽	₹	V	٧	⊽	⊽	L	c	د	u
Ground Water	⊽	c	c	c	⊽	c	c	⊽	c	c	c	c	⊽	c	c	c	E	c
Tank Contents																		
Kank	R.	RN	R H	RN	NR.	A R	NR	NR	NR	N.	NR	RN	R	NR	R R	RN	A.	R
Stands																		
	300   134(N) Lithium Metal Site	134(S) Lithium Metal Destruction Site	<del></del>	142.11 Pond C-2	142.12 Pond A-5	Pond A-2	Pond A-3	Pond A-4	Pond B-1	Pond B-2	Pond B-3	Pond B-4	Pond B-5	142.10 Pond C-1	Concrete Tanks	146.2 Concrete Tanks	Concrete Tanks	Concrete Tanks
2	134(N	134(S	142.1			142.2	142.3	142.4	142.5	142.6	142.7	142.8	142.9		146.1	<u> </u>	146.3	146.4
A C		300	N N	SE	E N	E S	E N N	E S	S NE	SE	s 700	s 700	s 700	s 700				
<u> </u>	HRS	IHSS	HSS	HSS	IHSS	HSS	HSS	HSS	IHSS	IHSS	SSHI	IHSS	HSS	IHSS	HSS	IHSS	IHSS	IHSS

Final RFCA Attachment 4 May 28, 2003

Attachment 4, Page 4-8

Exceeds Tier I AL																	
Total Priority Score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Professional Judgement Multiplier	2	2	-	-	-	-	0.5	-	-	-	0.5	0.5	-	0.5	F	-	Ψ-
Potential for Further Release Multiplier	<b>v</b> -	-	-	-		-	-	-	-	<b> </b>	-	-	_	-	-	-	4
SW Impact Score Multiplier	-	-	-	-	-	-	-		-	-	-	-	-	-	-	-	-
ALF Score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Chemical Score	0	0	⊽	0	0	⊽	0	⊽	0	0	0	0	0	0	0	0	0
Total Surface Soll	.c	د	⊽	⊽	⊽	L	⊽	c	⊽	⊽	u	₽	L	<b>~</b>	⊽	⊽	7
Total Subsurfac e Soil	۵	c	c	c	C	⊽	c	₹	c	c	u	c	c	c	u	c	u
Total Ground Water	c	c	c	c	c	⊽	c	⊽	c	L L	د	L	c	u	L.	c	r
Total Tank Contents																	·
Rank1	NR	RN	RN	RN	NR	RH	NR	RN	RN	R R	R H	R E	R.	R	R R	R.	RN
Status																	
Description	Concrete Tanks	Concrete Tanks	Rad Site NW B750	Rad Site S B779	Rad Site S B776	Oil Burn Pit No. 2	Pallet Burn Site	Rad Site B559	Americium Slab	Rad Site #2 800 Area, Bldg 887 Pad	Hydrogen Peroxide Drum Burial Waste	Rad Site B991	444/453 Drum Stor.	Rad Site 991 Steam	Valve Vaults 11.12.13	Sump #3 Acid Site (SE of B460)	Inactive B444 Acid Dumpster
Ω	146.5	146.6	150.4	150.6	150.7	153	154	159	163.2	164.3	169	173	182	184	186	205	207
TYPE Area	s 700	s 700	s 700	s 700	s 700	006 s	006 s	s 500	s 700	s 800	s 500	006 s	s 400	006 s	300	\$ 400	\$ 400
<u></u>	IHSS	IHSS	IHSS	IHSS	IHSS	IHSS	IHSS	IHSS	IHSS	IHSS	SSHI	IHSS	IHSS	IHSS	SSHI	HSS	IHSS

		·		<del> </del>		<del></del>	- <del>1</del>		- <sub>T</sub>				1	<del></del>	· · ·	<del></del>
Exceeds Tier I AL																
Total Priority Score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Professional Judgement Multiplier	-	-	-	-	2	-	-	-	-	-	-	-	F	-	1	T-
Potential for Further Release Multiplier	-	<b>-</b>	-	<b>,</b>	-	-	-	<b>-</b>	-	-	-		-	-	-	-
SW Impact Score Multiplier	-	-	-	-	Ţ.	-	-	-	-		-	-	-	-	-	-
ALF Score	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Total Chemical Score	⊽	0	0	0	0	0	0	0	0	0	C	c	E	0	c	0.
Total Surface Soil	⊽	С	<b>∵</b>	<b>∵</b>	د	د	c	c	E .	c	E	c	c	c	c	L
Total Subsurfac e Soll	c	L	ר	c	ב	u	c	۵	۵	E	E.	E	ב	ב	L	נ
Total Ground Water	c	c	n*	,u	c	c	<b>E</b>	c	c	c	u	c	c	7	<u>_</u>	ב
Total Tank Contents			-													
Rank1	RN	R	NR	NA R	R E	R.	R H	E E	R R	R E	R.	R E	R E	R E	R E	N R
Status																
Description	Inactive 444/447 Wst Str	904 Pad, Pondcrete Stor.	East Spray Field- Center Area	East Spray Field- South Area	B774 UBC	Tank 12 - OPWL	Tank 31 - OPWL	Tank 33 - OPWL	Tank 34 - OPWL	Tank 35 - OPWL	Hydroxide Tank, KOHm NaOH condensate	Hydroxide Tank	Sewer Line Overflow	MAAS Area	B371 Drum Storage	Abandoned Sump near-774 Unit 55.13 T-
<u>o</u>	208	213	216.2	216.3	B774	T12	T31	T33	T34	T35	139.1 N(a)	139.1 N(b)	144 (S)	147.1	212	215
TYPE Area	IHSS 400	006 SSHI	IHSS NE	IHSS NE	UBC 700	TNK 700	TNK 000	TNK 500	TNK 500	TNK 500	1HSS 700	1HSS 700	00Z ssнi	1002   200	нея 300	1HSS 700
<u> </u>	I	E	<u> </u> =	<u>=</u>	] <u>5</u>	F	F	E	E	E_	<u> </u> ≡	<u> </u>	프	<u> </u>	<u>                                     </u>	<u> </u>

Attachment 4, Page 4-10

<del></del>	·					<del></del>		T		Т	1	Т	<del></del>	т
Exceeds Tier I AL														
Total Priority Score														
Professional Judgement Multiplier														
Potential for Further Release Multiplier														
SW Impact Score Multiplier												·		
ALF Score														
Total Chemical Score	,													
Total Surface Soil		u	c	<b>Ľ</b>	c	د	c	ב	c	c	c	ב	<u>_</u>	c
Total Subsurfac e Soil		c	u	Ľ	c	u	c	c	Ľ	c	E .	٦	c	c
Total Ground Water		ב	٤	c	c	c	c	c	c	c	c	<b>c</b> .	c	c
Total Tank Contents														
Rankl		R E	Ä	R R	R E	RN	RN	R R	RN	R R	AN AN	R	E E	RN R
Status Rank1														
Description	40	Valve Vault W. of 707	Rad Site 700 Area #4	Sanitary Sewer System	Solar Pond Water Spill Along Central Ave	New Process Waste Line	Storm Drains	Building 123 Process Waste Line Break	Building 121 Security Incinerator	Building 123 Scrubbber Solution Spill	Asphalt Surface in Lay Down N Bldg 130 (formerly 000-501)	Pesticide Shed	Storage Shed B334	Misc Dumping, Building 460 Storm Drain
٥		123.2	132	200-	000- 503	000- 504	000- 505		- 60 - 60 -	100- 611	100- 613	300-	400 802	400- 803
Area		700	700	000	000	000	≰	100	100	100	100	300	400	400
TYPE Area		IHSS	HSS	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC

Attachment 4, Page 4-11

				,				,				T		T
Exceeds Tier I AL														
Total Priority Score						-								
Professional Judgement Multipiler			•											
Potential for Further Release Multiplier														
SW Impact Score Multiplier		·												
ALF Score														
Total Chemical Score			·										. :	
Total Surface Soll	C	c	ר	ב	u	u	<b>E</b>	Ľ	u	u	c	c	ב ֹ	С
Total Subsurfac e Soli	c	c	E	u	c ·	Ľ	c	u	u	L	u	c	c	C
Total Ground Water	ב	c	ב	u	Ľ	ᄄ	c	u	u	u	u	ㄷ	u	c
Total Tank Contents														
Rank1	NR	RN	NR	NR	RN	R	R R	R	A R	AN	RN	R	NR	E E
Status Rank1								-						
Description	Road North of Building 460	Sandblasting Area	Beryllium Fire - Bldg 444	RCRA Tank Leak in Bldg 460	RCRA Tank Leak in Bldg 460	Asphalt Surface Near Bldg 559	Tanker Truck Release of hazardous Waste From Tank 231B	Temp. Waste Stor B663	Central Avenue Ditch (formerly identified as 400-820)			Laundry Tank Overflow - Bldg 732	Process Waste Spill - Portal 1	Identification of Diesel Fuel in Subsurface Soils
<u>o</u>	400- 804	400- 807	400- 810	400- 813	400- 815	200- 300-		- 100 100 1	600- 1004	600- 1005	700- 1100	1.78 1.10 1.10 1.10	700- 1106	
TYPE Area	400	400	400	400	400	200	200	009	009 0	009 0	c 700	c 700	c 700	c 200
TYP B T	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC

Attachment 4, Page 4-12

Exceeds Tier I AL											T		T		
>		-			-							-			
			<u> </u>			<u> </u>	ļ	<u> </u>	-	<u> </u>	-	<u> </u>	-	-	<u> </u>
Professional Judgement Multiplier															
Potential for Further Release Multiplier															
SW Impact Score Multiplier			-										-		
ALF Score			,												
Total Chemical Score					-									·	
Total Surface Soll	ב	C	ב	u	د	ב	c	c	ᄃ	c	c	c	C	د	
Total Subsurfac e Soil	u	c	u	L	ב	c	c	c	E	c	c	c .	c	c .	
Total Ground Water	C	נו	L	c .	c	٦	c	u	<b>c</b>	u	ב	c	c c	c	
Total Tank Contents															
Rank1	AN R	AN H	NR	RN	RN	R E	RN EN	NR	NR	NR.	R	R R	Ä	R R	
Status														•	
Description	Transformer Leak South of Bldg 776	Valve Vault 2	Radioactive Site south of Bldg 883	Bidg 866 Spills	Bldg 881, East Dock	Building 866 Sump Spill	Bldg 991 Enclosed Area	Explosive Bonding Pit	Gasoline Spill Outside of Bldg 980	ITS Water Spill (formerly 000-502)	Diesel Spill at Pond B- 2 Spillway	OU2 Treatment Facility	Trench T-12 Located @ OU2 East Trenches	Trench T-13 Located @ OU2 East Trenches	North Firing Range
<u>0</u> <u>0</u>	700- T 1116 S			800- B 1204			900- E 1301 A	900- E 1307	900-  G 1308  o	900-  F 1310 ((	NE-   C 1404   2	NE- (1407 F	NE-   T 1412 (6	NE- 1	NW- 1505
Area	700 7	800	800 8	8008	8008	8008	900	006	900	006	N H	NE.	N E	岁	NN N
TYPE Area	PAC 7	PAC 8		PAC 8	PAC (	PAC	PAC	PAC	PAC (	PAC	PAC	PAC	PAC	PAC	PAC

Attachment 4, Page 4-13

Exceeds Tier I AL			T						1							
Total Endorthy Till Score								-		$\frac{1}{1}$						
Professional Judgement Multiplier																
Potential for Further Release Multiplier																
SW Impact Score Multiplier																
ALF Score																
Total Chemical Score																
Total Surface Soil	c	c	c	<b>E</b>	c	E	٦	٤	c	c	٦	٦	٦	c	c	ے
Total Subsurfac e Soil	L	E	٦	c	د	E	c	c	c	c	c	c	c	c	c	E
Total Ground Water	د	С	E	Ľ	c	c	c	c	٦	c	L	۵	c	L	c	E
Total Tank Contents							1									
Rankı	NR.	N.	E E	A.	R.	NR	R	NR	RN	RN RN	RN RN	AN R	R	N.	RN	R E
Status Rank1																
Description	East Firing Range	B122 UBC	B125 UBC	B331 UBC	B371 UBC	B374 UBC	B439 UBC	B441 UBC	B442 UBC	B447 UBC	B528 UBC	B559 UBC	B701 UBC	B731 UBC	B770 UBC	B771 UBC
2	SE- 1602	1	B125	B331	B371	B374	B439	B441	B442	B447	B528	B559	B701	B731	B770	B771
Area Area	SE	8	100	300	UBC 300	300	400	400	400	400	200	200	700	700	700	200
	PAC	OBC	UBC	UBC	OBC	UBC	UBC	UBC	OBC	UBC	UBC	UBC	UBC	UBC	UBC	OBC

Attachment 4, Page 4-14

eds I AL		T		T	T	1	T	$\top$	T	T	T	T	T	T	T	
Exceeds		_	_			2			$\perp$			$\perp$			$\perp$	
Total Priority Score						0										
Professional Judgement Multiplier						+-										
Potential for Further Release Multipiler																
SW Impact Score Multiplier						-										
ALF Score																
Total Chemical Score						0										
Total Surface Soil	٦	c	c	ב	٦	E	٦	u	c	c	c	ב	c	c	c	L
Total Subsurfac e Soff	c	u	L	د	L	V	L	c	c	c	L	c	r	L	د	L
Ground Water	E	c	۵	c	E	c	٦	E	c	E	r.	ء	٦	c	c	c
Tank Contents										c	٦	٤	E	=	c	c
	R.	RN	R	RN	RN	RN	R	RN	RH	R	R	RN	R	E E	R	RN
Status Hanki							,									
	B776 UBC	B777 UBC	B778 UBC	B865 B865 UBC	B883 B883 UBC	B886 UBC	B887 UBC	B889 UBC	B991 UBC	Tank 1 - OPWL	Tank 2 - OPWL	Tank 3 - OPWL	Tank 4 - OPWL	Tank 5 - OPWL	Tank 6 - OPWL	Tank 7 - OPWL
<u> </u>	B776	B777	B778	B865	B883	B886	B887	B889	B991	101	T02	T03	T04	T05	106	T07
	700	700	200	800	800	800	800	800	006	9	400	400	400	400	400	200
	UBC	OBC	UBC	UBC	UBC	UBC	UBC	UBC	UBC	TNK	TNK	TNK	TNK	TNK	TNK	1NK

Attachment 4, Page 4-15

Exceeds Tier I AL																
Total Priority .																
Professional Judgement Multiplier																
Potential for Further Release Multiplier																
SW Impact Score Multiplier																
ALF Score																
Total Chemical Score																
Total Surface Soil	c	c	c	c	c	L	c	c	L	c	c	c	L	د	c	Ē
Total Subsurfac e Soll	c	c	c	c	c	c	c	c	c	c	c	c	c	c	c	c
Total Ground Water	ב	E	c	ב	c	c	c	c	c	c	E	c	c	E	c	c
Total Tank Contents	c	c	c	c	c	c	c	c	c	c	c	c	c	٦	c	c
Rank1	NR	NR.	NR	R	NR	RN	RN	NB	NR	R E	N. R.	R R	R	A.R	R E	E.
Status																<u> </u>
Description	Tank 8 - OPWL	Tank 9 - OPWL	Tank 10 - OPWL	Tank 11 - OPWL	Tank 13 - OPWL	Tank 14 - OPWL	Tank 15 - OPWL	Tank 16 - OPWL	Tank 17 - OPWL	Tank 18 - OPWL	Tank 19 - OPWL	Tank 20 - OPWL	Tank 21 - OPWL	Tank 22 - OPWL	Tank 23 - OPWL	Tank 24 - OPWL
₽	T08	T09	T10	T11	T13	T14	T15	T16	T17	T18	T19	T20	121	T22	T23	T24
TYPE Area	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 700	TNK 800	TNK 800	TNK 800	TNK 800

Attachment 4, Page 4-16

Exceeds Tier I AL									92	no	20	ou	00	ou	2	OU
Total Priority Score									0	0	0	0	0	0	0	0
Professional Judgement Multiplier									-	0.5	0.5	0.5	0.5	0.5	0.5	0.5
Potential for Further Release Multiplier									-	-	<del>-</del>	-	<b>T</b>	-	-	<del>-</del>
SW Impact Score Multiplier									-	F	-	-	-	T-	-	-
ALF Score									0	0	0	0	0	0	0	0
Total Chemical Score									0	0	0	0	0	0	0	0
Total Surface Soli	c	c	c	c	ב	L	c	c	7	⊽	ᆮ	c	c	⊽	⊽	⊽
Total Subsurfac e Soff	٦	٦	c	c	c	c	c	C.	ב	v	⊽	⊽	⊽	⊽	c	⊽
Total Ground Water	Ľ	c	c	E	E	د	٤	ב	c	⊽	⊽	⊽	⊽	c	<b>E</b>	c
Total Tank Contents	c	c	c	c	c	٦	c	c								
Rank1	R.	RN R	RN	RN	R. R.	RN	RN	R E								
Status									PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA
Description	Tank 25 - OPWL	Tank 26 - OPWL	Tank 30 - OPWL	Tank 32 - OPWL	Tank 36 - OPWL	Tank 37 - OPWL	Tank 38 - OPWL	Tank 39 - OPWL	Inactive D-836 HW TK	Nitric Acid Tanks	Landfill Trench A	Landfill Trench B	Landfill Trench C	Landfill Pond Spray Area		Spray Field-North
2	T25	T26	T30	T32	T36	T37	T38	T39	206	189	166.1	166.2	166.3	167.2	167.3	216.1
TYPE Area	800	800	700	800	700	200	700	800	300	009	빙	ä	N N	y Z	빙	N N
34 14 14	TNK	H X	TN X	H X	AN X	F X	¥ X	Ä	IHSS	HSS	HSS	IHSS	IHSS	IHSS	HSS	HSS

Attachment 4, Page 4-17

	,	.,				,	,		,			<del></del>			<del></del>	T
Exceeds Tier I AL	22	<u>و</u>	2	ou			ou							00		ou
Total Priority Score	2	2	2	2	0	0	0							0		0
Professional Judgement Multiplier	<b>-</b>	T-	-	-	0.5	0.5	0.5							0.5		0.5
Potential for Further Release Multiplier	<del></del>	F	-	1	-	_	-							<b>-</b>		<b>T</b>
SW Impact Score Multiplier	-	-	-	-	-	-	-							<u>.                                    </u>		<b>,</b>
Score	2	2	2	2	0	0	0		-					0		0
Total Chemical Score	46	46	44	46	0	0	⊽	·						0		0
Total Surface Soil	⊽	⊽	⊽	2	⊽	⊽	⊽		·					⊽		0
Total Subsurfac e Soil	2	2	⊽	⊽	٧	7	c							د		₹
Total Ground Water	4	44	44	44	c	E	c			·				c		0
Total Tank Contents					4											
Rank1																
Status	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA
Description	Ash Pit 1	Ash Pit 2	Ash Pit 3	Ash Pit 4	Incinerator	Concrete Wash Pad	Building 123 Bioassay Waste Spill	Transformer N of B371	Transformer Leak 334-1	Ni-Cad Battery Spil Outside Bldg 373	1/2 g Antifreeze Spill Outside Bldg 373	Caustic Spill N of Bldg 331	Laundry Waste Water Spill N of Bldg 374	Tank T-2 Spill I Building 460	A/C Compressor Release, Bldg 444 Roof	Transformer Leak 515/516
<u>a</u>	133.1 As	133.2 A	133.3 A	133.4 A	133.5 In	133.6 C	100- 603 ×	300- 708	300- T	300- 711 0	300- 1, 712 C	300- C	300- L 714 S	400- T 812 B	400- A 814 F	500- T
	SW 16	SW 13	SW 13	SW 18	SW 13	SW 18	100	300	300	300	300	300	300	4004	400	500
TYPE Area	SSHI	HRS	SSHI	SSHI	SSHI	SSHI	PAC 1	PAC	PAC	PAC	PAC	PAC	PAC	PAC /	PAC	PAC

	,			,					1			1	1	т—	<del></del>
Exceeds Tier I AL	ou	<u>و</u>	<u>و</u>				OL.	ou.	ou ou			<u>о</u>			
Total Priority Score	9.0	0.5	0.5				0	0	0.5			0			
Professional Judgement Multiplier	9.0	0.5	0.5				0.5	0.5	0.5			0.5			
Potential for Further Release Multiplier	<b>.</b>	T	<b>-</b>				-		<b>+</b>			<b>T</b>			
SW Impact Score Multiplier	•	<b>-</b>	<b>T</b>				-	<del>-</del>	-			-			
ALF Score	Ļ	<b>,</b> -	1				0	0	-	·		0			
Total Chemical Score	ļ	0	19				0	0	52			0			
Total Surface Soil	0	0	19				⊽	0	0			0			
Total Subsurfac e Soil	<b></b>	-1	u				ᄕ	⊽	25			⊽			
Total Ground Water	0	0	0				0	0	0			0			
Total Tank Contents															
Rank1							·								
Status	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA	PNFA
Description	Transformer Leak 555/558	mer Leak 559	Transformer Leak 223- 1/223-2	mer Leak 558-	Spent Photo Fixer Solution Release (IHSS 158)	Transformer Storage B662	Transformer Storage W B666	Transformers N & S 661/675		Transformer Leak B707		Transformer Leak B750			Release During Liquid Transfer Oper Bldg
<u>Q</u>	500- 901	500- 902	500- 904	500- 905	500- 909	600- 1000	600- 1002	600- 1003	ļ	700- 1103		700 <u>+</u>	700- 1112	700- 1113	700- 1114a
TYPE Area	PAC 500	PAC 500	PAC 500	PAC 500	PAC 500	PAC 600	PAC 600	PAC 600	PAC 700	PAC 700	PAC 700	PAC 700	PAC 700	PAC 700	PAC 700
<u> </u>	<u>                                     </u>	<u>                                     </u>	<u> </u>	<u> </u>	<u>                                     </u>	Щ	<u> </u>	<u> </u>	II	Ц	L			1	

Attachment 4, Page 4-19

			 1	T		т-			_	7		Т		П					T				-		
Exceeds Tier I AL					2	2	-   2	2	ou			+					-		+			-			
	Score				<b>-</b>	-		<b>-</b>	-								_		1		-				1
Professional Judgement	Multiplier				-	-			-																
5	Release Multiplier				-	-	-	<b>-</b> ,	-																
SW Impact Score	Multiplier			·	-	•	-	<b>Y</b> -	-	<b>-</b>															
ALF		-			-	,	_	-	1	-	-				-		-				+		-		-
Total	Score				2	,	N	2	c	N							1				1		-		
Total	Soll				2		9	6	1	Ν.					-		-				1				_
Total	Subsurfac e Soll				2		9	6		ο <b>ι</b>													1	-	
Total	Ground Water		-		0		0	0		0													-		_
Total	Tank Contents				c	>		c	>	0			-		1					-			1		
Rank1							1	-	1	A		K		<u> </u>		<u> </u>		¥ ¥		DNIEA	<u>.</u>	PNFA	-	PNFA	
Chatus	Sign			PNFA		- - -	PNF/	L C	K L Z L	PNFA		PNFA	-	۲ ۲ ۲		JNG uc		PNFA		7		Nd ple	-	<u></u>	
	Description		774	Release During Liquid	Fransfer Oper Brug 774	Transformer Leak 883- FINFA	Transformer Leak 881- PNFA	$\overline{}$		-	I ransformers occir of			Solar Evaporation		1-	5 E Patrol Rd, N of	_		$\neg \tau$	)-  Soil from crate in 904		_	1-	11 Overflowed from Tanker @ OU2
	Ω				1114b	_	1207				800-				1314		1315	-006 006			-006 006	-	NE NE-	-NE NE-	1411
	rypE Area			PAC 700		PAC 800	000		PAC 800		PAC   800	PAC 900	_	PAC 900		PAC 900		PAC 90	_		PAC 9	_	PAC	PAC	

Attachment 4, Page 4-20

			ı	Τ	, ——		т			1			
Exceeds Tier I AL						은	2	2	2	01	2	2	<u>е</u>
Total Priority Score						0	0	0	0	0	0	0	0
Professional Judgement Multiplier						-	-	<b>-</b>	-	<b>,</b>	-	-	-
Potential for Further Release Multiplier						<b>-</b>	-	-	<b>, .</b>	<b>-</b>	<b>—</b>	-	-
SW Impact Score Multiplier		,	·			<del></del>	-	<b>*</b> -	-	-	<b>-</b>	-	-
ALF Score						0	0	0	0	0	0	0	0
Total Chemical Score						0	0	0	0	0	0	0	0
Total Surface Soil				L L	u	⊽	⊽	⊽	⊽	⊽	⊽	⊽	ב
Total Subsurfac e Soli				ᄕ	u	u	ב	r	u	c	⊽	c	L
Total Ground Water				c	נו	Ľ	С	c	c	ᄃ	⊽	ב	c
Total Tank Contents													
Rank1													
Status	PNFA	PNFA	PNFA	PNFA	PNFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA
Description	Disposal of Diesel Contaminated Material at Landfill (formerly NW-177)	Disposal of Fuel Contaminated Material at Landfill	Disposal of Thorosilane Contaminated Material at Landfill	Recently Identified Ash Pit	Recently Identified Ash Pit	B373 CT Blowdown	Fuel Oil Leak Tk. 262	Rad Site	B334 Cargo Container Area	Acid Leak (SE of B374)	Hydrogen Perox. Leak	117.3 S. Chem. Storage Site	Fuel Oil Tank B452
<u>0</u>	NW- 1502	NW- 1503	NW- 1504	SW- 1701	SW- 1702	135	151	156.1	181	188	191	i	152
TYPE Area	PAC NW	Š Z	Š	MS.	SW:	300	300	300	300	300	s 400	9 e00	9 e00
TYPE	PAC	PAC	PAC	PAC	PAC	IHSS	SSHI	HSS	HESS	SSHI	SSHI	HSS	HSS

Attachment 4, Page 4-21

					<del></del>					·		т				
Exceeds Tier I AL	ou	OL.		<u>о</u> г	ou		은	2	ဥ	92	<u>و</u>	0L	2			
Total Priority Score	0.5	0	0	0	0	0	0	0	0	0	0	0.5	0			
Professional Judgement Multiplier	0.5	<b>-</b>		1	0.5	0.5	-	<del></del>	-	0.5	0.5	0.5	0.5			
Potential for Further Release Multiplier	-	+-	<b>-</b>	T-	-	-	-	<b>-</b>	-	<b>,</b> -	-	-	-			
SW Impact Score Multiplier	<b>1</b> -	-	<del>-</del>	-	-	-	<b>-</b>	<b>,</b>	-	-	-	-	-			
ALF Score	-	0	na	0	0	0	0	0	0	0	0	<b>,</b>	0			
Total Chemical Score	2	0	na	0	0	0	0	0	0	0	0	12	0			
Total Surface Soll	⊽	⊽	na		⊽	c	⊽	₹	⊽	⊽_	7	12	⊽			
Total Subsurfac e Soll	L	ב	na	u	c	c	c	ב	⊽	<b>∵</b>	c	ב	<u>\</u>			
Total Ground Water	01	c	na	c	₹	د	c	c	⊽	₽	u .	u	⊽			
Total Tank Contents																
Rank1																
Status Rank1	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NHA AHA
Description	Rad Site #2 800 Area	Valve Vault 7	Rad Site W B707 - (DUPLICATE OF 123.2)	B881 Conversion Act.	Sludge Disposal Area	Gas Detox Area	B980 Cargo Cont.	Central Ave. Spill	Soil Disposal Area	Landfill Pond Spray Area	Inactive HW Stor.	PU&D Yard - Dumpster Storage	Surface Disturbance	Mercury Spill - Valve Vault 124-B B124		
Ω	164.1	123.1	150.5	147.2	141	183	210	172	156.2	167.1	203	174b	209	\$ 8 \$	0.00 0.000 0.0000	100- 604
Area	009	700	700	800	900	006	900	000	Ä	N N	<u>≷</u>	≷	밇	9	100	9
TYPE Area	SSHI	IHSS	IHSS	IHSS	IHSS	HSS	IHSS	SSHI	IHSS	SSHI	SSHI	HSS	IHSS	PAC	PAC	PAC
	_															

Exceeds Tier I AL													T.					
Total Exprintly Til																		
Professional Judgement Multiplier			·						•									
Potential for Further Release Multiplier									-									
SW Impact Score Multiplier																		
ALF Score						ļ												
Total Chemical Score																		
Surface Soil			۵															
Total Subsurfac e Soil			נ															
Total Ground Water			c														·	
Total Tank Contents															,			
Hank	:			•														
Status	NFA	NFA	NFA	<u> </u>	NFA		NFA A	NFA		NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA
Description	Building 115 Hydraulic Oil Spill	Building 125 TCE Spill	Building 111	ranstormer PCB Leak	Building 131	I ransformer Leak	Asbestos Release - Building 123	Battery Solution Spill -	Building 119	Scrap Roofing Disposal	Sulfuric Acid Spill, Blda 371	Building 331 North Area	Roof Fire, Bldg 381	Potassium Hydroxide Spill N. of Bldg 374	Evaporator Tanks N. of Bldg 374	Sanitizer Spill	Gasoline Spill North of Building 331	Battery Acid Spill
9	100- 605			/09		$\neg$	-010 -010		612	300-		١.	300 <b>-</b> 704	300-	300- 706	300-	300- 10-	300
Area	9	9	100		100		10	100	_	300	300	300	00 000 000 000 000 000 000 000 000 000	300	300	300	300	300
TYPE Area	PAC	PAC	PAC		PAC		PAC	PAC		PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC

Attachment 4, Page 4-23

								<del></del>							, ,
Exceeds Tier I AL	2					no							·		
Total Priority Score	0.5			,		0									
Professional Judgement Multipiler	0.5					0.5									
Potential for Further Release Multiplier					,	-									·
SW Impact Score Multiplier	<b></b>	-				-									
ALF Score	-					0									
Total Chemical Score	-					0									
Total Surface Soil	0					0									_
Total Subsurfac e Soil	•					∵	-			-					
Total Ground Water	0					0		-							
Total Tank Contents						0									
Rank1							·								
Status Rank1	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA
Description	Transformer 443-1	Building 43 Tank #9 Leak	Catalyst Spill, Building 440	Vacuum Pump Leak, Building 442	Oil Leak - 446 Guard Post	Transformer 443-2, Bldg 443	RCRA Storage Unit #1	IHSS 156.1, 186	600- Spills of Unknown Oil 1001(a in PAC 600-1001 (SIR ) #318)	Compressor Waste Oil Spill - Building 776	Uranium Incident - Bldg 778			Sulfuric Acid Spill, Bldg 883	Sanitary Sewer Line Brk Btwn Bldg 865/866
Ω	400 <b>-</b> 800	400- 805	400- 806	400- 808	400- 809	400- 811	500- 903	500- 908		700- 1107	700 <del>-</del> 1109	700- 1110	700 <del>-</del> 1117	ļ	1203
TYPE Area	PAC 400	PAC 400	PAC 400	PAC 400	PAC 400	PAC 400	PAC 500	PAC 500	PAC 600	PAC 700	PAC   700	PAC 700	PAC 700	PAC 800	PAC 800

Attachment 4, Page 4-24

							,		<b></b>			<del></del>		,	
Exceeds Tier I AL															
Total Priority Score															
Professional Judgement Multiplier			<u>.</u>												
Potential for Further Release Multiplier															
SW Impact Score Multiplier															
ALF Score						·									
Total Chemical Score															
Total Surface Soll						•			,						
Total Subsurfac e Soil								-							
Total Ground Water															
Total Tank Contents						-				-					
Rank1															
Status	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA	NFA
<b>-</b>	3 883	Capacitor Leak, Bldg 883	t Sludge eds	Spill	Natural Gas Leak	Chromic Acid Spill - Bldg 991	Building 991 Roof	OU 2 Field Treatability Unit Spill	Septic Tanks East of Building 991	ater Spill	Seep Area Near OU2 Influent	Release of F001 Listed Waste to Soil	Roadway Spraying	Tear gas Powder Release	NE Buffer Zone Gas Line Break
Description	Fire, Bidg 883	Capacito 883	RO Plant Sludge Drying beds	Gasoline Spill	Natural (	Chromic Bldg 991	Building		Septic T Building	OU 2 Water Spill					1
Ω	800- 1206	800- 1211	900-	900- 1302	900- 1303	900- 1304	900- 1305	900- 1309	900- 1311	900- 1312	900- 1313	900- 1318	900 504	NE- 1400	NE- 1401
TYPE Area	800	800	006	006	006	006	006	006 :	006	006 ;	006	006	000	E E	Ш И
ΤΥΡΕ	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC	PAC

Exceeds Tier I AL																ou	, ou
Total Priority Score																0.5	0
Professional Judgement Multiplier																0.5	0.5
Potential for Further Release Multiplier																-	-
SW Impact Score Multiplier																-	-
ALF Score		·						·								-	0
Total Chemical Score																၉	0
Total Surface Soil																ב	r
Total Subsurfac e Soil																c	c
Total Ground Water									,							ဗ	c
Total Tank Contents																	
Status Rank1																	
Status	NFA	NFA	NFA	NFA	NFA	NFA			NFA		N A A	NFA	NFA		NFA	C-94	C-94
Description	East Inner Gate PCB Spill	Gasoline Spill - Building 920 Guard Post	Diesel Spill at Field Treatability Unit	771 Hillside Sludge Release	OU2 Test Well (formerly NE-1406)	Modular Tanks and	910 Treatment Sys	Spill (formerly 000- 503)	Diesel Spill @ PU&D Yard (formerly NW-	175)	Asbestos Release @ PU&D Yard (formerly NW-176)	Pond 7 - Steam Condensate Beleases	Pond 8 - Colling Tower	Discharge Releases		Antifreeze Discharge	Solvent Spill
₽	NE- 1402	NE- 1403	NE- 1405	•	NE- 1408	Ŗ	1409		NW- 1500		NW- 1501	SE-	SE	1601	SW- 1700	192	185
TYPE Area	N.	岁	N N	N N	Ä	NE			MN :		Š N	SE	SE		MS :	000 s	s 700
Z	PAC	PAC	PAC	PAC	PAC	PAC			PAC		PAC	PAC	PAC		PAC	HSS	IHSS

		-															
Exceeds Tier I AL	on O	ou	ou	on	ou	00	2	2	2	2	yes	yes	yes	yes	on O	2	по
Total Priority Score	0	0	0	2	0	0	0	0	0	0	09	09	09	54	0	0	0
Professional Judgement Multiplier	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	-	-	-	-	0.5	0.5	0.5
Potential for Further Release Multiplier	-	<b>-</b>	-	<b>-</b>	-	1	-	-	-	-	8	3	က	2	-	-	-
SW Impact Score Muttiplier	-	-	-	-	7-	-	-	-	-	-	2	2	2	က	-	-	-
Score	0	0	0	4	0	0	0	0	0	0	10	10	10	၈	0	0	0
Total Chemical Score	-	0	0	190	0	0	0	0	0	0	33681	27713	26179	19071	0	0	0
Soll	-	ב	c	₹	٦	L	c	ב	c	c	⊽	⊽	٦	-	⊽.	⊽	٧
Subsurfac e Soll	c	ב	r.	⊽	  -	c	٦	ב	c	c	2	1612	78	ဖ	⊽	⊽	₹
Ground Water	E	С	c	190	E	c	E	c	c	c	33679	26101	26101	19064	c	⊽	7
Tank Tank Contents																	
Rank											-	2	က	ഹ			
Status	C-94	C-94	C-94	C-95	C-95	C-95	C-95	C-95	C-95	C-95	96-0	96-O	96-O	C-97	C-97	C-97	C-97
Description	Steam Condensate Leak	Steam Condensate Leak	Nickel Carbonyl · Disposal	West Spray Field	B 881 Drum Storage	B881 Drum Storage	B881 Cyanide Trt.	B865 Drum Storage	B883 Drum Storage	Uranium Chip Roaster	Ryan's Pit (Trench 2)	Trench T-3	Trench T-4	Mound Area	Offsite Land Surface	Great Western Res.	Standley Lake
₽	193	194	195	168	178	211	217	179	180	204	109	110	111.1	113	199	200	201
Area	400	700	Ž N	SW	8	8	88	800	800	400	006	뜅	빌	006			
<b>Y</b>	HSS	IHSS	HSS	HSS	HSS	HSS	IHSS	IHSS	IHSS	SSHI	HSS	HSS	IHSS	SSHI	HRS	IHSS	IHSS

Attachment 4, Page 4-27

Exceeds Tier I AL	92	2	92	OU	o <sub>L</sub>	90	92	ou 0	92	2	2	yes	yes	yes	yes	yes	yes
Total Priority Score	0	2	-	-	0	0	0	0	0	0	0	54	99	27	21	21	21
Professional Judgement Multiplier	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	0.5	2	<del>-</del>	-	-	_	-
Potential for Further Release Multiplier	-	-	-	-	-	-	-	-	-	-	1	3	-	-	3	ဇ	3
SW Impact Score Multiplier	-	2	2	2	2	2	2	2	2	2	2	-	က	က	-	-	-
Score	0	2	-	-	0	0	0	0	0	0	0	6	01	6	7	7	7
Total Chemical Score	0	34	10	6	٧	0	0	0.	0	0	0	11091	26105	19067	3570	1453	1453
Total Surface Soil	7	₹	⊽	⊽	⊽	7	⊽	⊽	⊽	⊽	⊽	⊽	c	<b>C</b>	⊽	c	C C
Total Subsurfac e Soll	7	34	10	⊽	٠ ۲	⊽	⊽	⊽	٧	ŗ	₹	11080	נ	c	ב	⊽	⊽
Total Ground Water	⊽	7	₹	6	⊽	₹	⊽	₹	⊽	⊽	⊽	11	26105	19067	ц.	⊽	7
Total Tank Contents															3220	1453	1453
Rank1												4	7	6	10	F	=
Status	C-97	C-97	C-97	C-97	C-97	C-97	C-97	C-97	C-97	C-97	C-97	66-O	- 14C 99	1AC- 98	1AC- 96	1AC- 96	IAC
Description	Mower Reservoir	Rad Site - 800 Area	Liquid Dumping	E. Scrap Metal Storage	Oil Sludge Pit	Chemical Burial	West Out-of-Service Tank		106 Outfall	107 Hillside Oil Leak	Sanitary Waste Leak	Trench T-1	East Trenches Plume	MNDP Mound Plume LM	Tank 40-OPWL	Rad Liq. Waste Tk. 66	Rad Liq. Waste Tk. 67
<u>o</u>	202	130	104	119.2	102	103	105.1	105.2	106	107	145	108	ETPL M	MNDP LM	T40	124.1	124.2
TYPE Area	SSHI	ZI SSHI	1HSS 800	006 ssHI	008 ssHi	1HSS 800	1HSS 800	нss 800	008 ssHI	1HSS 800	1HSS 800	006 SSHI			NK 800	002 ssHi	002 SSHI
<u> </u>	]=_	三	E	<u> </u>	Œ	<u> </u> ≡	Ξ	<u> </u>	₹	Ε	<u> </u>	<u> </u>	Q.	<u>a.                                    </u>	F	Ξ	<b>=</b> ]

Total Exceeds Priority Tier I AL Score		yes	yes	yes	yes	22
Total Priority Score		21	21	18	20	2
Professional Judgement Multiplier		1-	·	<b>-</b>	-	<b>-</b>
Potential for Further Release Multiplier		ဇ	3	င	-	2
SW Impact Score Multiplier		·-	<b>,</b>	-	5	<b></b> -
ALF Score		7	7	9	10	-
Total Chemical Score		1453	1050	1000	2403	2
Total Surface Soll		L	29	u	ב	5
Total Subsurfac e Soll		<b>-</b>		7	u	c
Total Ground Water		<b>-</b>	270	.^	2403	c
Total Tank Contents		1453	751	1000		
Rank1		#	12	13	15	31
Status	96	IAC- 96	IAC- 96	1AC- 96	IAC- 99	1AC- 96
<b>Des</b> cription		125 Holding Tk. 66	Underground Conc. Tks.	iHSS 700 124.3 Rad Liq. Waste Tk. 68	SPPL Nitrate (Solar Pond) M Plume	129 Oil Leak E of B443
Ω			122	124.3	SPPL M	129
TYPE Area		002 ssні	IHSS 400	200		IHSS 400
TYPE	,	HSS	IHSS	IHSS	PLM	IHSS

# ATTACHMENT 7

LIST OF REPOSITORIES

## List of Repositories

Rocky Flats Reading Room Front Range Community College Library 3645 W. 112<sup>th</sup> Avenue Westminster, Colorado 80030 (303) 469-4435

Colorado Department of Public Health and Environment Rocky Flats Reading Room c/o RFCA Project Coordinator Hazardous Materials & Waste Management Division 4300 Cherry Creek Drive South Denver, Colorado 80246-1530 (303) 692-3367 (800) 886-7689

U.S. Environmental Protection Agency, Region VIII Superfund Records Center 999 18<sup>th</sup> Street Denver, Colorado 80202-2466 (303) 312-6473

# ATTACHMENT 11

LIST OF ADDRESSES

### List of Addresses

Environmental Protection Agency. Region VIII ATTN: Rocky Flats Project Manager, EPR-FF 18<sup>th</sup> Street, Suite 500 Denver, Colorado 80202-2466

RFCA Project Coordinator Colorado Department of Public Health and Environment 4300 Cherry Creek Drive South Denver, Colorado 80246-1530

RFCA Project Coordinator United States Department of Energy Rocky Flats Field Office 10808 Highway 93, Unit A Golden, Colorado 80403-8200

# ATTACHMENT 12

RFCA DOCUMENTS INDEX

4346

#### RFCA Documents Index

- 1. Site Quality Assurance Program (QAP), Rev. 1, Kaiser-Hill Company L.L.C., effective February 2, 1996; as updated
- 2. U.S. Department of Energy, Historical Release Report for the Rocky Flats Plant, Volumes I and II, June 1992; as updated.
- 3. Existing ER Standard Operating Procedures.
- 4. U.S. Department of Energy, Rocky Flats Site-wide Integrated Public Involvement Plan, U.S. Department of Energy, March 1998; as updated.
- 5. Treatability Study Work plans listed in the Administrative Record.
- 6. Site Health and Safety Program Manual, EG&G Rocky Flats, Inc., (Adopted by Kaiser-Hill Company, L.L.C. in July 1995) September 30, 1995 (Or most current version).
- 7. U.S. Department of Energy, Final Plan for Prevention of Contaminant Dispersion, February 1992.
- 8. U.S. Department of Energy, Background Geochemical Characterization Report, Rocky Flats Plant, September 30, 1993.
- 9. Final Treatability Studies Plan, Volumes I and II, August 1991. Approved by EPA on October 22, 1991.
- 10. Final resolutions of previous disputes that are relevant to implementation of RFCA. The Administrative Record shall be reviewed for such resolutions, and this list will be updated accordingly.
- 11. U.S. Department of Energy, Rocky Flats Environmental Technology Site, Integrated Monitoring Plan FY98/FY99, October 1998; as updated.
- 12. U.S. Department of Energy, Decommissioning Program Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, October 8, 1998. Approved by CDPHE on November 4, 1998. Approved by EPA on November 12, 1998; as updated.
- 13. U.S. Department of Energy, Final Surface Water Remedial Action Objectives Technical Memorandum, August 20, 2002. Approved by CDPHE and EPA on September 17, 2002.
- 14. U.S. Department of Energy, Final Work Plan for the Development of the Remedial Investigation and Feasibility Study Report for the Rocky Flats Technology Site, March 11, 2002. Approved by CDPHE on March 19, 2002 and approved by EPA on March 25, 2002.

- 15. U.S. Department of Energy, Final 1997 Integrated Water Management Plan for the Rocky Flats Environmental Technology Site, A Working Group, February 1998 (RF/RMRS-97-078.UN).
- 16. U.S. Department of Energy, Rocky Flats Environmental Technology Site Natural Resource Management Policy, Rev. 0 September 30, 1998.

### CAD/RODs

- U.S. Department of Energy, Corrective Action Decision/Record of Decision, Operable Unit 1, Rocky Flats Environmental Technology Site, Golden, Colorado, February 1997. Approved March 1997.
- 2. U.S. Department of Energy, Final Major Modification to OU 1 881 Hillside Area CAD/ROD dated January 5, 2001. Approved February 2001.
- 3. U.S. Department of Energy, Corrective Action Decision/Record of Decision, Operable Unit 3, Rocky Flats Environmental Technology Site, Golden, Colorado, April 1997. Approved June 1997.
- U.S. Department of Energy, Corrective Action Decision/Record of Decision, Operable Unit 11: West Spray Field, Rocky Flats Environmental Technology Site, Golden, Colorado, September 1995. Approved October 1995.
- U.S. Department of Energy, Corrective Action Decision/Record of Decision, Operable Unit 15: Inside Building Closures, Rocky Flats Environmental Technology Site, Golden, Colorado, September 1995. Approved October 1995.
- 6. U.S. Department of Energy, Corrective Action Decision/Record of Decision, Operable Unit 16: Low Priorities Sites, Rocky Flats Environmental Technology Site, Golden, Colorado, August 1994. Approved October 1994.

## Decontamination and Decommissioning (D&D)

- 1. U.S. Department of Energy, Building 123, Proposed Action Memorandum, Rocky Flats Environmental Technology Site, Golden, Colorado, August 1997. Approved by CDPHE on August 25, 1997.
- U.S. Department of Energy, Final Close-out Report for Building 123 Decommissioning Project as Required by RFCA, Revision 0, September 1998. Revision 1, February 1999. Approved by CDPHE on March 10, 2000.
- 3. U.S. Department of Energy, B371/374 Closure Project Decommissioning Operations Plan (DOP), Rocky Flats Environmental Technology Site, Golden, Colorado, March 26, 2001. Approved by CDPHE on March 29, 2001.

- 4. U.S. Department of Energy, B707 Closure Project DOP, Rocky Flats Environmental Technology Site, Golden, Colorado, December 21, 2000. Approved by CDPHE on January 18, 2001.
- 5. U.S. Department of Energy, Building 771/774 Closure Project Decommissioning Operations Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, December 1998. Approved by CDPHE on January 11, 1999.
- 6. U.S. Department of Energy, Building 776/777 Closure Project Decommissioning Operations Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, November 3, 1999. Approved by CDPHE on November 5, 1999.
- 7. U.S. Department of Energy, Decommissioning Operations Plan for the 779 Cluster Interim Measure/Interim Remedial Action, Rocky Flats Environmental Technology Site, Golden, Colorado, February 1998. Approved by CDPHE on February 6, 1998.
- 8. U.S. Department of Energy, Decommissioning Closeout Report for the Building 779 Closure Project, April 1, 2000. Approved by CDPHE on January 26, 2001.
- 9. U.S. Department of Energy, Building 886 Cluster Closure Project Interim Measure/Interim Remedial Action, Rocky Flats Environmental Technology Site, Golden, Colorado, July 30, 1998. Approved by CDPHE on August 3, 1998.
- 10. U.S. Department of Energy, Closeout Report for the Building 980 Cluster, Revision 0 October 9, 1997.
- 11. U.S. Department of Energy, Sampling and Analysis Plan for the Decontamination & Decommissioning Monitoring of Buildings 991, 559, and 881. Approved by CDPHE on June 21, 2001.
- 12. U.S. Department of Energy, the Decontamination and Decommissioning (D&D) Characterization Protocol, November 20, 1998. Revision 3, April 23, 2001 approved by CDPHE on April 10, 2001.
  - Note: Appendix D of this report is the Reconnaissance Level Characterization Plan, Revision 0, April 23, 2001. Approved by CDPHE on April 10, 2001.
- 13. U.S. Department of Energy, the Site-Wide Pre-Demolition Survey Plan, Revision 0, March 23, 2001. Approved by CDPHE on April 10, 2001.
- 14. U.S. Department of Energy, Proposed Action Memorandum (PAM) for Decommissioning Building Cluster 980 (B980), Revision 0, Rocky Flats Environmental Technology Site, Golden, Colorado, August 15, 1997. Approved by CDPHE on August 25, 1997.

#### D&D RSOPs

- 1. U.S. Department of Energy, RFCA Standard Operating Protocol (RSOP) for Recycling Concrete, Rocky Flats Environmental Technology Site, Golden, Colorado, September 28, 1999. Approved by CDPHE and EPA on October 18, 1999.
- U.S. Department of Energy, RFCA Standard Operating Protocol for Facility Disposition, Rocky Flats Environmental Technology Site, August 14, 2000. Approved by EPA and CDPHE on October 5, 2000.
- 3. U.S. Department of Energy, RSOP for Facility Component Removal, Size Reduction, and Decontamination Activities, Rocky Flats Environmental Technology Site, Golden, Colorado, February 4, 2001. Approved by EPA and CDPHE on February 22, 2001.

#### ER IM/IRAs

- U.S. Department of Energy, Final Interim Measures/Interim Remedial Action Decision Document for Rocky Flats Industrial Area, Rocky Flats Environmental Technology Site, Golden, Colorado, November 1994.
- U.S. Department of Energy, Operable Unit 4 Solar Evaporation Ponds Interim Measures/Interim Remedial Action Decision Document, Rocky Flats Environmental Technology Site, Golden, Colorado, April 1, 1992. Approved by CDPHE and EPA on April 6, 1992.
- 3. U.S. Department of Energy, Interim Measures/Interim Remedial Action Plan and Decision Document, 881 Hillside Area, Operable Unit No. 1, Rocky Flats Plant, Golden, Colorado, January 1990.
- 4. U.S. Department of Energy, Final Surface Water Interim Measures/Interim Remedial Action Plan/Environmental Assessment and Decision Document South Walnut Creek Basin, Rocky Flats Plant, Golden, Colorado, March 1991. Approved by CDH on January 28, 1990.
  - NOTE: The last two IM/IRA references (January 1990 IM/IRA for the 881 Hillside and the October 1994 IM/IRA for the South Walnut Creek Basin) were administratively combined in May 1995. CDPHE and EPA approved the consolidation of the treatment facilities in a letter dated September 14, 1995.
- 5. U.S. Department of Energy, Modification to the Final Surface Water Interim Remedial Action Plan Environmental Assessment and Decision Document South Walnut Creek Basin dated October 11, 1994. Approved by EPA on July 11, 1997.

- 6. U.S. Department of Energy, Termination of the Surface Water Interim Remedial Action Plan Environmental Assessment and Decision Document South Walnut Creek Basin dated October 1994. Approved July 28, 1998.
- 7. U.S. Department of Energy, Major Modification to the Interim Measures/Interim Remedial Action Plan and Decision Document, 881 Hillside Area Operable Unit No. 1, dated January 1990. Conditionally approved by EPA on August 27, 1997.
- 8. U.S. Department of Energy, Final Mound Site Plume Decision Document, Major Modification to the Final Surface Water Interim Measure/Interim Remedial Action Plan/Environmental Assessment and Decision Document for South Walnut Creek March 1991, Revised October 1994, Rocky Flats Environmental Technology Site, Golden, Colorado, September 30, 1997. Approved by EPA in September 1997.
- 9. U.S. Department of Energy, Interim Measure/Interim Remedial Action Decision Document, National Conversion Pilot Project, Stage II, Rocky Flats Field Office, Golden, Colorado, March 30, 1995.

NOTE: Although this IM/IRA is regulated under RFCA, the IM/IRA provides that the activities conducted under the IM/IRA shall not become regulatory milestones. Further, the National Conversion Pilot Project work is funded in accordance with a Cooperative Assistance Agreement, and not though normal RFETS budget planning. The work being done under this IM/IRA ceased upon expiration of the funds provided under the Cooperative Assistance Agreement for Stage II. The IM/IRA work was not included in the Integrated Sitewide Baseline.

- 10. U.S. Department of Energy, Corrective Action Management Unit Interim Measure/Interim Remedial Action Decision Document and Application Support Document for Containerized Storage at the Rocky Flats Environmental Technology Site, Golden, Colorado, Final, August 1997. Approved by CDPHE on August 28, 1997.
- 11. U.S. Department of Energy, Corrective Action Management Unit Interim Measure/Interim Remedial Action Decision Document and Application Support Document for Bulk Storage at the Rocky Flats Environmental Technology Site, Golden, Colorado, Final, August 1997. Approved by CDPHE on August 28, 1997.
- 12. U.S. Department of Energy, Interim Measure/Interim Remedial Action for the Solar Ponds Plume Remediation Project, Rocky Flats Environmental Site, Golden, Colorado, June 11, 1999. Approved by CDPHE on June 11, 1999.

#### **ER PAMs**

1. U.S. Department of Energy, Proposed Action Memorandum Hotspot Removal Rocky Flats Plant Operable Unit 1, Rocky Flats Plant, Golden, Colorado, September 1994.

- U.S. Department of Energy, Final Proposed Action Memorandum Remediation of Polychlorinated Biphenyls, Rocky Flats Environmental Technology Site, Golden, Colorado, May 1995. Approved by CDPHE on June 21, 1995.
- 3. U.S. Department of Energy, Proposed Action Memorandum Passive Seep Collection and Treatment System for Operable Unit 7, December 1994. Approved by CDPHE and EPA on December 8, 1994.
- 4. U.S. Department of Energy, Modified Proposed Action Memorandum Passive Seep Collection and Treatment System for Operable Unit 7, Rocky Flats Environmental Technology Site, Golden, Colorado, June 1995. Approved by CDPHE on June 26, 1995.
- 5. U.S. Department of Energy, Modified Proposed Action Memorandum Passive Seep Collection and Treatment System for Operable Unit 7, July 6, 1998. Approved by EPA on July 24, 1998.
- U.S. Department of Energy, Final Proposed Action Memorandum for the Remediation of Individual Hazardous Substance Site 109, Ryan's Pit, Rocky Flats Environmental Technology Site, Golden, Colorado, August 24, 1995. Approved by CDPHE on August 9, 1995.
- 7. U.S. Department of Energy, Final Proposed Action Memorandum for the Remediation and Draft Modification of Colorado Hazardous Waste Corrective Action Section of the Operating Permit for Rocky Flats Environmental Technology Site, Golden, Colorado, October 1995. (Associated with storage and treatment of contaminated soil from expedited cleanup activities at IHSS 109, Ryan's Pit, OU 2). Revision 3, dated August 30, 2001.
- 8. U.S. Department of Energy, Proposed Action Memorandum Remediation for the Contaminant Stabilization of Underground Storage Tanks, Rocky Flats Environmental Technology Site, Golden, Colorado, April 6, 1996. Approved by CDPHE and EPA on May 15, 1996.
- 9. U.S. Department of Energy, Proposed Action Memorandum for the Source Removal at Trenches T-3 and T-4, IHSSs 110 and 111.1, Rocky Flats Environmental Technology Site, Golden, Colorado, August 24, 1995 and revised April 9, 1996. Approved by EPA on April 30, 1996.
- U.S. Department of Energy, Final Proposed Action Memorandum for the Source Removal at the Mound Site, IHSS 113, Revision 0, Rocky Flats Environmental Technology Site, Golden, Colorado, February 3, 1997. Approved by EPA in February 1997.
- 11. U.S. Department of Energy, Final Proposed Action Memorandum for the Source Removal at Trench 1, IHSS 108, Rocky Flats Environmental Technology Site, Golden, Colorado, July 1997. Approved by EPA on August 27, 1997.

- 12. U.S. Department of Energy, Final Proposed Action Memorandum for the East Trenches Plume, Rocky Flats Environmental Technology Site, Golden, Colorado, February 4, 1999. Approved by EPA in February 1999.
- 13. U.S. Department of Energy, Proposed Action Memorandum of the Solar Evaporation Ponds, Rocky Flats Environmental Technology Site, Golden, Colorado, May 2003. Approved by CDPHE on May 22, 2003.

#### ER RSOPs

- 1. U.S. Department of Energy, RSOP for Soil and Asphalt Management, Rocky Flats Environmental Technology Site, Golden, Colorado, August 3, 2001. Approved by EPA and CDPHE on August 28, 2001.
- U.S. Department of Energy, Environmental Restoration RPCA Standard Operating Protocol (ER RSOP) for Routine Soil Remediation, Rocky Flats Environmental Technology Site, January 2002.. Approved by CDPHE on January 11, 2002. Approved by EPA on March 15, 2002.

## ER Sampling and Analysis Plans (SAPs)

- 1. U.S. Department of Energy, Industrial Area Sampling and Analysis Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, June 2001. Approved by CDPHE on June 18, 2001.
- 2. U.S. Department of Energy, Buffer Zone Sampling and Analysis Plan, Rocky Flats Environmental Technology Site, Golden, Colorado, June 2002. Approved by EPA on March 13, 2002.

# APPENDIX 2

PROPOSED PQLS FOR RFCA ATTACHMENT 5, TABLE 1

4754

Table 1 - Surface Water Action Levels & Standards with Proposed PQL

Table1 -	Surface		_eveis & .	Standards with	Proposed P	QL
	CAS	Standards and		Temporary		
	Reference	Action Levels [a]	Basis	Modifications [c]	PQLs [d]	Proposed PQL
Analyte	Number	(mg/L)	[b]	(mg/L)	(mg/L)	(mg/L)
Acenaphthylene	208-96-8	2.80E-06	W <sub>1</sub> F		1.00E-02	No Change (N/C)
Acrylonitrile	107-13-1	5.90E-05	W+F		5.00E-03	N/C
Aldrin	309-00-2	1.30E-07	W+F		1.00E-04	N/C
Arsenic, total recoverable	7440-38-2	1.80E-05	W+F			5.00E-03
Benzidine -	92-87-5	1.20E-07	W+F		1.00E-02	5.00E-02
alpha-BHC	319-84-6	3.90E-06	₩ŧF	1.	5.00E-05	N/C
beta-BHC	319-85-7	1.40E-05	. W+F		5.00E-05	6.00E-05
Benzo(a)anthracene	56-55-3	4.40E-06	W+F		1.00E-02	N/C
Benzo(a)pyrene	50-32-8	4.40E-06	W+F		2.00E-04	1.00E-02
Benzo(b)fluoranthene	205-99-2	4.40E-06	W+F		1.00E-02	N/C
Benzo(g,h,i)perylene	191-24-2	4.40E-06	W <sub>+</sub> F		1.00E-02	N/C
Benzo(k)fluoranthene	207-08-9	4.40E-06	W+F		1.00E-02	N/C
Bromodichloromethane	. 75-27-4	5.60E-04	W+F		1.00E-03	N/C
Carbon tetrachloride	56-23-5	2.50E-04	₩ŧF	5.00E-03	1.00E-03	N/C
Chlordane	5103-71-9	2.10E-06	₩ŧF		1.00E-03	5.00E-05
bis(2-Chloroethyl)ether	111-44-4	3.10E-05	W+F		1.00E-02	N/C
Chloropyrifos	2921-88-2	4.10E-05	AL		1.00E-04	N/C
Chromium VI, dissolved	18540-29-9	1.10E-02	TVS [h]			2.00E-02
Chrysene	218-01-9	4.40E-06	W <sub>+</sub> F		1.00E-02	N/C
4,4-DDD	72-54-8	8.30E-07	W+F		1.00E-04	1.10E-04
4,4-DDE	72-55-9	5.90E-07	W+F		1.00E-04	. N/C
4,4-DDT	50-29-3	5.90E-07	W+F		1.00E-04	1.20E-04
Demeton	8065-48-3	1.00E-04	AL		1.00E-03	N/C
Dibenzo(a,h)anthracene	53-70-3	4.40E-06	W+F		1.00E-02	N/C
1,2-Dibromo-3-chloropropane	96-12-8	2.00E-04	WS		1.00E-03	N/C
3,3-Dichlorobenzidine	91-94-1	3.90E-05	₩ŧF		1.00E-02	2.00E-02
1,2-Dichloroethane	107-06-2	3.80E-04	W+F, WS	5.00E-03	1.00E-03	N/C
1,2-Dichloropropane	78-87-5	5.20E-04	W+F, WS		1.00E-03	N/C
Dieldrin	60-57-1	1.40E-07	W+F		1.00E-04	N/C
4,6-Dinitro-2-methylphenol	534-52-1	2.70E-03	W+F, WS		5.00E-02	N/C ·
2,4-Dinitrophenol	51-28-5	1.40E-02	W <sub>+</sub> F, WS		5.00E-02	N/C
2,4-Dinitrotoluene	121-14-2	1.10E-04	W+F, WS		1.00E-02	N/C
Dioxin (2,3,7,8 TCDD)	1746-01-6	1.30E-11	W+F			1.00E-05
1,2-Diphenylhydrazine	122-66-7	4.00E-05	W+F			1.00E-02
Endosulfan sulfate	1031-07-8	5.60E-05	AL		1.00E-04	7.00E-04 N/C
Endrin (technical)	72-20-8	3.60E-05	AL.		1.00E-04	1.00E-03
Ethylene dibromide [1,2-	106-93-4	5.00E-05	ws		ı	1.002-03
Dibromomethane] bis(2-Ethylhexyl)phthalate	117-81-7	1.80E-03	W <sub>+</sub> F		1.00E-02	N/C
Guthion	86-50-0	1.00E-05	AL		1.50E-03	2.00E-03
Heptachlor	76-44-8	2.10E-07	W+F		5.00E-05	N/C
Heptachlor epoxide	1024-57-3	1.00E-07	W+F		5.00E-05	8.00E-05
Hexachlorobenzene	118-74-1	7.50E-07	W+F		1.00E-02	N/C
Hexachlorobutadiene	87-68-3	9.30E-03	AL		1.00E-02	N/C

45 55

Table 1 - Surface Water Action Levels & Standards with Proposed PQL (continued)

Hexachlorocyclohexane, Technical	608-73-1	1.20E-05	W+F	l ·	2.00E-04	N/C
Hexachlorocyclopentadiene	77-47-4	5.00E-03	AL	-	1.00E-02	N/C
Hexachloroethane	67-72-1	7.00E-03	W+F, WS		1.00E-02	N/C
Indeno(1,2,3-cd)pyrene	193-39-5	4.40E-06	W+F		1.00E-02	N/C
Malathion	121-75-4	1.00E-04	AL		2.00E-04	2.00E-03
Mercury, total	7439-97-6	1.00E-05	SS		1.00E-03	1.00E-04
Methoxychlor	72-43-5	3.00E-05	AL.		5.00E-04	1.80E-03
Mirex	2385-85-5	1.00E-06	AL		1.00E-04	NC
Nitrobenzene	98-95-3	3.50E-03	W+F, WS		1.00E-02	N/C
Nitrosodibutylamine N	924-16-3	6.40E-06	W+F		1.00E-02	N/C
Nitrosodiethylamine N	55-18-5	8.00E-07	W <sub>+</sub> F		1.00E-02	2.00E-02
Nitrosodimethylamine N	62-75-9	6.90E-07	W+F		1.00E-02	2.0E-02*
n-Nitrosodiphenylamine	86-30-6	5.00E-03	W+F		1.00E-02	N/C
n-Nitrosodipropylamine	621-64-7	5,00E-06	W+F		1.00E-02	NC
Nitrosopyrrolidine N	930-55-2	1.60E-05	W+F		1.00E-02	4.00E-02
PC8s	1336-36-3	1,70E-04	W+F		1:00E-02	N/C
Parathion	56-38-2	1.30E-05	AL			1.00E-02
Pentachlorobenzene	608-93-5	3.50E-03	W+F		1.00E-02	N/C
Pentachlorophenol	87-86-5	2.80E-04	W+F		5.00E-02	N/C
Phenanthrene	85-01-8	2.80E-06	W+F		1.00E-02	N/C
Silver, dissolved	7440-22-4	6.00E-04	TVS [h]		5.00E-03	1.00E-03
Simazine	122-34-9	4.00E-03	ws		7.00E-04	1.00E-03
1,2,4,5-Tetrachlorobenzene	95-94-3	2.10E-03	WS		1.00E-02	N/C
1,1,2,2-Tetrachloroethane	79-34-5	1.70E-04	W+F		1.00E-03	N/C
Tetrachloroethene	127-18-4	8.00E-04	W+F	5.00E-03	1.00E-03	N/C
Thallium	7440-28-0	5.00E-04	W+F, WS		1.20E-02	4.00E-03
Toxaphene	8001-35-2	2.00€-07	AL		3.00E-03	N/C
Trichloroethene	79-01-6	2.70E-03	W <sub>+</sub> F	5.00E-03	1.00E-03	N/C
2,4,6-Trichlorophenol	88-06-2	2.10E-03	W+F		5.00E-02	1.00E-02

N/C = No change to PQL as already listed

\* = Laboratory cannot distinguish this compound from others (cannot separate)

# APPENDIX 3

UPDATES TO RFCA APPENDIX 3, IGD, APPENDICES K, M, AND N

49 57

Type		A Bstablishes a program to reduce the number of worker currently exposed to beryllium in the course of	at DOB facilities. The cited sections are followed in and release to the public.	
ment		10 CFR 850	  	.38 (b-c)
Requirement	CHRONIC BERYLLIUM DISEASE PREVENTION PROGRA	Definitions	• Release criteria • Waste disposal	Warning labels

		Comprehensive Emergency Management	Planned implementation of Site approved procedures to meet 10 CFR 825 "O	Radiation Protection" and the Site's IWCP	Planned implementation of the Decommissioning Characteristics	any final sampling and analysis plan for	and mouta will be described.
	A/L		∢		A/L		AL
1	11,672	RH 3 164 3 3	C.C.+:)4:0	DU 3 16 40 4	5.10.4.3.4	207310110	501.6.5.0
Emergency Plan - required if material quantity exceeds Schedule E of Part 3	Person from release exceeds 1 rem (5 rem to thyroid).	Decommissioning Plan Contents - must include a description of methods used	during decommissioning.	Decommissioning Plan Contents - must include a description of the planned	A STATE OF THE STA	Decommissioning Plan Contents - must include a description of the intended	decommissioning.

A - Action-Specific, ARAR; C. Chemical-Specific ARAR; L. - Location-Specific ARAR; TBC - To Be Considered

Type		A/L The analysis will be part of any accelerated action or final action regulatory decision document for environmental media cleanup projects proposing restricted access.	A/L The description will be required for any final action regulatory decision document for environmental media cleanup projects	A/L From Stranger access.
Citation		RH 3.16.4.3.7.1	RH 3.16.4.3.7.2	RH 3.16.4.3.7.3
Requirement	RADIATION CONTROL	. σ		or RH 4.61.4 (restricted access), the plan must include an analysis demonstrating that if institutional controls were no longer in effect, the dose criteria of RH 4.61.3.3 (described below) will be met.

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

	Requirement	Citation	Type	Comment
soon as steeted.  Steeted.  Marketed.  Marke				
soon as steeted.  steeted.  Mad'or confirm RH 3.16.6.2 A/L oor areas that	RADIATION CONTROL			
of areas that  Nected.  NH 3.16.6.2  AL	Decommissioning Plan will be approved by CDPHB if information therein meets RH 3.16, and RH 4.61, decommissioning is completed as soon as	RH 3.16.4.6	A/L	This section also specifies requirements for a
nd/or confirm RH 3.16.6.2 AAL oor areas that	practicable, and health and safety of the public is adequately protected.			long term care warranty under RH 3.9.5.10 that
ind/or confirm RH 3.16.6.2 A/L			<del></del>	4.61.3 or RH 4.61.4 (restricted access). The
nd/or confirm RH 3.16.6.2 AAL oor areas that	-			RFCA Parties agree that further analysis is
ind/or confirm RH 3.16.6.2 A/L				required to determine whether long term care
ind/or confirm RH 3.16.6.2 A/L		-		warranty requirements are relevant and appropriate to Rocky Flats
ind/or confirm RH 3.16.6.2 A/L		,		Planned implementation of Site approved
ind/or confirm RH 3.16.6.2 A/L		-		procedures to meet DOE Order 5400.5.
and/or confirm RH 3.16.6.2 A/L.	一年一年一年一年一年一年一年一年一年一年一年一年一年一年一年一年一年一年	**************************************		"Radiation Protection of the Public and the
ind/or confirm RH 3.16.6.2 A/L.				unlich includent and the Site's IWCP process,
ind/or confirm RH 3.16.6.2 A/L.	・ こうこう こうさい かいかい はいない かいさい さいかい かいしゅう アイト・ディー かいかい かいかい かいかい かいかい かいかい かいかい かいかい アイト・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・・			involvement, will be described for monosed
and/or confirm RH 3.16.6.2 A/L				actions.
ind/or confirm RH 3.16.6.2 A/L				The Closure Project Baseline is focused on
and/or confirm RH 3.16.6.2 A/L				achieving decommissioning as soon as
	Site radiation survey to establish residual contamination levels and/or confirm	RH 3.16.6.2	A/L	Requirements for radiation surveys are mat
	contain residual radioactivity.			through the Reconnaissance Level
Predemolition Survey Plans for decommissioning and through S Analysis Plans and the Internate				Characterization Survey Plans and
decommissioning and through S Analysis Plans and the Integrate				Predemolition Survey Plans for facility
Analysis Plans and the Internate				decommissioning and through Sampling and
				Analysis Plans and the Integrated Monitoring

A - Action-Specific ARAR; Ç - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Type Comment	AL Same as RH 3.16.6.2 above	1 1 1	(1) is met through compliance with the "offsite rule". 40 CFR 300.440; and subsections (2) are addressed in RH 4.61.2 through .4 (discussed below). Subsection (3), which is grounded in RH 3.9.5.10, is discussed above under RH 3.16.4.6.	This standard is generally consistent with the "imminent and substantial endangerment" standard under CERCLA. Present risk of future harm (e.g., a risk of cancer due to long-term exposure) can be an "imminent" threat.
Citation	RH 3.16.6.3	(1) RH 3.16.7 AL. met; (3) d (4) required.	und.	to health
Requirement	Submittal of final survey report, units and other information – specifies, as appropriate, that gamma levels be reported at 1 meter from surface in radioactive concentrations in pCiL or per gram; identify instruments used and certify proper calibration/testing.	radioactive materials have been properly disposed; (2) licensee has demonstrated that regulatory requirements for termination have been met; (3) the licensee has established a long-term care warranty; if required; and (4) institutional controls have been implemented to limit public doses, if required.	Additional cleanup can be required if, based on new or previously unknown	radioacityty, remaining at site could result in significant threat to public health

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement	Citation	Type	Comment
•			
RADIATION CONTROL			
Radiation Protection Program – To extent practicable, procedures and controls used shall be based on sound radiation protection principles to achieve public doses that are AI ARA	RH 4.5.2	₹.	Planned implementation of Site approved procedures to meet 10 CFR 835, "Occupational
			"Radiation Protection", DOE Order 5400.5, "Radiation Protection of the Public and the
			Environment" and the Site's IWCP process, which includes Lead Regulatory Agency
	,		involvement, will be described for proposed actions.
Radiation Protection Program - Imposes constraint on air emissions of radioactive material to the environment, 'Individual member of the public	RH 4,5,4	¥	Listed only for completeness of this table. NESHAPS already identified as ADAD
likely to receive the highest dose" will not be expected to receive a TEDE greater than 10 mrem/yr from air emissions. Requires exceedance reporting			Radionuclide NESHAPS required monitoring established at site perimeter is used to
and corrective action to ensure against recurrence.			determine potential for exposure to individual member of the public.
Dose limits for individual members of the public – TEDE from licensed operations less than 100 mrem/yr above background, exclusive of medical	RH 4.14.1	A/L	Site approved procedures to meet DOE Order 5400.5 "Radiation Protection of the Baltin
exposure and exposure from disposal by sanitary sewer. Dose rate in			the Environment" are based on the same dose
unestricted areas less train 2 michalit.			rate limits.

A - Action-Specific ARAR; G - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Type   Comment	AL Surveys are conducted pursuant to site approved procedures to meet DOE Order 5400.5, "Radiation Protection of the Public and the Environment". Radionuclide NESHAPS required monitoring established at site perimeter is used to determine potential for exposure to individual member of the public. Surface water is monitored in accordance with the Integrated Monitoring Plan and RFCA Attachment 5.  L Site approved procedures to meet DOE Order 5400.5, "Radiation Protection of the Public and the Environment" are based on the same dose rate limits.	Radionuclide NESHAPS required monitoring established at site perimeter is used to determine potential for exposure to individual member of the public. Surface water is monitored in accordance with the Integrated Monitoring Plan and RFCA Attachment 5.
Citation	RH 4.15.1	
Requirement	RADIATION CONTROL.  Dose Limits for Individual Members of Public – Surveys of radiation levels in afteas shall be made to demonstrate compliance with the dose limits for individual members of the public in RH 4.14.  Dose Limits for Individual Members of Public – Provides the means to demonstrate compliance with RH 4.14: by measurement or calculation that dose does not exceed the annual limit or by demonstrating that annual average boundary of the unrestricted area does not exceed Appendix B. Tahle II.	Effluent Concentrations".

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement	Citation	Type	Comment
		•	
RADIATION CONTROL		-	
Surveys shall be made as necessary to evaluate radiation levels, concentrations of radioactive material and potential radiological hazards that could be present.	RH 4.17.1	A/L	Planned implementation of Site approved
			Radiation Protection", DOE Order 5400.5
			"Radiation Protection of the Public and the
		:	which includes Lead Regulatory Agency
	,		involvement, will be described for proposed
			actions. Requirements for radiation surveys are
			Characterization Survey Plans and
•			Predemolition Survey Plans for facility
			decommissioning and through Sampling and
			Plan for Environmental Restoration
Instruments and equipment used for qualitative radiation measurements must be calibrated at intervals NTE 12 months, unless otherwise noted by regulation	RH 4.17.2	¥	TARREST TARREST
Tomming of Company of the Company of		·	
		_	

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement	Citation	Type	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,
			Comment
RADIATION CONTROL			
Waste Disposal - Shall dispose only by transfer to authorized recipient, by release in effluents within the limits of subpart RH 4.14 (discussed above), or as authorized pursuant to (pertinent to RFETS) RH 4.34, "Method for Obtaining Approval of Proposed Disposal Procedures", or RH 4.35, "Disposal by Release into Sanitary Sewerage".	RH 4.33	AL	Transfer to authorized recipient is met through compliance with the "offsite rule", 40 CFR 300.440. Proposals for onsite disposal of radioactive waste (if any) will be part of any accelerated action, or any final action regulatory decision document for environmental media
			cleanup projects proposing specific disposal methods. RH Part 11, "Special Land Ownership Requirements" which addresses tequirements if government ownership of RFETS is transferred to private ownership,
			and Kil Part 14, "Licensing Requirements for Land Disposal of Low Level Radioactive Waste" will be reviewed for relevant and appropriate requirements for cleanup projects proposing specific disposal methods.
Disposal by Release to Sanitary Sewer – Material must be "readily soluble" in water, monthly average concentrations below Appendix B, Table III, "Concentrations for Release to sanitary Sewerage". Total less than I curie/year.	RH 4.35	<b>A</b>	Site approved procedures to meet DOE Order 5400.5, "Radiation Protection of the Public and the Environment" are based on the same concentration limits.  Required radionuclide monitoring for the discharge of the RFETS Sewage treatment Plant
			is established in the Rocky Flats NPDES Permit. Surface water is also monitored in accordance with the Integrated Monitoring Plan and RFCA Attachment 5.

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

RADIATION CONTROL  Permissible levels of plutonium in uncontrolled areas – Soil concentration greater than 2 DPM per gram or per cm² presents sufficient hazard to the public health that requires use of special construction techniques.  Radiological Criteria for License Termination (i.e., for Decommissioning) – Must calculate maximum TEDE to "average member of the critical group" within the first 1000 years after decommissioning.  NOTE: Decommissioning criteria in section RH 4.61 do not apply to waste disposal cells.	AAL	All of RFETS is a controlled area as defined in 10 CFR 20.1003 ("controlled area", outside of a restricted area but inside the site boundary, access to which can be limited by the licensee for any reason) and RH 1.4 ("uncontrolled area" means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
um in uncontrolled areas - Soil concentration  n or per cm² presents sufficient hazard to the public ecial construction techniques.  ense Termination (i.e., for Decommissioning) - EDE to "average member of the critical group"  fler decommissioning.	AL	All of RFETS is a controlled area as defined in 10 CFR 20.1003 ("controlled area", outside of a restricted area but inside the site boundary, access to which can be limited by the licensee for any reason) and RH 1.4 ("uncontrolled area" means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
il concentration t hazard to the public commissioning) – he critical group" not apply to waste	A/L	All of RFETS is a controlled area as defined in 10 CFR 20.1003 ("controlled area", outside of a restricted area but inside the site boundary, access to which can be limited by the licensee for any reason) and RH 1.4 ("uncontrolled area" means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
commissioning) - he critical group"	AL	10 CFR 20.1003 ("controlled area", outside of a restricted area but inside the site boundary, access to which can be limited by the licensee for any reason) and RH 1.4 ("uncontrolled area" means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
commissioning) – he critical group" not apply to waste	AL	restricted area but inside the site boundary, access to which can be limited by the licensee for any reason) and RH 1.4 ("uncontrolled area" means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
	AL	access to which can be limited by the licensee for any reason) and RH 1.4 ("uncontrolled area" means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
	AL	means area, access to which is neither limited nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission REETS.
	AL	nor controlled by the licensee). These terms are also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
	AL	also consistent with 10 CFR 835.2. DOE does not anticipate any construction in uncontrolled areas to decommission RFETS.
	ALL	not anticipate any construction in uncontrolled areas to decommission RFETS.
· · · · · · · · · · · · · · · · · · ·	A/L	areas to decommission RFETS. Although license termination is not at
	A/L	Althonoh licence termination is not allowed
within the first 1000 years after decommissioning.  NOTE: Decommissioning criteria in section RH 4.61 do not apply to waste disposal cells.		י איינייטר איינייטר ארייער איינייטר אייניטר אייטר אייניטר
NOTE: Decommissioning criteria in section RH 4.61 do not apply to waste disposal cells.		Rocky Flats, CDPHE believes the substantive
NOTE: Decommissioning criteria in section RH 4.61 do not apply to waste disposal cells.		criteria in this regulation are relevant and
disposal cells.		appropriate standards for decommissioning
		Anglysis for the DECA Begulatory
	٠	understandings regarding implementation of
1		the "Decommissioning Rule".
Radiological Criteria (for Decommissioning) - Determination of dose and RH 4.61.1.3	AÆ	The analysis will be part of any accelerated
consideration of any detriments expected to notentially easily from		action for environmental media cleanup projects
decontamination and waste disposal.		and any final action regulatory decision
		document.

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement  Cltation  Cltation  Type  — Residual radioactivity above background has are ALARA and results in TEDE to average by that does not exceed 25 mrem/yr., including liking water.  Wust demonstrate that further residual neet Unrestricted Use:  ic or environmental harm OR  ause residual levels are ALARA.  RH 4.61.3.1  AL  AL  AL  AL  AL  AL  AL  AL  AL  A				
Residual radioactivity above background has re-ALARA and results in TEDE to average that does not exceed 25 mrem/yr., including fing water.  Must demonstrate that further residual cor environmental harm OR tuse residual levels are ALARA.  Set Unrestricted Use:  C or environmental harm OR tuse residual controls that able, legally enforceable institutional controls that rance that TEDE to average member of the critical antemyr. AND  Were no longer in effect, TEDE above background of exceed either: 100 mrem/yr. OR 500 mrem/yr., her reductions are not technically achievable, expensive or would result in net public or	Requirement	Citation	\$ E	
-Residual radioactivity above background has that does not exceed 25 mrem/yr., including fing water.  Must demonstrate that further residual cet Unrestricted Use:  c or environmental harm OR tuse residual levels are ALARA.  ALARA.  RH 4.61.3.1  ALARA.  ALARA.  Shale, legally enforceable institutional controls that rance that TEDE to average member of the critical controls that TEDE to average member of the critical controls in effect, TEDE above background of exceed either: 100 mrem/yr. AND  were no longer in effect, TEDE above background of exceed either: 100 mrem/yr. OR 500 mrem/yr.  her reductions are not technically achievable, expensive or would result in net public or			24.7	Comment
- Residual radioactivity above background has re ALARA and results in TEDE to average that does not exceed 25 mrem/yr., including fing water.  Must demonstrate that further residual cet Unrestricted Use:  c or environmental harm OR tuse residual levels are ALARA.  She set Unrestricted Use:  C or environmental harm OR tuse residual levels are ALARA.  She set Unrestricted Use:  C or environmental harm OR tuse residual levels are ALARA.  She set Unrestricted Use:  C or environmental harm OR tuse residual levels are ALARA.  She set Unrestricted Use:  C or environmental harm OR tuse residual levels are ALARA.  She set Unrestricted Use:  C or environmental harm OR tuse residual levels are ALARA.  She set Unrestricted Use:  C or environmental harm OR tuse residual levels are ALARA.  ALL HARA.  ALL HARA.  ALL HARA.  ALL HARA.  She set Unrestricted Use:  C or environmental harm OR tuse are ALARA.  ALL HARA.   RADIATION CONTROL				
Must demonstrate that further residual  eet Unrestricted Use:  c or environmental harm OR  tuse residual levels are ALARA.  able, legally enforceable institutional controls that ance that TEDE to average member of the critical or served either: 100 mrem/yr. OR 500 mrem/yr., her reductions are not technically achievable, expensive or would result in net public or	Criteria for Unrestricted Use—Residual radioactivity above background has been reduced to levels that are ALARA and results in TEDE to average member of the critical group that does not exceed 25 mrem/yr., including groundwater sources of drinking water.	RH 4.61.2		The analysis will be part of any accelerated action for environmental media cleanup projects and any final action regulatory decision document.
c or environmental harm OR  iuse residual levels are AL.ARA.  RH 4.61.3.2 and .3  able, legally enforceable institutional controls that ance that TEDE to average member of the critical mem/yr. AND  were no longer in effect, TEDE above background of exceed either: 100 mrem/yr. OR 500 mrem/yr., her reductions are not technically achievable, expensive or would result in net public or	Cateria for Restricted Use - Must demonstrate that further residual radioactivity reductions to meet Unrestricted Use:	RH 4.61.3.1	A/L	
able, legally enforceable institutional controls that and .3  The same that TEDE to average member of the critical member.  The same of the critical member in effect, TEDE above background of exceed either: 100 mrem/yr. OR 500 mrem/yr., her reductions are not technically achievable, expensive or would result in net public or	1) would result in net public or environmental harm OR 2) are not being made because residual levels are ALARA.			
able, legally enforceable institutional controls that ance that TEDE to average member of the critical membry. AND were no longer in effect, TEDE above background of exceed either: 100 mrem/yr. OR 500 mrem/yr., her reductions are not technically achievable, expensive or would result in net public or				
1) Provisions made for durable, legally enforceable institutional controls that provide reasonable assurance that TEDE to average member of the critical group will not exceed 25 mrem/yr. AND  2) If Institutional Controls were no longer in effect, TEDE above background is ALARA and would not exceed either: 100 mrem/yr. OR 500 mrem/yr., if demonstrated that further reductions are not technically achievable, would be prohibitively expensive or would result in net public or	Criteria for Restricted Use -	RH 4.61.3.2 and .3	AL	
2) If Institutional Controls were no longer in effect, TEDE above background is ALARA and would not exceed either: 100 mrem/yr. OR 500 mrem/yr., if demonstrated that further reductions are not technically achievable, would be prohibitively expensive or would result in net public or	1) Provisions made for durable, legally enforceable institutional controls that provide reasonable assurance that TEDE to average member of the critical			
would be prohibitively expensive or would result in net public or	2) If Institutional Controls were no longer in effect, TEDE above background is ALARA and would not exceed either: 100 mrem/yr. OR 500 mrem/yr., if demonstrated that further additions			
	would be prohibitively expensive or would result in net public or environmental harm,			

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Comment		27		
Type		AAL		
Citation		RH 4.61.4.1.1 through .3		
Requirement	RADIATION CONTROL Alternate (Decommissioning) Citation	- BIGGIST OF THE PROPERTY OF T	<ol> <li>Analysis provides assurance that public health and safety would continue to be protected and unlikely TEDE would be more than 100 mrem/yr.</li> <li>Employment of restrictions on site use that minimize exposures at the site.</li> <li>Doses are reduced to ALARA.</li> </ol>	

	National Ambient Air Quality Standards (NAAQS)	with an adequate margin of safety, to protect the public health the standards are the basis for air quality regulations that	quality. The Denver metro area exceeds the standard for particulate matter and carbon managed.	attainment for those pollutants).	Ambient air quality standards are not effluent discharge limitations; they are used in confirmation.	dispersion modeling to establish emission limits that are protective of air quality. Air Quality Management	personnel will review projects for Prevention of Significant Deterioration and Non-attraction of	permitting requirements, and perform modeling, if	the NAAQS.
	U							. •	
	5 CCR 1001-14 [40 CFR 50]								
CLEAN AIR ACT (CAA) [42 USC 7401 et. seq.] NATIONAL AMBIENT AIR OTTAT TEXT SET.	AIR QUALITY STANDARDS}	Sulfur Dioxide     Particulate Matter (PM10 & PM2 &)	• Carbon Monoxide	Nitrogen Dioxide	Lead	· · · · · · · · · · · · · · · · · · ·			

A - Action-Specific ARAR; C, Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Kequirement	Citation	Type	Comment
CLEAN AIR ACT (CAA) [42 USC 7401 et. seq.]			
COLORADO AIR QUALITY CONTROL COMMISSION (CAQCC) REGULATIONS{tc \( \text{\colorado} \) "COLORADO AIR POLLUTION REGULATIONS\( \)	5 CCR 1001 [40 CFR 52, Subpart G]		
Emission Control Regulations for Particulates, Smokes, Carbon Monoxide, and Sulfur Oxides	CAQCC Reg. No. 1 [5 CCR 1001-3]		
Smoke and Opacity	Section II.A.1	ບ	An polutant emissions from stationary sources shall not exceed 20% opacity (emissions from fuel-fired pumps, generators, and compressors, process vents/stacks, etc.).
Fugitive Particulate Emissions - Construction Activities - Storage and Handling of Material - Haul Roads - Haul Trucks - Demolition Activities - Sandblasting Operations	Section III.D III.D.2(b) III.D.2(c) III.D.2(c) III.D.2(f) III.D.2(f) III.D.2(h)	∢	Byery activity, shall employ control measures and operating procedures that are technologically feasible and economically reasonable which reduce, prevent, and control fugitive particulate emissions (control plans, use of control equipment, watering, etc.).
Odor Emissions	CAQCC Reg. No. 2 [5 CCR 1001-4]	U	Regulation No. 2 prohibits odorous air contaminants from any single source to be emitted in detectable odors which are measured in excess of the air standards.
Air Pollutant Emission Notices (APEN), Construction Permits and Fees, Operating Permits, and Including the Prevention of Significant Deterioration  APEN Requirements	GAQCC Reg. No. 3 [5 CCR 1001-5] Part A. Section II	Ü	An APEN shall be filed with the CDPHE prior to construction, modification or alteration of, or allowing emissions of air pollutants from any activity. Certain activities are exempted from APEN requirements per anoise.
			specific exemptions listed in the regulation.

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

70

Comment		Constituction normity are not equipmed for the order	activities, however, substantive requirements that would normally be associated with construction permits will apply. Also, fuel-fired equipment (generators, compressors, etc.) associated with these activities may require permitting.	Even though CBRCLA activities are exempt from construction permit requirements, non-attainment area requirements may smally if emissions of caracia.	pollutants exceed certain threshold limits. The requirements include emissions reductions or offsets, and strict emission control requirements.		certain threshold limits. The requirements include strict emission control requirements, source impact modeling, and pre-construction and post-construction monitoring.	
Type			O .	A, C,		A, C,		
Citation		Part B	Part B, Section III	Section IV.D.2		Section IV.D.3		
Requirement	CLEAN AIR ACT (CAA) [42 USC 7401 et. seq.]	- Construction Permits, Including Regulations for the Prevention of Significant Deterioration (PSD)	- Construction Permits	Non-attainment Area Requirements		- Prevention of Significant Deterioration Requirements		

A - Action-Specific ARAR; Ç - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Remirement	214-412	E	
		Lype	Comment
CLEAN AIR ACT (CAA) [42 USC 7401 et. seq.]			
Standards of Performance for New Stationary Sources	CAQCC Reg. No. 6 [5 CCR 1001-8]	<b>4</b>	New Source Performance Standards exist for various types of stationary sources. Currently, no standards exist for demolition activities. A standard exists for organic liquid strorage vessels greater than 10,000 gallons (40 CFR-60, Subpart Kb). This standard will apply to
Emissions of Volatile Organic Compounds (VOCs)	CAQCC Reg. No. 7 [5 CCR 1001-9]		closure activities utilizing this type of storage vessel.
General Requirements for Storage and Transfer of VOCs	Section III.B	∢ .	This requirement applies to the transfer of organic liquids to a tank larger than 56 gallons (bottom fill or submerged fill must be utilized).
Disposal of VOCs	Section V	. ◀	This requirement prohibits the disposal of VOCs by evaporation and spillage.
Storage and Transfer of Petroleum Liquid	Section VI	∢	This requirement regulates storage and transfer of petroleum liquids.
Control of Hazardous Air Pollutants	CAQCC Reg. No. 8 [5 CCR 1001-10]	· · · · · · · · · · · · · · · · · · ·	
Part A., Subpart A., General Provisions (CAQCC regulation incorporates CFR by reference)	40 CFR Part 61, Subpart A	Ų	This subpart details the general provisions that apply to sources subject to National Emission Standards for Hazardone Air Politicate Nation 2010.
			will apply to any D&D project that is subject to a

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

72

Requirement	Citation	E C	
		247.	пашио
CLEAN AIR ACT (CAA) [42 USC 7401 et. seq.]			
- Part A, Subpart C, National Emission Standard for Beryllium (CAQCC regulation incorporates CFR by reference)	40 CFR Part 61, Subpart C	O .	NESHAP. This subpart details the regulatory requirements for emissions of beryllium from specific stationary source categories, such as machine shops or incincrators that process/machine beryllium. The requirements may apply to any D&D project that includes size reduction of beryllium containing materials.
- Part B, The Control of Asbestos	Section II	U	This requirement will apply if the project includes asbestos abatement. Compliance requires that asbestos inspectors, asbestos abatement workers, and asbestos abatement project managers are certified in accordance with the regulation.
	Section III	U	This section details project requirements including notification, permitting, and asbestos abatement work practices.
	Section III.B.1.a.(i)	O	A written notice of the intent to conduct demolition (regardless of whether asbestos is involved) or asbestos
		· · · · · · · · · · · · · · · · · · ·	abatement must be submitted to the CDPHB, Air Pollution Control Division at least 10 working days before commencing demolition or an abatement project (form supplied by the CDPHB). This notification should be submitted within the decision document or as a modification to the approved decision document.
- Part C, Lead	Section I	U	This requirement applies if the project produces lead emissions (glovebox size reduction, etc.). Compliance requires utilizing a suitable dispersion model to ensure that emissions of lead will not result in an ambient lead

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement	Citation	Type	Comment
CLEAN AIR ACT (CAA) [42 USC 7401 et. sen.]			
			And another than the state of t
			concentration that exceeds 1.5 micrograms per cubic meter averaged over a one-month period.
Control of Emissions of Ozone-Depleting Compounds	CAQCC Reg. No. 15	U -	This requirement applies if any refrigeration events.
	[5 CCR 1001-19]		appliance that contains a regulated ozone-depleting compound (ODC) is disassembled or discarded.
			Compliance requirements include having registered and certified technicians recover all regulated ODCs in an approved vessel, by an approved method, prior to
NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS(tc \( \text{L} \) "NATIONAL EMISSION STANDARDS FOR HAZARDOUS AIR POLLUTANTS)			disassembly or disposal,
National Emission Standards for Emissions of Radionuclides Other Than Radon From Department of Energy Facilities	40 CFR 61, Subpart H		
- Standard	61.92	i i	This section establishes a radionuclide emission
			standard equal to those emissions that yield an effective dose equivalent (EDE) of 10 mremyear to any member of the public. The Site compiles by using stack effluent
		2	discharge data and empirically estimated fugitive emissions in the dose model CAP88-PC for calculating the EDB to the most impacted member of the most impacted member of the most impacted member of the most impacted members of the most impacted mem
		:	ensure that it does nor exceed 10 mrem/year. Also, the perimeter samplers in the Radioactive Ambient Air Monitoring Program sampler network are utilized to
			verly compusince with the standard.

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Type Comment		This section establishes emission monitoring and testing protocols required to measure radionuclide emissions and calculate EDEs. This section also requires that radionuclide emissions measurements (stack monitoring) be made at all release points which have a potential to discharge radionuclides into the air which could cause an EDE to the most impacted member of the public in excess of 1% of the standard (0.1 millitern/year).		threshold (controlled), the appropriate applications for approval must be submitted to the BPA and the CDPHE. Additional substantive requirements may apply if the activity requires approval.		
133		υ ·		· · · · · · · · · · · · · · · · · · ·	<u></u>	
Citation		61.93	61.96			
					• .	
Requirement	CLEAN AIR ACT (CAA) [42 USC 7401 et. seq.]	- Emission Monitoring and Test Procedures	nd Reporting	•		-
	EAN AIR ACT (	- Emission Mon	- Compliance and Reporting			

A - Action-Specific ARAR; Ç - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Comment		The "Gold Book" presents guidelines with respect to water quality criteria for toxic pollutants. Criteria are published for aquatic and human health.	quality criteria are not promulgated standards; however, they are established guidelines used for developing NPDES permits and may be considered potentially relevant and appropriate. WQC should not be used as effluent limits, rather discharge limits should be established either through the NPDES or UIC permitting process.	Although water criteria are non-promulgated and non-enforceable standards, Section 121(d)(2)(B)(f) of CERCLA as implemented by the NCP (40 CFR 300.430(e)(2)(D)(E)) specifies that WQC established under Sections 303 and 304 of the CWA shall be attained where relevant and appropriate under the circumstances of the release. The designated or potential use of the surface or groundwater, the environmental media affected, the purpose for which the WQC were developed, and the latest information are to be considered in determining the relevance and appropriate and	Therefore, the need to comply with WQC as a relevant and appropriate requirement needs to be determined on a case-by-case basis using the forms liesed should be case-by-case basis using the forms liesed.
Type		U			
Citation		33 USC 1314 (CWA Section 304)			
Requirement	FEDERAL WATER POLLUTION CONTROL ACT [33 USC 1251 et. seq.]	WATER QUALITY CRITERIA – GOLD BOOK(to 112 "QUALITY CRITERIA – GOLD BOOK")			

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement Citation Type Comment	Clean Water Act (CWA)) [33 USC 1251 et. seg.]	NDARDS AND METHODOLOGIES FOR 5 CCR 1002-31 C Refer to RFCA Attachment 5 for surface water action levels and standards.	NDARDS FOR GROUNDWATER 5 CCR 1002-41 C Refer to RFCA Attachment 5 for ground water action levels.	TUENT STANDARDS  C If the permitted point is used, then the NPDES permit discharge standards would be met.  40 CFR 129.4  40 CFR 129.5	C. DISCHARGE ELIMINATION SYSTEM  40 CFR 116  ous Substances out Substances out Substances out Substances out Substances out Substances out Substances 40 CFR 117 40 CFR 115.102 40 CFR 125.102
Requirement	FEDERAL WATER POLLUTION CONTROL ACT (aka	COLORADO BASIC STANDARDS AND METHODOLOGIES FOR SURFACE WATER	COLORADO BASIC STANDARDS FOR GROUNDWATER	TOXIC POLLUTANT EFFLUENT STANDARDS  Toxic Pollutants  Compliance	NATIONAL POLLUTANT DISCHARGE BLIMINATION SYSTEM REGULATIONS  • Designation of Hazardous Substances  • Determination of Reportable Quantities for Hazardous Substances  • Applicability of Best Management Practices  • Best Management Practices Programs

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

	Comment						
,	Type		Ä	A/L	• .		
	Citation	Clean Water Act (CWA)) [33 USC 1251 et. seq.]	33 USC 1344 33 CFR 323,3	10 CFR 1022		13. 22. 13.	
	Requirement	FEDERAL WATER POLLUTION CONTROL ACT (aka Clean Water Act	DISCHARGES OF DREDGED OR FILL MATERIAL INTO WATERS OF THE UNITED STATES.  • Discharges Requiring Permits	DOE COMPLIANCE WITH FLOODPLAIN/WETLANDS ENVIRONMENTAL REVIEW REQUIREMENTS	Floodplain/Wetlands Determination     Floodplain/Wetlands Assessment     Applicant Responsibilities		

	-
	V.
	A.W.S
	Z
- 1	E
1	FEC
(	2
	Ä
	4
	1
Ę	¢
É	2
DECOTE	
10	
TO A	
ATT	
2	1

# ENDANGERED SPECIES ACT (ESA [16 USC 1531 et seq.]

EARLY CONSULTATION

Identify and minimize early in the planning stage of an action, any potential conflicts between the action and	federally listed species.
A/L	
50 CFR 402.11	,

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Comment		This is the process DOE needs to follow to evaluate the	species and designated and proposed chiefal habitat and determine whether any such species or habitat are likely to be adversely affected by the action and is used in determining whether formal consultation or a conference is necessary.		
Type		A/L			•
Citation		50 CFR 402.12			
Requirement	NATURAL RESOURCE AND WILDLIFE PROTECTION LAWS ENDANGERED SPECIES ACT (ESA [16 USC 1531 et seq.]	BIOLOGICAL ASSESSMENT(tc \( \) 3 "ASSESSMENT")	Preparation Requirements     Request for Information     Director's Response     No Listed Species or Critical Habitat Present     Listed Species or Critical Habitat Present     Verification of Current Accuracy of Species 1 ist	Contents     Identical/Similar to Previous Action     Permit Requirements     Completion Time	<ul> <li>Submission of Biological Assessment</li> <li>Use of Biological Assessment</li> </ul>

Requirement	Citation	Type	Comment
NATURAL RESOURCE AND WILDLIFE PROTECTION LAWS			
ENDANGERED SPECIES ACT (ESA [16 USC 1531 et seq.]			
INTERAGENCY COOPERATION	50 CFR 402	AÆ	This is an ontional process that includes the
• Informal Consultation	.13		correspondence, etc. between the USFWS and the DOE. It is designed to assist in determining whether formal
Formal Consultation	.14		step it is determined by the DOB with the written concurrence of the USFWS that the action is not likely
			to adversely affect listed species or critical habitat, the consultation process is terminated and no further action is not seen.
			DOB shall review its actions at the earliest possible time to determine whether any action may affect listed species or critical habitat.
MIGRATORY BIRD TREATY (16 N2 "BIRD TREATY ")[16 USC 701-715]	15]		
TAKING, POSSESSION, TRANSPORTATION, SALE, PURCHASE, BARTER, EXPORTATION, AND IMPORTATION OF WILDLIFE AND FLANTS	50 CFR 10	AÆ	Principally focuses on the taking and possession of birds protected under this regulation. Enforcement is predicated on location of the project and time of the
{tc 1/3", POSSESSION, TRANSPORTATION, SALE, PURCHASE, BARTER, EXPORTATION, AND IMPORTATION OF WILDLIFE AND PLANTS"}		•	year. Current list of protected birds is kept with the Boology group.
	-		

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Comment			TENED SPECIES CONSERVATION ACT [CRS 33-1-115, 33-2-101 to 33-2-107]		wildlife appearing on the list of wildlife indigenous to the State of Colorado determined to be endangered within the state. (The list is continually updated by the Ecology group)
Type			[CRS 33-1	AL	
Citation			S CONSERVATION ACT	CRS 33-2-104 CRS 33-2-105	
Requirement	•	NATURAL RESOURCE AND WILDLIFE PROTECTION LAWS	COLORADO NONGAME, ENDANGERED, OR THREATENED SPECIES	<ul> <li>Compliance with the Colorado Nongame Wildlife including Endangered Species</li> </ul>	

FISH AND WILDLIFE COORDINATION ACT [16 USC 661 et seq.				
Parthese	16 USC 661			T
• Impounding, Diverting, or Controlling of Waters	16 USC 662	AL	-	
• Impoundment or Diversion of Waters	16 USC 663			
Rules;and Regulations	16 USC 664			
• Effects of Sewage and Industrial Waters	16 USC 665			
Authorization of Appropriations	16 USC 666			
• Penalties	16 USC 666(a)			
• Definitions	16 USC 666(b)			<u> </u>

A - Action-Specific ARAR; Q - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

8/

Requirement	Citation	Type	Comment
•			
NATURAL RESOURCE AND WILDLIFE PROTECTION LAWS			
NATIONAL HISTORIC PRESERVATION ACT (NHPA [16 USC 470 et. seq.]	[ibi		
DENTIFYING HISTORIC PROPERTIES  • Assessing Information Needs	36 CFR 800.4	'n	Obligations are met through the Programmatic
• Locating Historica Properties • Evaluating Historical Significance			Agreement among the DOB, Colorado State Historic Preservation Officer and the Advisory Council on Historic Preservation recognition Unicodic Deservation
When No Historic Properties Are Found     Historic Property Found			RFETS, July 17, 1997.
A September 1			
ASSESSING EFFECTS OF THE ACTIVITY ON THE PROPERTY	36 CFR 800.5	IJ	
DOCUMENTATION REQUIREMENTS	36 CFR 800.8	í	
CRITERIA OF EFFECT AND ADVERSE EFFECT	36 CFR 800.9		
PROTECTING NATIONAL HISTORIC LANDMARKS	36 CFR 800.10		
HISTORIC PROPERTIES DISCOVERED DURING IMPLEMENTATION	36 CFR 800.11		
EMERGENCY UNDERTAKINGS	36 CFR 800.12		
PRESERVATION OF AMERICAN ANTIQUITIES	43 CFR 3	H	

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

	CTION LAWS	ARCHEOLOGICAL RESOURCES PROTECTION [ 16 USC 470, CHAPTER 1B]	36 CFR 296 L	, v.	. 4. v.	) %	estruction of, .7 .12	reservation Act .13	and Cost of .15	.17	.19	
Requirement	NATIONAL RESOURCE AND WILDLIFE PROTECTION LAWS	OURCES PROTECTION	FRO LECTION OF ARCHEOLOGICAL RESOURCES: UNIFORM REGULATIONS		Prohibited Acts Permit Requirements and Exceptions	Application for Permits and Information Collection	Mountained to Indian Tribes of Possible Harm to, or Destruction of Sites on Public Lands Having Religious or Cultural Importance	relationship to Section 106 of the National Historic Preservation Act Custody of Archeological Resources	Determination of Archeological or Commercial Value and Cost of Restoration and Repair	Assessment of Civil Penalties Civil Penalty Amounts	Other Penalties and Rewards	Confidentiality of Archeological Resource Information Report 36 CFR 296

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Requirement	Citation	Type	Comment
•			475,7777,00
NATURAL RESOURCE AND WILDLIFE PROTECTION LAWS			
VATIC	ON ACT (AHPA) [16 USC 469a-1]		
Notification and Request for Preservation of Data	16 USC 469a-1(a)	T	Differs from NHPA in that it encompasses a broader
Survey of Sites; Preservation of Data; Compensation	16 USC 469a-1(b)		scope of resources than those listed on the National
			(including analysis and publication).

SAFE DRINKING WATER ACT (SDWA) 142 USC 300r et. seg.]				
COLORADO PRIMARY DRINKING WATER REGULATIONS	5 CCR 1003-1,	υ	Refer to RFCA Attachment 5 for surface water action levels and standards and groundwater action levels.	T
MAXIMUM CONTAMINANT LEVEL GOALS	40 CFR 141	υ	Refer to RFCA Attachment 5 for surface water action levels and standards and groundwater action levels.	7
		•		

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

		Comment	Comment
	•	Type	
		Citation	
		Requirement	
1	_		

# SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)] SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.]

appropriate in situations where a remediation waste is "sufficiently similar" to a RCRA-listed waste (e.g., waste which was generated and disposed of prior to the effective date of regulation) or when the proposed management regulations are similar to the federal requirements, both the federal and state regulatory citations are provided for reference purposes and to denote that both federal and state requirements were considered in establishing the identifying the ARAR requirement adopted for the remediation of the RESTS. Only substantive portions of the regulations are required under CERCLA actions for onsite activities. The State of Colorado is authorized to administer portions of the hazardous waste management program (e.g., RCRA) to regulate the generation, treatment, storage, and disposal of hazardous waste within Colorado. As such, the Colorado regulations that are more stringent than the federal counterparts would be applicable to the management of hazardous waste. These regulations may also be relevant and remedial action is similar to a RCRA-regulated activity and would be appropriate to ensure that the activity is protective of human health and the environment. Although the Colorado hazardous waste The State has not verified that these are the only substantive standards. The final determination is predicated upon an analysis for a specific action.

• Definitions waste material that is not regulated under Section 1.2  Section 1.2  Section 1.2  DENTIFICATION AND LISTING OF HAZARDOUS WASTES  6 CCR 1007-3, 261  A waste material that is not regulated under Section 2.5-8  205(1)(e), C.R.S., and can be reused, remanufactured, reclaimed, or recycled	SOLID WASTE DISPOSAL SITES AND FACILITIES	6 CCR 1007-2	. 4	"Recyclable materials" means any type of discarded or
		Section 1.2		waste material that is not regulated under Section 25.8-205(1)(e), C.R.S., and can be reused, remanufactured, reclaimed, or recycled
	IDENTIFICATION AND LISTING OF HAZARDOUS WASTES	6 CCR 1007-3, 261	A	

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

BMP Comment Citation Requirement

SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.]	rce Conservation and Recover	y Act) [4]	2 USC § 6901 et. seq.]		_
GENERATOR STANDARDS	GEMENT [Colorado Hazard	ous Wast	e Act (CRS § § 25-15-101 to -217)]		
	(40 CFR Part 262)				
Hazardous waste determinations	<b>T</b>	A/C	Persons who generate solid wastes are required to determine if the wastes are hazardous according to 6 CCR 1007-3 Parts 261, 267, 279 [40 CFR Parts 261, 266, and 279]	•.	
Hazardous waste accumulation areas	.34 (a)(1)(i),(ii),(iv, excluding A & B); (a)(3); (a)(4); (c)(1)	₹	Persons who accumulate hazardous waste in containers or tanks must manage the waste in a manner that protects human health and the environment.		
GENERAL FACILITY STANDARDS	6 CCR 1007-3 Part 264			262.4043	
Waste Analysis,	Subpart B [40 CFR Part 264, Subpart B] .13 (a)	<b>∀</b>	The owner/operator of a facility that stores, treats, or disposes of waste must verify the waste has been characterized adequately.	264.13(b)	
• Security	14	A/L	The owner/operator of a facility must prevent unauthorized access.		
General Inspection Requirements	.15 (a), (c)	A/L	The owner/operator of a facility must inspect for malfunctions, deteriorations, and releases, and must remedy deficiencies.	264.15 (d)	
					-

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

86

Dominament	Citetion	There			
nrement.	Ciencon	1.7Pe	Comment	BMP	
POSAL ACT (aka: Resour	SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [421]SC 8 6901 et. sec.]	erv Act) [42	2 11SC 8 6901 et sea 1		_
SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [	GEMENT [Colorado Hazar	dous Waste	Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]		····
	77 77 77 77				
rersonnel Training Requirements	.10 (a), (0), (c)	₹ Э	Personnel must be trained.	204.10(d), (e)	
				264.17(c)	

.•	General Requirements for Ignitable, Reactive or Incompatible Wastes	.17 (a), (b)	A/C	Wastes will be managed to prevent accidental ignition or reaction of ignitable or reactive waste, or the mixing of incompatible waste.	264.18	
<b></b>	PREPAREDNESS AND PREVENTION	6 CCR 1007-3 Part 264, Subpart C [40 CFR 264, Subpart				
	Design and Operation of a Facility	D. E.	A/C	Design facilities to minimize the potential for fire, explosion or release of hazardous waste.		
	• Required Equipment	.32	A/C	Facilities must be equipped with specified equipment to mitigate incidents, should they occur.		
·	Testing and Maintenance of Equipment	.33	A/C	Equipment must be maintained.		

.17 (a), (b)

A - Action-Specific ARAR; G - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

87

	47.54	BMF	
	Comment		
	Type	E	
	Citation		
יייייייייייייייייייייייייייייייייייייי	Requirement		

BMP						•		•	264.73 264.74
Comment	2 USC § 6901 et. seq.] e Act (CRS § § 25-15-101 to -217)]	Employees must have access to emergency communications when managing hazardous waste.	Aisle space must be maintained to allow unobstructed access to emergency personnel and emergency equipment.	The owner/operator must make arrangements with specified local effectency bersonnel.		RFETS Emergency Response Plan incorporates the substantive requirements of the Contingency Plan in the Site's Part B Hazardous Waste Permit. Emergencies such as fire, explosion, or release of hazardous waste must be mitigated immediately.	A designated employee is responsible for coordinating emergency response actions.		Operating Record Recordkeeping
Type	ry Act) [4] ous Wast	A/L	¥	AÆ	,	A/C	¥	<b>₹</b>	44
Citation	ce Conservation and Recover GEMENT [Colorado Hazard	.34	.35	.37	6 CCR 1007-3 Part 264, Subpart D [40 CFR Part 264, Subpart D]	.51 (b)	.55	.56 (a-i)	6 CCR 1007-3 Part 264, Subpart E [40 CFR Part 264, Subpart E]
Requirement	SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]	Access to Communications or Alarm System	Required Aisle Space	<ul> <li>Arrangement with Local Authorities</li> </ul>	CONTINGENCY PLAN AND EMERGENCY PROCEDURES	Purpose and Implementation	Emergency Coordinator	Emergency Procedures	MANIFEST SYSTEM, RECORDKEEPING, AND REPORTING

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

4 JUL 304 4001			•	
Requirement	Citation	Type	Comment	
				BMP
SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS & 8.75.15.]	rce Conservation and Recove GEMENT [Colorado Hazard	ry Act) [4	ation and Recovery Act) [42 USC § 6901 et. seq.] Colorado Hazardous Waste Act (CRS § § 25.15.101 to 2123	
GROUND-WATER MONITORING	6 CCR 1007-3 Part 264,	A	The substantive portions of the groundwafer monitoring 4 D 4 D.	
	Subpart F [40 CFR Part		for each CERCLA action will be incorporated into the Integrated Monitoring Plan (IMP)	-
	zot, Suppart F.		-	
CLOSURE AND POST-CLOSURE	6 CCR 1007-3 Part 264,			
	Subpart G			
	[40 CFR Part 264,			
	Subpart G]		-	
Closure Performance Standards	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	•		
	711.	∢	The owner/operator must close the facility in a manner that protects human health and the environment.	
		,		
				-
<ul> <li>Disposal or Decontamination of Equipment, Structures, or Soils</li> </ul>	.114	A/C	All hazardous wastes and residues of hazardous waste must be disposed or decontaminated.	
Post-Closure Care and Use of Property	.117	J/A	Human health and the environment must be protected after	
			court is complete it nazardous waste remains at the facility.	
USE AND MANAGEMENT OF CONTAINERS	6 CCR 1007-3 Part 264,			
	[40 CFR Part 264, Subpart			
Condition of Containers	171	Ą	Containers must be maintained in good condition.	-
Compatibility of Waste in Containers	.172	₹.	Wastes must be compatible with containers.	•

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

		BMP	
	Comment		
	Type	- O.K.	
	Citation		
,	Requirement		

BMP		80				., BB,		y when	·
Comment	2 USC § 6901 et. seq.] e Act (CRS § § 25-15-101 to -217)]	Containers must be closed except when adding or removing waste.	Containers must be inspected weekly.		Hazardous wastes and residues of hazardous waste must be removed or decontaminated from the unit and soils.	Hazardous wastes must be managed in accordance with AA, BB, CC, as appromiste.		Tank systems must be designed to maintain their integrity when storing or treating hazardous waste.	
Type	ry Act) [4,	∢	<b>∀</b>	444	, 4	. A/C	·	∢ .	∢
Citation	ce Conservation and Recover	.173	.174	.175 .176 .177	.178	.179	6 CCR 1007-3 Part 264, Subpart J [40 CFR Part 264, Subpart J]	.192 (a-f)	.193 (a)(i)(1.2.3.5)
Requirement	SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]	Management of Containers	• Inspections	Containment     System Design and Operation     Ignitable and Reactive Wastes     Incompatible Wastes	• Closure	Air Emission Standards	I ANK SYSTEMS	<ul> <li>Design and Installation of New Tank Systems or Components</li> </ul>	Containment and Detection of Releases

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

ଞ୍ଚା	April 30, 2001		8		
	Kequirement	Citation	Type	Comment	BMP
ID WAS	SOLID WASTE DISPOSAL ACT (aka: Resource Conserv SUBTITLE C: HAZARDOUS WASTE MANAGEMENT)		ry Act) [42 lous Wast	ation and Recovery Act) [42 USC § 6901 et. seq.] [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]	
General	General Operating Requirements				
	•	.194 (a-c)	₹	Tank systems must be maintained in good condition to prevent	
Inspections	SUC			releases to the environment.	
Lq.					
		.195 (b,c)	∢		•
Respons	Response to Leaks or Spills and			Inspections are conducted to identify any tank system integrity concern.	
Disposition of Tank Systems	Disposition of Leaking or Unfit-for-Use Tank Systems	.196 (a-c),(e)	¥		
			,		
Closure	Closure and Post-Closure Care	ţ	,		
		.19/(a,b)	∢	Dinno closure harardone mese and hand a	
Special 1	Special Requirements for Ignitable and	108	ζ.	must be removed from the tank system.	
Keachve wastes	Wastes		) }	Ignitable or reactive waste must be managed as smerified in this	
Special 1	Special Requirements for Incompatible	.199	A/C	section.	
Waste			<i>(</i>	Incompatible waste must not be introduced into a tank system unless 264.17(b) is complied with.	
!		000	Ç		
Air Emi	Air Emission Standards		ر ≩		
				All hazardous waste shall be managed in accordance with AA, BB. CC	
RRECT STE M	CORRECTIVE ACTION FOR SOLID WASTE MANAGEMENT UNITS	6 CCR 1007-3 Part 264, Subpart S			
		[40 CFR Part 264,			
		Subpart S]			

A - Action-Specific ARAR; Ç - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

Final RFCA: IGD Appendix 3

spril 30, 2001

BMP Miscellaneous units must be designed, constructed, operated and maintained in a manner that protects groundwater, surface water, Miscellaneous units must be managed to ensure compliance with 264.15 (inspections), 264.33 (testing and monitoring), 264.101 compliance must be included in the CBRCLA/RFCA decision Temporary units allow flexibility. Justification for alternative Miscellancous units that are disposal units must meet Post Closure Care requirements. SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)] Comment (corrective action for releases). SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] wetlands, soils, and air. document Type ∢ ⋖ ⋖ 6 CCR 1007-3 Part 264, 6 CCR 1007-3 Part 264, [40 CFR Part 264, [40 CFR Part 264, Citation Subpart CC Subpart CC] Subpart XJ Subpart X .553 (a-c) .602 .603 <u>8</u> TANKS: SURFACE IMPOUNDMENTS, Response, Reporting, and Corrective Environmental Performance Standards Monitoring, Analysis, Inspection, AIR EMISSION STANDARDS FOR MISCELLANEOUS UNITS Requirement Post Closure Care AND CONTAINERS Temporary Units Action

- Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

.

.1086

1085

Standards: Surface Impoundments

Containers

Standards

tanks, surface impoundments, and container facilities that store or

treat hazardous waste with organic concentrations equal to or

greater than 10 ppm (by weight).

444

1083

Waste Determination Procedures

Standards: Tanks

Standards: General

.1082

Air emission standards must be incorporated into the design of

Final RFCA: IGD
Appendix 3

	BMP	
-	Comment	
	Type	
-	Citation	
, 2001	Requirement	
April 30,		

		7.7 K		DIVIE
SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]	esource Conservation and Recove ANAGEMENT [Colorado Hazard	ery Act) [4 dous Wast	2 USC § 6901 et. seq.] e Act (CRS § § 25-15-101 to -217)]	
Standards: Closed-Vent Systems and **	d· .1087	Ą		
Control Devices				
Inspection and Monitoring     Requirements	.1088	∢		.1089
CONTAINMENT BUILDINGS	6 CCR 1007-3 Part 264,			. ~
	Subpart DD			٠.
	[40 CFR Part 264, Subpart DD]			
Design and Operating Standards	.1101(a); (b); (c)(1, 3	Ą	Containment buildings must be designed and operated to prevent releases to the environment.	
	(excluding i-iii), and 4);			
		<		
Closure and Post-Closure Care	.1102	:		
LAND DISPOSAL RESTRICTIONS	6 CCR 1007-3 Part 268 [40 CFR Part 268]			
Dilution Prohibited as a Substitute for	7	·	LDR determinations must be completed for hazardons unserse	
Treatment		₫ .	generated.	
	i.		[and disnocal restrictions and a managing to the off size at	
Hazardous Waste Meets the LDR		∢ .	actions proposed as part of the remedial activity.	
Treatment Standards)				
• Special Rules for Wastes that Exhibit a	oit a   .9 (a-c)	∢		
Characteristic				
のは 一般の は 一般の はない ない ない ない ない ない ない ない ない こうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう しゅうしゅう かいかい かいかい かいかい かいかい かいかい かいかい かいかい かい				
		.		

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

		DAG	DIVIC	
•		Comment		
	The state of the s	Type		
	Kequirement	The state of the s		

RMP			Subpart B Subpart C						
Comment		[Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]	S S	A handler of universal waste is prohibited from disposing,	releases.		Universal waste and the associated accumulation areas must be labeled and marked as defined in this section.	Employees must be trained about waste management requirements and on emergency procedures according to their responsibilities.	Universal waste handlers must contain releases of universal wastes, and must manage the resulting waste, as appropriate, in accordance with the hazardous waste regulations.
Type	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	lous Waste		₹	<u> </u>	∢ .	₹	<del>,</del> ✓	.A
Citation	A Conservation and December	FEMENT [Colorado Hazard	• CCK 1007-3 Part 273 [40 CFR Part 273]	.11, .31	.13, .33	.14, .34	.16, .36	.17, .37	
Requirement	SOLID WASTE DISPOSAL ACT (aks: Resource Conservation and Bossess 4 to 1100 e 2004	SUBTITLE C: HAZARDOUS WASTE MANAGEMENT	WASTE	• Prohibitions	Waste Management	• Labeling and Marking	Employee Training	• Response to Releases	

밁	April 30, 2001					
	Requirement	Citation	Type	Comment	BMP	
SO	SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBITILE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § § 25-15-	e Conservation and Recover EMENT [Colorado Hazard	y Act) [42 ous Waste	ation and Recovery Act) [42 USC § 6901 et. seq.] [Colorado Hazardous Waste Act (CRS § § 25-15-101 to -217)]		
RP	STANDARDS FOR THE MANAGEMENT OF USED OIL	6 CCR 1007-3 Part 279 [40 CFR Part 279]				
•	Used Oil Specifications	.11	A	Used oil burned for energy recovery must meet the specifications of this section		
•	Prohibitions	.12	4	Used oil must not be stored in surface impoundments, be used as a dust suppressant, or be burned in unapproved units		
•	Hazardous Waste Mixing	.21	₹	Used oil must be characterized and managed in accordance with 269.10 and this section.		
•	Used Oil Storage	.22	Ą	Used oil must be managed in containers or tanks in a manner that protects human health and the environment. Releases must be		
• .	On-Site Burning in Space Heaters	.23	₹	Used oil may be used as fuel for space heaters if the gases are vented to ambient air, and the maximum capacity of the space heater is not more than 0.5 million four per hour.		
SS	SOIL REMEDIATION POLICY DOCUMENT					
•	Colorado Soil Remediation Objectives Policy Document	Published by CDPHE in December, 1997	TBC	Cost effective, site-specific risk-based approach to establishing soil remediation objectives. Would be considered in manner compatible with ALF and RFCA Attachment 10.		

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

95

		DATE	Traigr
•		Comment	
	Citation	TANGE	
	Requirement		

SOLID WASTE DISPOSAL ACT (aka: Resource Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBTITLE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardone World Ad Con S. 1	irce Conservation and Recovery Act) [42 USC § 6901 et. seq.]	y Act) [4	2 USC § 6901 et. seq.]	
UNDERGROUND STORAGE TANKS	7 CCR 1101-14	A STATE	e Act (CKS § § 25-15-101 to -217)]	
	[40 CFR Part 280]			-
Performance Standards for New USTs	3.20;	Ą	USTs must be designed, maintained, and operated to prevent releases from the tank systems to the environment	
General Operating Requirements	5.40.5.44.7	∢		
Release Detection	5.53.	4	Releases that impact soils or groundwater will be identified as a PAC, will be added to the BR Ranking List, and will be	
Clean-Up of Spills and Overfills	0.33; 7.610×(2);	¥	incorporated into the integrated Site remediation program.  Coordination efforts within CDPHB and the Denamest of 1 above	
Initial Response to Spills and Overfills	7.63(5),(5),	¥	& Employment, Oil Inspection Section will be accomplished through communication with the LRA.	
Initial Abatement Measures	7:63(a);	¥		
Initial Site Characterization	7.64(a),(b).(c):	Ą		
Free Product Removal	7.65(a);	∢ .		
Investigations for Soil and Groundwater Clean-Up		∢		
		:	The same of the sa	_

A - Action Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

	Requirement	Citation	Type	Comment	BMB
					Tryo
					•
SOI	SOLID WASTE DISPOSAL ACT (aka: Respurce Conservation and Recovery Act) [42 USC § 6901 et. seq.] SUBTITEE C: HAZARDOUS WASTE MANAGEMENT [Colorado Hazardous Waste Act (CRS § \$ 25.15.101 to 2173)	rce Conservation and Recove GEMENT [Colorado Hazaro	ry Act) [42 U	SC § 6901 et. seq.]	
•	Temporary Closure	8.70(a),(b);	A	() TT O TO T	
•	Permanent Closure and Changes-in- Service	8.71(b),(c);	₹		, s
•	Assessing the Site at Closure or Change-in-Service	8.72;	4		
•	Applicability to Previously Closed UST Systems	8.73;	, 4		8.74

A - Action-Specific ARAR; Ç - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered K - 39

	RMP	TYVO
	Comment	
	Type	
	Citation	
TOOM OF MARKET	Requirement	

	yedmrement	Citation	Lype	Comment	BMP
ပ	Colorado Revised Statutes (CRS) Title 8 Article 20 Parts 7 and 2; Title 18 Article 25 Part 1	rticle 20 Parts 7 and	2; Title	18 Article 25 Part 1	·
五	PERFORMANCE STANDARDS FOR TANKS 7 CCR 1101-14 Part 3	7 CCR 1101-14 Part 3			
•	Design and Construction of Tanks	AST.31.2	4	ASTs must be designed maintained and accessed as	
•	Location and Installation of Outside Aboveground Tanks	AST.31.3	₹	prevent releases to the environment.	÷
•	Location and Installation of Aboveground Storage Tanks in Vaults	AST.31.4	₹		
Ó	Normal Venting for Aboveground Tanks	AST.31.5	′ <b>∢</b>	•	
•	Emergency Relief Venting for Fire Exposure for Aboveground Tanks	AST.31.6	. 4		
•	Vent Piping for Aboveground Tanks	AST.31.7	·	-	
•	Tank Openings other than Vents for Aboveground Tanks	AST.31.8	€ ≪		
•	Installation of Tanks Inside of Buildings	AST.31.9	∢		
<b>Q</b> .	Standards for Piping. Valves, and Fittings	AST.32	₹		
	1000 mm 1 1000				

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

4	TOOT OF THE				
	Kequirement	Citation	Type	Comment	BMP
		•			
Q	Colorado Revised Statutes (CRS) Title 8 Article 20	ticle 20 Parts 7 and 2	; Title	Parts 7 and 2; Title 18 Article 25 Part 1	
Ö	OPERATING REQUIREMENTS	7 CCR 1101-14 Part 4			
•	Collision Protection	AST.40	Ą		
•	Spill and Overfill Control (excluding reporting requirements), Remote Impounding, Secondary Containment	AST.41 (excluding reporting part of AST.41.1(e))	4		
•	Operation and Maintenance of Corrosion Protection	AST.42	∢		
•	Compatibility Requirements for all Tanks	AST.43	∢.		
●.	Static Protection for all Tanks	AST.44	∢		
•	Repairs Allowed (excluding requirement for approvals and inspections by State Oil Inspector)	AST.45 (excluding AST.45(b)(4))	∢		
•	Out-of-Service, Closure or Change-in-Service	AST.46(c)(1-5)	∀		
				AST.46 10), (b) docu	AST.46(a), (b), (c, 8-10), (b) Records and documentation

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

	BMP	
	Comment	
	Type	
	Citation	
, von to voil :	quirement	

Colorado Revised Statutes (CRS) Title 8 Article 20 Parts 7 and 2; Title 18 Article 25 Part 1	rticle 20 Parts 7 and 2;	Title 1	8 Article 25 Part 1	
RELEASE DETECTION	7 CCR 1101-14 Part 5 AST.5	4		AST.52 Records of Inspections
RELEASE RESPONSE AND CORRECTIVE ACTION	7 CCR 1101-14 Part 7		Releases that impact soils or groundwater will be identified as a PAC, will be added to the ER Ranking	
Initial Response	AST.72(b), (c)	∢	List, and will be incorporated into the integrated Site remediation program.	•
Initial Abatement Measures	AST.73	¥	Coordination efforts within CDPHE and the	
Repair or Closure Required	AST.74	Ą	Department of Labor & Employment, Oil Inspection Section will be accomplished through	. •
OIL POLLUTION PREVENTION	7 CCR 1101-14 Part 11		communication with the L.K.A.	
Oil Pollution Prevention: Oil Pollution Prevention SPCC Plan Requirements	AST.112.7(c), (d), (e, 1-2, 4-5)	. 🗸	A SPCC plan would not be specifically required as an ARAR; however, the substantive requirements	
			that are incorporated into and implemented as part of the SPCC plan would be required as an ARAR. (e.g.,	
			Prediction of the direction, rate and flow of a release from a tank system need not be included in a plan:	
			however, it must be known by the facility and be available to emergency responders at the facility.)	

Kequirement	Citation	Type	Comment BMP	
				. :
Colorado Revised Statutes (CRS) Title 8 Article 20 Parts 7 and 2; Title 18 Article 25 Part 1	8 Article 20 Parts 7 and	2; Title	18 Article 25 Part 1	
TOXIC SUBSTANCES CONTROL ACT (TSCA) [15 USC 2601 et seq.] Relating to PCBs	(A) [ 15 USC 2601 et seq.] Re	lating to I	CBs	1
PCB USE AUTHORIZATIONS	40 CFR 761.30	Ą	Lists authorized uses and use restrictions for PCBs	
MARKING REQUIREMENTS	40 CFR 761.40 and .45	A	Labeling of PCBs and PCB storage Areas	
DISPOSAL REQUIREMENTS		Ą		T
• Applicability	761.50		General PCB Disposal Requirements	
Disposal Requirements	761.60		Disposal Requirements	*****
PCB Remediation Waste	761.61			
<ul> <li>PCB Bulk Product Waste</li> </ul>	761.62		Pursuant to a letter from Kerrigan Clough to Joe Legare. Approval of Risk.	ick.
			Based Approach for PCB-Based Painted Concrete, November 2001	diam'r.
			painted with PCB-based paints may be left in place in the basements of	3
			demolished buildings, and concrete rubble containing PCB-based paints may	- A
		,	be stored onsite and used as backfill.	
Disposal of R&D and Chemical Analyses	761.64			
Wastes				
STORAGE REQUIREMENTS FOR PCBs	40 CFR 761.65	Ą		
Facility Criteria				
Temporary Storage				
• Inspections				
Container Specifications				
RCB radioactive waste	•			
Marking		•		-
Laboratory Sample Exemption from	•	1.		
Manifesting		,		
INCINERATION	40 CFR 761.70	A	These regulations would only be ADADA 62. AL	
• Liquid PCBs			an onsite PCB incinerator, it is envisioned that this will not be and operation of	tion of
Non-Liquid PCBs			חסוס וסוו חומן איזו חסויסייים איזו חסויסיים איזו חסויסיים איזו חסויסיים איזו חסויסייים איזו חסויסיים אייסיים איזו חסויסיים איזו חסויסיים איזו חסויסיים איזו חסויסיים אייסיים אייסיים איזו חסויסיים אייסיים א	****
		***************************************		_

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

CO111 30; 2001			
Requirement	Citation	Type	Comment BMP
Colorado Revised Statutes (CRS) Title 8 Article 20 Parts 7 and 2; Title 18 Article 25 Part 1	8 Article 20 Parts 7 and	2; Title	8 Article 25 Part 1
HIGH EFFICIENCY BOILERS	40 CFR 761.71	A	These regulations would only be ARARs for onsite burning PCB mineral oil dielectric fluid in a boiler, it is envisioned that this will not occur
Operating requirements			
SCRAP METAL RECOVERY OVENS AND SMELTERS	40 CFR 761.72	¥.	These regulations would only be ARARs for onsite scrap metal recovery or smelting; it is envisioned that this will not occur
Operating Requirements			
CHEMICAL WASTE LANDFILLS	40 CFR 761.75	Ą	These regulations would only be ARARs for the construction and operation of
Design and Operating Requirements			an onsite PCB disposal cell; it is envisioned that this will not occur
TSCA COORDINATED APPROVAL	40 CFR 761.77	¥	Institutionalizes EPA approval of PCB activities under TSCA when activities
		•	are being conducted under another waste management permit, or other

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

40 CFR 761 Subpart G is entitled PCB Spill Cleanup Policy and thus many of the sections, specifically for spills after May 4, 1987 are "To Be Considered"

TBC

40 CFR Subpart G

Measurement-Based Decontamination

PCB SPILL CLEANUP

Self-Implementing Decontamination

decision document issued by EPA or pursuant to a State PCB waste

management program

∢

40 CFR 761.79

DECONTAMINATION STANDARDS AND PROCEDURES

Characterization requirements for cleanup of PCB remediation waste

∢

⋖

40 CFR Subpart O

40 CFR Subpart N

Cleanup site characterization sampling for PCB

Requirements for PCB Spill Cleanup

implementing cleanup and on-site disposal of

Sampling to verify completion of self-

remediation waste

Not ARAR unless conducting a self implementing cleanup of PCB remediation waste

	awa	Train	
	Comment		
Think	Type		
Citation	CAMBRICAL		
Requirement			

Colorado Revised Statutes (CRS) Title 8 Article 20 Parts 7 and 2: Title 18 Article 25 Part 1	e 8 Article 20 Parts 7 and	2: Title	18 Article 25 Part 1	Г
bulk PCB remediation waste and porous surfaces			A TILL A	<del></del>
Sampling non-porous surfaces for measurement-based use, reuse, and on-site or off-site disposal under 761361(a)(6) and determination under 761.79(b(3)	40 CFR Subpart P	A		<del></del>
Self-implementing alternative dextraction and chemical analysis procedures for non-liquid PCB remediation waste samples	40 CFR Subpart Q	₹	Applicable procedures when using alternatives to required analytical methodology	
Sampling non-liquid, non-metal PCB bulk product waste for purposes of characterization for PCB disposal in accordance with 761.62, and sampling PCB remediation waste destined for loff-site disposal, in accordance with 761.61	40 CFR Subpart R	∢ .	Characterization requirements for PCB bulk product waste and PCB remediation waste when characterization for disposal is required	<del>- 1</del>
Double wash/rinse method for decontaminating non-porous surfaces	40 CFR Subpart S	A	Referenced procedure from 761.79	<del></del>

A - Action-Specific ARAR; C - Chemical-Specific ARAR; L - Location-Specific ARAR; TBC - To Be Considered

## Appendix M

# ACTION LEVELS FOR RADIONUCLIDES IN SOILS

This IGD Appendix originally contained the technical basis for the development of the enforceable action levels for radionuclides in soil as defined in Attachment 5 to the Rocky Flats Cleanup Agreement. This Appendix has been superceded. For the latest technical basis for the development of radionuclide soil action levels see *Results of the Interagency Review of Radionuclide Soil Action Levels*, September 20, 2002, which is online at www.rfets.gov.

## 1.0 INTRODUCTION

DOE first developed human health risk-based Preliminary Remediation Goals (PRGs) in 1995 to establish initial site-wide cleanup targets for contaminants for each environmental medium. The PRGs have been updated regularly to conform with the evolving site conceptual model and future land use. The latest update is based on the work of the Radionuclide Soil Action Level Workgroup ([RSALW], Task 3 Report and Appendices: Calculation of Surface Radionuclide Soil Action Levels for Plutonium, Americium, and Uranium, September 30, 2002). The human health PRGs are currently used in RFCA Attachment 5 as action levels for the following mediums:

- Groundwater Action Levels: Human health PRGs based on the residential groundwater ingestion scenario are used where no Maximum Contaminant Level (MCL) is available from EPA; and
- Soil Action Levels: For non-radionuclides, human health PRGs based on the wildlife refuge worker scenario are used where no applicable or relevant and appropriate requirement is available.

DOE, EPA, and CDPHE, with support from the U.S. Fish and Wildlife Service, developed ecological PRGs in 2002. Ecological receptor PRGs were only calculated for analytes originally identified by the 2002 Ecological Risk Working Group as being of site-wide potential concern to ecological receptors. The ecological receptor PRGs are currently used in RFCA Attachment 5 as action levels for soil.

Human health and ecological PRGs are reviewed and updated, as necessary, on an annual basis.

## 2.0 HUMAN HEALTH

# 2.1 Exposure Pathways

In order to standardize the risk-based PRGs across RFETS, programmatic exposure pathways and receptors were established. The following tables identify the receptors and exposure pathways selected for each environmental medium:

- Table 1: Wildlife Refuge Worker Exposure Scenario
- Table 2: Rural Resident Groundwater Exposure Scenario[wc1]

Standard calculation methods given in Risk Assessment Guidance for Superfund (RAGS), part B (USEPA, 1991) were used in developing risk-based PRG pathways where available. Most of the exposure factors for the PRGs were developed and agreed upon by the RSALW and are presented and documented in the Task 3 Report (September 30, 2002).

104

# 2.2 Methodology, Equations, and Assumptions

Risk-based PRGs were developed for the Target Analyte Listof metals and organics for the wildlife refuge worker exposure scenario; and the residential groundwater exposure scenario. Separate risk-based equations were developed to account for the carcinogenic and/or noncarcinogenic effects of the contaminant. Risk-based PRGs for carcinogens were calculated by setting the carcinogenic target risk level at 1E-05 and 1E-06. A target risk level of 10-5 means that an individual has a ten-in-one million probability of developing excess cancer over a lifetime as a result of exposure to a specific contaminant; a target risk level of 10-6 means that an individual has a one-in-one million probability of developing excess cancer over a lifetime as a result of exposure to a specific contaminant. This risk is in addition to the probability of an individual developing cancer from some other factors including environmental pollution not related to the site, heredity, or lifestyle.

Similarly, risk-based PRGs for toxicants (noncarcinogens) were calculated by setting the hazard quotient equal to 1 and 0.1 for each contaminant. A hazard quotient is the ratio of a single substance exposure level of a chemical contaminant over a specified period to the reference dose for the chemical. The reference dose represents an estimate of an exposure level for the human population, including sensitive subpopulations, that is likely to be without appreciable deleterious effects during a lifetime. When both carcinogenic and noncarcinogenic toxicity information was available both carcinogenic and noncarcinogenic risk-based concentrations were calculated and the more restrictive value was selected as the risk-based PRG.

The risk-based PRG exposure scenarios and equations provided in Tables 1 and 2 include all of the exposure pathways identified for the exposure scenario; separate risk-based PRGs were not calculated for each exposure pathway.

# 2.3 Chemical Toxicity Information

The chemical-specific toxicity values used for the calculation of the risk-based PRGs are presented in Table 3. Toxicity information used to calculate the PRGs included the carcinogenic slope factor or unit risk, and for noncarcinogenic effects, the reference dose (RfD) and reference concentration (RfC). Toxicity values were obtained from the latest information in EPA's Integrated Risk Information System (IRIS) files, the EPA Health Effects Assessment Summary Tables (HEAST), and the EPA, Region 3, PRG tables. Values for polycyclic aromatic hydrocarbons were calculated using EPA's Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons.

# 3.0 ECOLOGICAL RECEPTORS

# 3.1 Exposure Pathways and Receptors

The RFETS environment as it relates to ecological risk assessment is described in detail in Final Ecological Risk Assessment Methodology: Sitewide Conceptual Model (DOE 1996a). Primary exposure pathways for mammalian and avian receptors to site contaminants of

concern (COCs) are ingestion of COCs in food, ingestion of soils, and external exposure to penetrating radiation present in soils (Table 4). Secondary pathways include dermal contact, particulate inhalation, and inhalation of volatile organic released into burrows. Inhalation and dermal contact are considered minor compared to the ingestion and external exposure pathways.

The following receptors were evaluated as representative of site ecological groups to quantify PRGs:

- Fossorial (burrowing) small mammal (Prairie Dog)
- Fossorial (burrowing) small mammal (Preble's Meadow Jumping Mouse)
- Herbivorous small mammal (Deer Mouse)
- Insectivorous small mammal (Deer Mouse)
- Small ground-feeding birds (Mourning Dove)
- Avian Predator (American Kestrel)

The general exposure scenario assumed for all receptors included direct ingestion of soil, incidental ingestion of soil during feeding and burrowing, and ingestion of prey items. PRGs were also developed for external exposure to radionuclides, but these resulting soil concentrations were much higher than ingestion based PRGs. Radionuclide PRGs were based on the methodology developed by Higley and Kuperman (1995) for RFETS.

# 3.2 Methodology, Equations, and Assumptions

Risk-based PRGs were developed for a list of COCs identified by the ecological risk assessment working group. EPA's Eco Soil Screening Levels (EcoSSLs) process was used as a general guidance to develop the PRGs (EPA 2000). Extensive use was made of existing databases and compilations of ecotoxicity information, especially those from other DOE facilities such as Oak Ridge National Laboratories and Los Alamos National Laboratories.

The EcoSSL document provides general equations and procedures for developing PRGs from toxicological research, receptor-specific exposure parameters such as food ingestion rates, diet, and bioaccumulation factors (BAFs) that describe uptake of COCs from soils into forage or prey species (Table 5). Intake from multiple sources of incidental soil intake such as plant ingestion, prey ingestion etc. are summed to estimate the total intake from this exposure pathway. The general equation to calculate PRGs is also presented in Table 5.

Risk-based PRGs were then calculated by applying a target hazard quotient (HQ) equal to 1.0 for each COC and receptor. PRGs corresponding to both the No Observed Adverse Effects Levels (NOAEL) and Lowest Observed Adverse Effects Levels (LOAEL) were calculated. However, only the LOAEL concentrations are used for the RFCA PRGs with the exception of those areas deemed to be potential Preble's Meadow Jumping Mouse (PMJM) habitat.

106

Given the special status of this species, the ecological risk assessment working group determined that the NOAEL TRV would be used for the PMJM receptor in the areas in which the receptor may reside. [JMA2]Calculated PRGs represent soil concentrations below which no risk to wildlife populations would be predicted following exposure of specific ecological receptor species to contaminants present in soils and food.

# 3.3 Chemical Toxicity Information

Chemical-specific Toxicity Reference Values (TRVs) are presented in Table 6. TRVs were compiled for mammalian and avian species from pre-existing data review s, guidance documents, and peer reviewed literature sources. Rodent studies were preferred for mammalian data, since the two surrogate wildlife mammalian species are rodents. Bird studies were used as sources of TRVs for avian receptors. No extrapolation between bird and mammalian toxicity information was used to calculate the PRGs.

Available NOAELs and LOAELs for site soil COCs were chosen based on the following criteria:

- Oral exposure studies from which a dose could be determined.
- Generally, only chronic or subchronic studies were used. However, some acute studies
  where reproductive and developmental endpoints were assessed during discrete, critical
  life stages.
- Growth and mortality endpoints.

Following initial compilation of TRVs presented, primary study papers were obtained, when possible. Database TRV values were then confirmed by review of the original study documents. It should be noted that no adjustments of the original TRVs were made for study duration. Nor was an analysis of study "quality" conducted to weight the TRVs according to EcoSSL guidance.

NOAEL and LOAEL TRVs were compiled from the database of preliminary TRVs discussed above. Average TRVs were calculated by obtaining the arithmetic mean of several groups of endpoints. Individual average TRVs were then calculated for growth, reproductive, and mortality endpoints for those COCs where available. In addition, an average TRV was calculated for each COC using a compilation of all sub-lethal endpoints available from the literature search and databases. These TRVs were then used to quantify final PRGs.

Bioaccumulation Factors (BAFs) (Table 7) were identified and calculated for use in the PRG development process. As with the TRV selection process, the procedures used in the selection of BAFs closely corresponded to those developed in the EcoSSL guidance (USEPA 2000). BAFs are either simple ratios of COC concentrations between biota and soils, or based on quantitative relationships such as linear, logarithmic, or exponential equations.

રાજકુ લાજી છે. ઉત્તર તમા

BAFs were calculated or identified for the following pathways:

- Soil to Plant
- Soil to Terrestrial Invertebrate
- Soil to Small Mammal
- Soil to Bird

BAFs were obtained from several publicly available databases, peer reviewed literature, and from approved ERAs at other sites that are applicable to the CSM and data uses for RFETS.

# 4.0 RFETS PRGS

Tables 8 and 9 are a summary of the human health PRGs for each exposure scenario.

Table 9 is a summary of the ecological PRGs for each receptor.

# Table 1. Wildlife Refuge Worker Exposure Scenario

The Wildlife Refuge Worker Surface Soil Exposure Scenario consists of the following pathways: ingestion of surface soil, outdoor inhalation of dust (inhalation of volatiles is not assessed[wc3]), and dermal contact for nonradionuclides for a wildlife refuge worker working at the site for an average of 18.7 years, spending 50% of this time outdoors. Exposures for radionuclides are not assessed in this spreadsheet (refer to the RSALS Task 3 Report and Appendices [Sept. 2002]). The worker is assessed as spending all of their time on the most contaminated areas of the site, and performs soil-contact intensive activities. This scenario includes all complete and significant exposure pathways and parameter assumptions that were evaluated in the Task 3 Report and Appendices, as well as the dermal pathway. Calculations in this spreadsheet are performed deterministically.

deterministically.				
Exposure Parameter	Variable	Unit	Point Estimate*	Source
General Assumptions				
Target hazard index - 1	THI-1		0.1	EPA, 1991a
Target excess lifetime cancer risk - 1	TR-1		1E-06	EPA, 1991a
Target hazard index - 2	THI-2		1	EPA, 1991a
Target excess lifetime cancer risk - 2	TR-2	erana 🚉 🚉	1E-05	EPA, 1991a
Adult body weight	BW_A	kg	70	EPA, 1991b
Wildlife Refuge Worker Exposure	Scenario Assu	mptions		•
Exposure duration	ED_WRW	yr	18.7	RSALS, 2002,
Exposure frequency	EF_WRW	day/yr	250	RSALS, 2002,
Exposure time-outdoors	ET_WWR	hr/day	4	RSALS, 2002,
Averaging time - noncarcinogenic	AT_NC	yr	18.7	RSALs, 2002,
Averaging time - carcinogenic	AT_C	yr	70	EPA, 1991b
Exposure time fraction, outdoor	Eto_WRW		11	RSALs, 2002
Exposure time fraction, indoor	Eti_WRW		0	RSALs, 2002
Hourly inhalation rate_adult worker	HIR_A_WRW	m3/hr	1.3	RSALs, 2002
Site-specific PEF based on ML	PEF_	<sup>-</sup> m3/kg	14925373	RSALs, 2002
Soil Ingestion Rate	SIR_A_WRW	mg/day	100	RSALs, 2002
Skin-soil adherence factor	AF_A_WRW	mg/cm2-event	0.117	EPA, 2001
Event frequency	ΕV	events/d	1	EPA, 2001
Skin surface area	SA_A_WRW	cm2	3300.00	EPA, 2001
Dermal absorption fraction	ABS		chemical-specific	EPA, 2001
Toxicity Values	•			
Oral reference dose	RfDo	mg/kg-day	chemical-specific	IRIS, HEAST or NCEA
Oral cancer slope factor	CSFo	(mg/kg-day) <sup>-1</sup>	chemical-specific	IRIS, HEAST or NCEA
Inhalation reference dose	RfDi	mg/kg-day	chemical-specific	IRIS, HEAST or NCEA
Inhalation cancer slope factor	CSFi	(mg/kg-day)-1	chemical-specific	IRIS, HEAST or NCEA

### Sources:

EPA, 1991a = U.S. Environmental Protection Agency. 1991. Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual, Part B, Development of Risk-Based Preliminary Remediation Goals. Interim. Office of Emergency and Remedial Response, Washington, 'D.C. Publication 9285.7-01B. December.

EPA, 1991b = U.S. Environmental Protection Agency. 1991. Human Health Evaluation Manual, Supplemental Guidance: Standard Default Exposure Factors. Office of Solid Waste and Emergency Response, Washington, D.C. OSWER Directive 9285.6-03. March 25.

EPA, 2000 = U.S. Environmental Protection Agency. 2000. Soil Screening Guidance for Radionuclides: Technical Background Document. Office of Radiation and Indoor Air, Washington, D.C. Publication EPA/540-R-00-006. October, 2000.

EPA, 2000b = U.S. Environmental Protection Agency. Risk Assessment Guidance for Superfund Vol. I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment), Interim Guidance. Office of Emergency and Remedial Response, Washington, D.C. EPA, 2001 = U.S. Environmental Protection Agency. 2001. Supplemental Guidance for Developing

Soil Screening Levels for Superfund Sites, Peer Review Draft. Office of Solid Waste and Emergency Response, Washington, D.C. OSWER 9355.4-24. March.

RSAL 2002= U.S. DOE, U.S. EPA and CDPHE, 2002. Task 3 Report and Appendices: Calculation of Surface Radionuclide Soil Action Levels for Plutonium, Americium, and Uranium, September 30.

## Equations used for the 2002 WLRW PRG spreadsheets:

Wildlife Refuge Worker Surface Soll Exposure Scenario

Noncercinagenic PRG = ((THI x AT\_NC(y) x 365(d/y)) / ((SRA\_WRW(mg/d) x EF\_WRW(d/y) x ED\_WRW(y) x 10 - 4(kg/mg) x 1/HD\_(mg/kgd) x 1/HW\_A(kg)) +

(HIR\_A\_WRW(m \*d) x EF\_WRW(d/y) x ED\_WRW(y) x ET\_SS\_WRW(h/d) x 1/PEF\*(m - 4/kg) x 1/HD\_(mg/kgd) x 1/HW\_A(kg) x (ETo\_WRW + (ETL\_WRW x DFI))) +

(SA\_WRW(cm \*) x AF\_A\_WRW(mg/cm \*event) x EF\_WRW(d/y) x ED\_WRW(y) x ABS x EV(events/d) x 1/HD\_(mg/kgd) x 1/O \*(kg/mg) x 1/HW\_A(kg))

for votable compounds, substitute the chemical-specific votablization factor, VF, found on the newChem&trans sheet for PEF

Concinegente PRG ~ ((TR x AT\_C(y) x )65(d/y)) / (SIR\_A\_WRW(mg/d) x EF\_WRW(d/y) x ED\_WFW(y) x 10 ^ (kg/mg) x CSF\_i/tsk/mg/kgd) x 1/8W\_A(kg))

(HR\_A\_WRW(m \*hi) x EF\_WRW(d/y) x ED\_WRW(y) x ET\_SS\_WRW(g/d) x 1/9EF-ym \*h/g) x CSF\_i/tsk/mg/kgd) x 1/8W\_A(kg) x (ETo\_WRW + (ETI\_WRW x DFi)))

(AF\_A\_WRW(mg/cm \* event) x SA\_A\_WRW(cm \*) x EF\_WRW(y) x ED\_WRW(y) x ABS x EV(events/d) x CSF\_i/tsk/mg/kgd) x 10 \*(kg/mg) x 10

for volatile compounds, substitute the chemical-specific volatilization factor, VF, found on the newChem&trans sheet for PEF

## Table 2. Rural Resident Groundwater Exposure Scenario

The Rural Residential Groundwater Exposure Scenario consists of the following pathway: ingestion of groundwater. Inhalation of volatiles is not considered. The resident ingests groundwater while living at the site for 30 years. It is assumed that the rural resident will live on a 5-acre ranchette, which would be part of a development. It is unlikely that shallow groundwater wouldbe ingested due to limitations in ability for the shallow aquifer to supply water in sufficient quantity. This scenario is for use in the development of the groundwater Action Levels. Calculations in this spreadsheet are performed deterministically...

Exposure Parameter	Variable	Unit	Point Estimate*	Source
General Assumptions			1 1 24	
Target hazard index-1	· THI-1		0.1	EPA, 1991a
Target excess lifetime cancer risk-1	TR-1		1E-06	EPA, 1991a
Target hazard index-2	THI-2		1	
Target excess lifetime cancer risk-2	TR-2	,	1E-05	
Adult body weight	BW_A	kg	70	EPA, 1991b
Child body weight	BW_C	kg	15	EPA, 1991b
Residential Exposure Scenario Assumptions	50			
Averaging time - noncarcinogenic	AT_NC	yr	30	EPA, 1991b
Averaging time - carcinogenic	AT_C	yr	70	EPA, 1991b
Exposure frequency	EF_RR	day/yr	350	EPA, 1991b
Exposure duration	ED_A	yr	30	EPA, 1991b
Daily water ingestion rate	IRw	L/day	2	EPA, 1991b
Toxicity Values				· · · · · · · · · · · · · · · · · · ·
Oral reference dose	RfDo	mg/kg-day	chemical- specific	IRIS, HEAST or NCEA
Oral cancer slope factor	CSFo	risk/(mg/kgd)	chemical- specific	IRIS, HEAST or NCEA
Inhalation reference dose	RfDi -	mg/kg-day	chemical- specific	IRIS, HEAST or NCEA
Inhalation cancer slope factor	CSFi	risk/(mg/kgd)	chemical- specific	IRIS, HEAST or NCEA

EPA, 1991a = U.S. Environmental Protection Agency. 1991. Risk Assessment Guidance for Superfund, Volume I, Human Health Evaluation Manual, Part B, Development of Risk-Based Preliminary Remediation Goals. Interim. Office of Emergency and Remedial Response, Washington, D.C. Publication 9285.7-01B. December. EPA, 1991b = U.S. Environmental Protection Agency. 1991. Human Health Evaluation Manual, Supplemental Guidance: Standard Default Exposure Factors. Office of Solid Waste and Emergency Response, Washington, D.C. OSWER Directive 9285.6-03. March 25.

## Residential Groundwater Exposure Scenario Equations

Noncarcinogenic PPRG = ((THI x AT\_NC(y) x 365(d/y))/(IRw(L/d) x EF\_RR(d/y) x ED\_A(y) x 1/RfD<sub>o</sub>(mg/kgd) x 1/BW\_A(kg))) Carcinogenic PRG = ((TR x AT\_C(y) x 365(d/y))/(IRw(L/d) x EF\_RR(d/y) x ED\_A(y) x CSF<sub>o</sub>(risk/mg/kgd) x (1/BW\_A(kg)))

		V	Oral		Oral/Ingestion	Ę	Inhai	Inhalation	lon	Inhalation	ation	Inhalation
Target Analyte List	-	CAS	RfD2		Slope Factor		Pro	Unit Risk	İsk	5	n	Stone Rector
Chemical		Number	(mg/kg-day)		(mg/kg-day)"		(ma/m²)	(m³/va)	6	(ma/ka-day)	(Napr	1.Vieb pylom)
Acenaphthene	3	83-32-9	6.00E-02	-				_	$\vdash$			App Ry Am
Acetone	S	-29	1.00E-01	_					-		-	
Aldrin		309-00-5	3.00E-05	-	1.70E+01	-		4.90E-03	-   8			1,700.01
Aluminum		7429-90-5	1.00E+00	พ		-	3.50E-03	ш		1 00 5	1103	
Anthracene	S		3.00E-01	_				-	$\vdash$		T	
Antimony		7440-36-0	4.00E-04	-				_	$\vdash$		-	
Aroctor 1018		12674-11-2	7.00E-05	-	7.00E-02	-		5.70E-04	Ş			1 000
Aroclor 1221		11104-28-2			2.00E+00	8	-	1.14E-04	04		-	70-007
Aroclor 1232	-	11141-16-5			2.00E+00	<u>8</u>		1.14E-04	1-		-	10-100 K
Aroclor 1242	-	53469-21-9			2.00E+00	8		1,14E-04	1-	8		1000
Aroclor 1248	-	12672-29-6			2.00E+00	छ		1.14E-04	1-	<u>a</u>	-	1000
Aroclor 1254	-	11097-69-1	2.00E-05	_	2.00E+00	<u>s</u>		1.14E-04	1-	90		70007
Aroclor 1260	-	11096-82-5			2.00E+00	®		1.14E-04	╁	a	-	0-100
Arsenic	-	7440-38-2	3.00E-04	1	1.50E+00	-		4.30E-03	╁		_	10-00-4
Barlum	-	7440-39-3	7.00E-02	7			5.00E-04	¥		1 43	1.43F-04 A	104316.1
Benzene	3	_	3.00E-03	ш	5.50E-02	-	5.97E-03	E 7.80E-06	90	1.70	1	2005.02
alpha-BHC	+	319-84-6			6.30E+00	-		1.80E-03	ဓ		T	A 30E .00
beta-BHC	-	319-85-7			1.80E+00	-		5.30E-04	04			00.1000
delta-BHC		319-86-8										00+400
gamma-BHC (Lindane)		58-89-9	3.00E-04	_	1,30E+00	I			T			
Benzo(a)anthracene	-	56-55-3			7.30E-01	ш			T		-	
Benzo(a)pyrene		50-32-8			7.30E+00	_		8.60E-04	1-	u		2000
Benzo(b)fluoranthene		205-99-2			7.30E-01	ш			+	_	-	3.105-01
Benzo(k)fluoranthene		207-08-9		1	7.30E-02	ш			T	L	-	
Benzola Acid (at.pH 7)		65-85-0	4.00E+00	1							1	
Benzyl Alcohol;		100-51-6	3.00E-01	I				L	1		1	
Bendilum		7440-41-7	2.00E-03	_			2.00E-05	1 2.40E-03	63	571	5 71E-08	00.00
bis(2-chlorcethyl)ether	3	111-44-4			-1.10E+00	_	-	3.30E-04	ģ			4 40 1100
bis(2-chloroisopropyl)ether	3	(V) 39638-32-9	4.00E-02	_	7.00E-02	Ξ		1.00E-05	1-	I		1.10E+00
bis(2-ethylbexyl)phthalate		117-81-7	2:00E-02		1.40E-02	1			1		-	20.00.00
Bromodichloromethene	2	(V) 75-27-4	00000	-	2000	ŀ			1			1.40m54.

	,												
Bromoform	$\mathbf{S}$	75-25-2	2,00E-02	-	7.9E-03	-			1.10E-08	E			3 90E-03
Bromomethane (methyl bromide)	3	74-83-9	1.40E-03	-			5.00E-03	-			1 43E-03	E	2000
2-Butanone (methyl ethyl ketone)	3	78-93-3	6.00E-01	-			1.00E+00	=		,	2 RRE-01	1	
Buty/benzy/phthalate	- 24	85-68-7	2:00E-01	÷-							2000	1	
©edmium (food)		7440-43-9	1:00E-03				2.00E-04	ш	1.80E-03	-	5.70E-05	Tu	00.000
Cadmlum (water)	-	7440-43-9	5,00E-04	-				-	1.80E-03	-	5.70E-05	1 4	8.30E+00
Carbon disuffide	3	75-15-0	1.00E-01	-		-	7.00E-01	-			2 OOF-01	<u>,                                    </u>	0.505.400
Carbon tetrachloride	S	58-23-5	7.00E-04	-	1.30E-01	-	2:00E-03	w	1.50E-05	-	5.71F-04	- u	S 20E A
alpha-Chlordane	-	5103-71-9	5.00E-04	-	3.50E-01	_	7.00E-04	۵	1.00E-04	Δ	2.00E-04	1 4	2.30E-02
beta-Chlordane		5103-74-2	5.00E-04	-	3.50E-01	1,	7.00E-04	م	1.00E-04	٥	2:00E-04		2 FOE O
gamma-Chlordane		12789-03-6	5.00E-04	-	3.50E-01	_	7.00E-04	۵	1.00F-04	2	2 DOE-04	1	0.000.0
4-Ghloroaniline		106-47-8	4.00E-03	_						Ţ	£:00E-04		3.50E-01
Chlorobenzene	\$	108-90-7	2.00E-02	1			2.00E-02	Ξ		L	1 70E.00	ľ	
Chloroethane (ethyl chloride)	S	1	4.00E-01	ш	2.90E-03	w	1.00E+01	-			2 RRE-100	1 -	
Chloroform	3	67-66-3	1.00E-02	_	,		3.00E-04	ш	2.30E-05		R ROF-OF	u	00 340 9
Chloromethane (methyl chloride)	3	74-87-3			1,30E-02	I		1.0	1.80E-08	Ŀ	2 ROE OS	1-	0.005-04
2-Chloronaphthalene	3	91-58-7	8.00E-02	1							E:00-05		3.50E-U3
2-Chlorophenol	S		5.00E-03	1						I		1	
Ohromlym III		16065-83-1	1.50E+00	-						T		1	
Chromlum VI		18540-29-9	3.00E-03	-			1.00E-04	-	1 20F-03	3	2005.05	1-	1000
Chrysene		218-01-9		-	7.30E-03	ш		I	A BOE OA	u	3,005	1	4.10E+01
Cobalt		7440-48-4	2.00E-02	ш					7000	1	20 101 3	1	3.10E-03
Copper		7440-50-8	4.00E-02	I							3.70E-05	u u	
Oyanide.		57-12-5	2,00E-02	-								1	
4,4-000		72-54-8	3		2.40E-01	-				Ţ		1	
4,4-ÖDE		72-55-9			3,40E-01	E				I		1	
4,4-DÖT		50-29-3	5.00E-04	_	3.40E-01	E			9.70F-05	E		1	1010
Dibenzo(a,h)anthracene		53-70-3			7.30E+00	ш			B ROE OF			1	3.40E-U1
Olbenzofuran	* * * *	132-64-9	4.00E-03	ш					2722	1		1	3.10=+00
Dibromochloromethane		124-48-1	2.00E-02	11	8.40E-02	_				L		1	
Oi-n-but/iphthalate		84-74-2	1.00E-01	1 1								1	
1,2-Dichlorobenžene (o-)	8	95-50-1	9.00E-02	1			2.00E-01	Ξ		L	4 OOE.02	13	
1,4-Dichlorobenzene (p-)	3	108-48-7	3.00E-02	ш	2.40E-02	Ξ	8.00E-01				2 30E.04	Ė	2000
3.3-Dichlombenzidine		01.04.4	**		1,77			1			200	_	7.7.CT. 7.7.C

		,			The second secon			And in case of the owner, where	Charles of the Contract of the				
	۲	Table 3. Toxicity Values Used for the RFETS Human Health PRGs	icity Values	Usec	d for the R	FET	S Human	Healt	h PRGs				
1,1-Dichloroethane	S	75-34-3	1,00E-01	Ξ	-		5.00E-01	I		$\vdash$	1.43E-01	<b> </b>	
1,2-Dichloroethane	S	107-06-2	3.00E-02	ш	9.10E-02	-	5.00E-03	7 2	2.60E-05	_	1.40E-03	w	9,10E-02
1,1-Dichloroethene	$\mathbf{S}$	75-35-4	9.00E-03	1	6.00E-01	-		Ω.	5.00E-05.	-		-	1,75E-01
1,2-Dichloroethene (total)	S	540-59-0	9.00E-03	Ξ				_		-		┞	
2,4-Dichlorophenol (at pH 6.8)		120-83-2	3.00E-03	-				_		-		┞	٠
1,2-Dichloropropane	S	78-87-5			6.80E-02	Ι	4.00E-03	_		-	1.14E-03	-	
cis-1,3-Dichloropropene	W	10061-01-5	3.00E-02	입	1,00E-01	-	2.00E-02	5	4.00E-03	2	5.71E-03	<u>_</u>	1.40F±01
krans-1,3-Dichloropropene	S	10061-02-6	3.00E-02	ဍ	1.00E-01	1	2.00E-02	_	$\vdash$	<u>0</u>	5.71E-03	<u> </u>	1.40E±01
Dieldrin		1-22-09	5.00Ë-05	. 1	1.60E+01	-		L	1	-		-	1 60F±01
Diethylphthalate		84-66-2	8.00E-01	-		-		-		-		-	
2,4-Dimethylphenol	$\mathbb{S}$	105-67-9	2.00E-02	-				-		$\vdash$		╁	
Dimethylphthalate		131-11-3	1.00E+01	Х				_	1.	$\vdash$		+	
4,6-Dinitro-2-methylphenol (4,6-dinitro- o-cresol)	3	534-52-1	1,00E-03	m								$\vdash$	
2,4-Dinitrophenol		51-28-5	2.00E-03	-	,			-		┢		+	
2,4-Dinitrotoluene		121-14-2	2.00E-03	-	6.80E-01	-		-		$\vdash$		+	
2,6-Dinitrotoluene		606-20-2	1.00E-03	I	6.80E-01	_		_		╁		╁	
Di-n-octy/phthelate		117-84-0	2.00E-02	Ι				4	4.00E-08	Ш		$\vdash$	1 40F-02
Endosultan 4		959-98-8	6.00E-03	_				-				$\vdash$	
Endosulfan II		33213-65-9	. 6.00E-03					_				$\vdash$	
Endosulfan sulfate		1031-07-8	6.00E-03					-		$\vdash$		╁	
Endosulfan (technical)		115-29-7	6.00E-03		3			_		H		$\vdash$	
Endrin (technical)		72-20-8	3.00E-04	_				_		$\vdash$		$\vdash$	
Ethylbenzene	3	100-41-4	1,00E-01		\.		1.00E+00	_			2.86E-01		3.85E-03
Fluoranthene		206-44-0	4.00E-02	-				-					
Fluorene	8		6:00E-02	-				-					
Heptachlor	_	76-44-8	5.00E-04		4.50E+00		•		1.30E-03	=		L	4.50E+00
Heptachlor epoxide	_	1024-57-3	1.30€-05	_	9.10E+00			3	2.60E-03	=			9 105-00
Hexachlorobenzene		118-74-1	8.00E-04	1	1.60E+00				4,60E-04	=			1 605+00
Hexachlorobutadlene	4	87-68-3	2.00€-04	I	7.80E-02			-	2.20E-05	=			7.80F-02
Hexachlorocyclopentadiene	4	77-47-4	6.00E-03	-			7.00E-05	-			5.70E-05	Ē	32 422
Hexachloroethane	4	67-72-1	1.00E-03		1.40E-02			7	4.00E-06	_			1.40E-02
Indeño(1,2,3-cd)pyrene	4	193-39-6			7.30E-01	ш		-	8.80E-02	ш			
lron	_	7439-89-6	3.00E-01	ш							-		

	Ε	Table 3. Tox	. Toxicity Values Used for the RFETS Human Health PRGs	Usec	for the R	FET	S Human	He	alth PRGs				
sophorone		78-59-1	2.00E-01	-	9.50E-04	E				-			
<b>.ea</b> d		7439-92-1						Ī		1	-		
Hium		7439-93-2	2.00E-02	ш				T		-		1	
Vitgnesium ∘		7439-95-4		-						-	1	1	
Vanganese (Food)		7439-98-6	1,40E-01	-						$\vdash$	1 43F-05	L	
Mercury (elemental)		7439-97-6		-			3.00E-04	ī		Ľ	S ACE OF	1	
Methoxychlor		72-43-5	5.00E-03	-						1		1	
Methylene chloride (dichloromethane)	8	75-09-2	8,00E-02	-	7.50E-03	-	3.00E+00	Ξ	4.70E-07	"	U 67E 04	$\perp$	200
2-Methylnaphthalene	S	91-57-8	2:00E-02	ш				I	5	1	1		1.00 = 03
4-Methyf-2-pentanone (methyf isobutyf, ketofie)	8	108-10-1	8:00E-02	I			8 OOE-03	3		<del> </del>	+		
2-Methylphenol (o-cresol)	المستحدث	95-48-7	5.00E-02	-						-	Z-28E-02		
4=MethMphenot (p-cresol)		108-44-5	5.00E-03	I						$\downarrow$	1	1	
Molybdenum	7	7439-98-7	5.00E-03	-				I		1		1	
Vaphthaténe	W.	91-20-3	2.00E-02	-			3.00E-03	]-		1	70 100	1	
Vickel (soluble)		7440-02-0	2.00E-02	=				İ	-	+	7.00E-04	1	
2-Nitroaniline		88-74-4					Z.00E-04	Ξ			F 740 OF	1	
Vitrobenzene	3	68-95-3	5.00E-04	-			2.00E-03	I	-	7	$\dagger$		
4-Nitrophenol	S	4:00-05-7	8:00E-03	ш						╬	1.00E-04		
n-Nitrosodiphenylamine	W	9-08-98			4.90E-03	Ŀ				╀		1	
n-Nitrosodipropylamine ·		-621-64-7			7.00E+00	E				╀		1	
Pentachlorophenol		87-86-5	3.00E-02	_	1.20E-01	Ŀ				1	+	-	
Phefiol		108-95-2	8.00E-01	-						$\perp$		1	
Pyrene		129-00-0	3:00E-02	E						╀	1	$\downarrow$	
Selentum		7782-49-2	5.00E-03	-				L		+		$\downarrow$	
Silver		7440-22-4	5.00E-03	-		L		I		+	1	-	
Strontlum		7440-24-8	6,00E-01	_				L		+	-	1	
Stryene	S	100-42-5	2.00E-01	-			1.00E+00	-		F	2.88E.04	Section 1	
1,1,2,2-Tetrachloroethane	3	79-34-5	6.00E-02	ш	2.00E-01	_			S. ROE-OR	-		_	1000
chloroett	3	127-18-4	1.00E-02	-	5.20E-02	ш	8.00E-01	ü	5.80E-07	- u		1	Z.OOE-01
(		7440-31-5	6.00E-01	I						-	1	1	Z.U3E-U3
Poluene	2	-108-88-3	2,00E-01	-	27.0		4.00E-01	Ξ		-	1.14E-01	1	
Foxaphene · · · · ·		8001-35-2	e)		1:10E+00	-	r		3.20E-04	L		1	400.00
1,2,4-Trichlorobenzene	ឱ	120-82-1	1.00E-02	_			2.00E-01	Ŧ			5.71E-02	I	1.100+00
						ĺ						-	

			THE REAL PROPERTY AND ADDRESS OF THE PERSON NAMED IN		A S S S S S S S S S S S S S S S S S S S								
1,1,1-Trichloroethane	${\bf S}$	71-55-6	2.80E-01	3			2.20E+00	ш		$\vdash$	6.30E-01	ш	
1,1,2-Trichloroethane	S	79-00-5	4.00E-03		5.70E-02	-		 	1.60E-05	_			5.60E-02
Trichloroethene	$\mathbb{S}$	79-01-8	3.00E-04	ш	4.00E-01	Ш		=	1.70E-06	-	1.00E-02	ш	4.00E-01
2,4,5-Trichlomphenol	•	95-95-4	1.00E-01	-				_		$\vdash$			
2,4,6-Trichlorophenol		88-06-2			1.10E-02	-		60	3.10E-06	-			1,005-02
Uranium (soluble setts)	-	No CASN	3.00E-03	-				_		$\vdash$	;	L	20.000
Vanadlum		7440-62-2	7.00E-03	I				<u> </u> -		-		L	
Vinyl acetate		108-05-4	1.00E+00	I			2.00E-01	_		$\vdash$	5.71E-02	E	
Vinyl chloride (dult and child)	S	75-01-4	3.00E-03	_	1.40E+00	1	1.00E-01	80	8.8E-06	$\vdash$	2.80E-02	E	3.005-02
Vinyl chloride (adult)	3	75-01-4	3.00E-03	-	7.20E-01		1.00E-01	4	4.4E-06	-	2.80E-02		1.54E-02
Xylene (total)	S	1330-20-7	2.00E+00					_		$\vdash$		L	יייי
Zinc		7440-66-6	3.00E-01	=				-		$\vdash$			
								-		╁		L	
Nitrate		14797-55-8	1.60E+00	-				-		H		L	
Nitrite		14797-65-0	1.00E-01	_	,	·		-		$\vdash$		$oxed{L}$	
								_		$\vdash$			
Ammonium (as Ammonia)		7664-41-7					1.00E-01	-		╁	2.86E-02	Ŀ	
	-	7782-41-4	6.00E-02	-		L		-		┞		1	

Notes:

1. Only those constituents in ALF are included.

Sources:

= IRIS H = HEAST A = HEAST Alternate W = Withdrawn from IRIS or HEAST

E = EPA-NCEA provisional value F = Federal Guidance Report No. 13 O = other

(V) = Chemicals listed are volatile.

a = Values given are for PCBs.

b = Values given are for chlordane (CAS no. 12789-03-6).

c = Values given are for 1,3-dichloropropene.

## References:

EPA, 1993 = U.S. Environmental Protection Agency. 1993. Research and Development-Provisional Guidance for Quantitative Risk Assessment of Polycyclic Aromatic Hydrocarbons. Prepared for the Office of Health and Environmental Assessment Office, Office of Health and Environmental Assessment Cline, Cline, Office of Health and Environmental Assessment, Cline, Final Draft, ECAO-CIN-842. March

EPA, 1997 = U.S. Environmental Protection Agency. 1997. Region III Risk-Based Concentration Table. Philadelphia, PA. October 22.HEAST, 1997 = U.S. Environmental Protection Agency. 1997. Health Effects Assessment Summary Tables, FY-1997 Annual. Office of Solid Waste and Emergency Response, Washington, D.C. EPA540/R-97/038. July.EPA, 1999. Federal Guidance Report No. 13, Eckerman, K.F., Leggett, R.W., Nelson, C.B., Puskin, J.S., and Richardson, A.C.B.. "Cancer Risk Coefficients for Environmental Exposure to Radionuclides," EPA 402-R-99-001.
Radionuclides," EPA 402-R-99-001.
IRIS, 2002. U.S. Environmental Protection Agency. 2002. Integrated Risk Information System. On-line database. Office of Research and Development, Cincinnati, OH. April.

Ecological PRGs less than Worker PRGs denoted with shading.
 The invertebrate receptor has the lowest PRG for Aroclor 1254, however, little confidence is placed on the data used to calculate that value.
 Therefore, the lowest vertebrate PRG was used.
 The PRG is exceeded, an evaluation of the habitat where the sample was collected should be made.
 The habitat is not suspected to be suitable for the Preble's Meadow Jumping Mouse, the next lowest PRG should be used.
 No reliable PRG could be calculated due to a lack of toxicity information for the receptor.

Table 9. Preliminary Remediation Goals for Ecological Receptors

												The second secon	
Analyte	NOAEL or LOAEL	NOAEL Deer Deer vorous or Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse Mouse (LOAEL)	Deer Mouse - Omnivore		Insect- ivorous Mouse (LOAEL)	Preble's Meadow Jumping Mouse (NOAEL)	Mourning Dove (LOAEL)	Prairie American Dog Kestrel (LOAEL)	American Kestrel (LOAEL)	Inverte- brate	Lowest Eco PRG	Limiting Receptor	Worker PRG 1E-05 or HQ=1
Acetone		2.89E+05	2.89E+05   1.48E+03   8.06E+02   2.76E+05   2.65E+02	8.06E+02	2.76E+05	2.65E+02	NV	2.11E+02	NV	NV	SALUE TO SA	Dante Dog Prairie Dog	1.02E+05
Aroclor 1254		7.87E+00	1.57E+01 3.20E+03		5.56E+02 8.59E+02	8.59E+02	1.44E+03	3.71E+02	1.17E+03	4.90E-04	3.71E+02	Prairie Dog	1.24E+01
Arsenic	1	1.67E+02		8.89E+01	1.76E+02 4.92E+01	4.92E+01	3.64E+01	2.16E+01	1.85E+02	5.00E+01	110-129/11/2	5.00E+01 Militarion Prairie Dog	2.22E+01
Benzo(a)anthracene	-	1.22E+04	1.22E+04   5.66E+02   3.91E+03		1.13E+04 2.46E+03	2.46E+03	NV	8.00E+02	NV	NV	8.00E+02	8.00E+02 Prairie Dog	3.49E+01
Benzo(a)pyrene	1	6.79E+03	6.79E+03   6.90E+02   6.10E-	6.10E+03	+03 6.71E+03 3.84E+03	3.84E+03	NV	1.11E+03	NV	2.57E+01	2.57E+01	Invertebrate	3.49E+00
Benzo(b)fluoranthene	1	6.79E+03	6.79E+03   6.90E+02   5.36E+03	5.36E+03	6.71E+03	3.37E+03	NV	1.01E+03	NV	NV	1.01E+03	Prairie Dog	3.49E+01
Benzo(k)fluoranthene		6.11E+03	6.86E+02   5.36E+03   6.10E+03   3.37E+03	5.36E+03	6.10E+03	3.37E+03	Ž	1.01E+03	Ŋ	Ν	1.01E+03	Prairie Dog	3.49E+02
Beryllium	1	2.48E+01	2.48E+01   1.22E+01   8.71E+00   2.60E+01   1.50E+01	8.71E+00	2.60E+01	1.50E+01	NV	2.15E+00	NV	NV	ON SETOO	DISETTO Prairie Dog	9.21E+02
Carbon Tetrachloride	1	3.32E+02	3.32E+02   5.78E+02   2.42E+03   3.61E+02   8.32E+01	2.42E+03	3.61E+02	8.32E+01	NV	6.18E+02	NV	NV	8.32E+01	PMIM <sup>(3)</sup>	8.15E+01
Chloroform	1	4.38E+02	3.96E+02	3.92E+02   4.75E+02   2.92E+02	4.75E+02	2.92E+02	NV	1.01E+02	NV	NV	1.01E+02	Prairie Dog	1.91E+01
Hexachloroethane	-	7.02E+00	7.02E+00   1.40E+01   8.54E+03	8.54E+03	3.10E+03 3.77E+03	3.77E+03	NV	1.99E+03	NV	NV	1.99日+03	Prairie Dog	7:37E+02
i cad	1	3.46E+01	3.46E+01   6.54E+01   6.42E+02   3.76E+01   1.27E+02	6.42E+02	3.76E+01	1.27E+02	9.77E+01	1.49E+02	1.49E+02 2.56E+01	6.88E+0	1/0=12/5/5		1.00E+03
Methyl Ethyl Ketone	-	1.80E+05	3.02E+03	1.66E+03	1.84E+05	6.42E+02	ΣN	4.33E+02	ΝV	NV	100 E 100 E	Prairie Dog	1.90E+05
Methylene Chloride	1	7.37E+02	7.37E+02 2.35E+02 1.52E+02 7.95E+02 1.29E+02	1.52E+02	7.95E+02	1.29E+02	NV	3.95E+01	NV	NV	31931-101	Prairie Dog	2.53E+03
Tetrachloroethene	1	4.93E+02	4.93E+02   7.82E+02   2.06E+03   5.35E+02	2.06E+03	5.35E+02	3.75E+01	NV	5.29E+02	NV	NV	3,7/35.40.1	PMJM <sup>(3)</sup>	6.51E+02
Trichloroethene	1	6.40E+02	6.40E+02   9.48E+02   1.98E+03   6.96E+02   1.49E+03	1.98E+03	6.96E+02	1.49E+03	Ν	5.09E+02	NV	NV	5.09E+02	Prairie Dog	1.96E+01
Toluene	1	1.97E+02	1.97E+02   3.38E+02   1.28E+03   2.15E+02   1.28E+02	1.28E+03	2.15E+02	1.28E+02	NV	3.29E+02	NV	NV	(40 - Atte   10)	PMJM <sup>(3)</sup>	3.135+04
Uranium	1	1.54E+02	1.54E+02   2.07E+02   3.26E	3.26E+02	1.64E+02	1.96E+02	2.21E+04	6.78E+01	2.85E+04	NV	1017218/09	Prairie Dog	3.07E+03
Vanadium	-	8.42E+02	8.42E+02   1.41E+03   3.71E+03   8.67E+02   4.45E+03	3.71E+03	8.67E+02	4.45E+03	2.92E+03	4.36E+02	4.33E+02	NV	48 SEAST # 0P.	Kestrel	7.15E+03
Vinyl Chloride	-	9.34E+00	9.34E+00   2.62E+00   1.66E+00   1.01E+01	1.66E+00	1.01E+01	1.66E-01	N	4.31E-01	N	NV	1.00=00	PMJM <sup>(3)</sup>	1.83E-01

ecopics of the comment of the exp

Table9. Preliminary Remediation Goals for Rural Groundwater

			Groundwater	Groundwater PRGs at Risk = 1E-06 and HQ = 0.1	and HQ = 0.1	Groundwater	Groundwater PRGs at Risk - 1E-05 and HO1	and HO1
			Rural Resident	Rural Resident	Rural Resident	Rural-Resident	Rural Resident	Rural Resident
			Noncarchogenic	Carcinogenic	Groundwater	Noncardnogenic	Carrinogenio	
		CAS	Groundwater	Groundwater	Risk* 1E-06	Groundwater	Groundwater	Diele 15 Ac
Darget Analyte List		Number	HQ = 0.1	Risk # 1E-06	or:HO = 0.1	HO=1.0	Diet - 1E OF	CO-37 = VEVO
Ghendeal			(mg/kg)	(mg/kg)	(me/ke)	(mal/m)	CO-OT - Veny	OLEC # L.O
		1 3 1 1 2			) A A A	A Superior Control	(mg/ kg)	(8x/8m)
Ammonium (as Ammonia)		7664-41-7			1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Fluoride (as fluorine)	-	7782-41-4	2.19E-01		2.19E-01	2.10RAO		

Table9. Preliminary Remediation Goals for Rural Groundwater

			Groundwater	Groundwater PRGs at Risk = 1E-06 and HQ = $0.1$	and HQ = 0.1	Groundwater	Groundwater PRGs at Risk - 1E-05 and HO1	and HO1
			Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Resident
			Noncarcinogenic	Carcinogenic	Groundwater	Noncarcinogenic	Carcinogenic	Groundwater
		CAS	Groundwater	Groundwater	Risk = 1E-06	Groundwater	Groundwater	Risk = 1F.05
Farget Analyte List		Number	HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ = 1.0	Risk = 1E-05	or HO = 1.0
Chemical		_	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mø/ke)
n-Nitrosodiphenylamine	3	86-30-6		1.74E-02	1.74E-02		1.74E-01	1.748.01
n-Nitrosodipropylamine		621-64-7		1.22E-05	1.22E-05		1.22E-04	1.22E-04
Pentachlorophenol		87-86-5	1.10E-01	7.10E-04	7.10E-04	1.10E+00	7.10E-03	7.10E-03
Phenol		108-95-2	2.19E+00		2.19E+00	2.19B+01		2.19F±01
Pyrene	1	129-00-0	1.10E-01		1.10E-01	1.10E+00		1.10E+00
Selenium	-	7782-49-2	1.83E-02		1.83E-02	1.83E-01		1.83E-01
Silver	-	7440-22-4	1.83E-02	·	1.83E-02	1.83E-01		1.83E-01
Strontium	-	``	2.19E+00		2.19E+00	2.19E+01		2.19F±01
Stryene	3		7.30E-01	,	7.30E-01	7.30E+00		7.30E+00
1,1,2,2-Tetrachloroethane	3	-1	2.19B-01	4.26E-04	4.26E-04	2.19E+00	4.26E-03	4.26F-03
Tetrachloroethene	3		3.65E-02	1.64E-03	1.64E-03	3.65E-01	1.64E-02	1.64E-02
lia	-	1	2.19E+00		2.19E+00	2.19E+01		2.19E-401
Toluene	3	-	7.30E-01		7.30E-01	7.30E+00		7.305.400
loxaphene		~1		7.74B-05	7.74E-05		7.74E-04	7.74E-04
,2,4-Trichlorobenzene	3	_	3.65E-02		3.65E-02	3.65E-01		3.65E-01
.1,1-Trichloroethane	3	4	1.02E+00		1.02E+00	1.02E+01		1.02E+01
,1,2-Trichloroethane	3	4	1.46E-02	1.49E-03	1.49E-03	1,46E-01	1.49B-02	1.49E-02
Trichloroethene	3	4	1.10E-03	2.13E-04	2.13E-04	1.10E-02	2.13E-03	2.13E-03
2,4,3-Inchlorophenol	1	95-95-4	3.65E-01		3.65E-01	3.65B+00		3.65E+00
4.4.0-1 richiotophenoi		88-06-2		7.74E-03	7.74E-03		7.74E-02	7.748-02
Uranium (soluable salts)	-	88-06-2			1.10E-02			100000
Vanadium		7440-62-2			2.56E-02	2.56E-01		2.56F-01
VinyFacetate		4	3.65B+00		3.65E+00	3.65E+01		3.65E+01
Vinyl chloride	3	-	4	6.08B-05	6.08E-05	1.10B-01	6.08E-04	6.08E-04
Aylene (total)	3	-1			7.30E+00	7.30E+01		7.30E+01
ZIDC		/440-66-6	1,10E+00		1.10E+00	1.10E+01		1.10E+01
Nitrate	1	14707 45 9	00,50,5					
Nitrite	1	14707 65 0	1		5.84E+00	5.84E+01		5.84E+01
~		14/2/20	1		3:65E-01	3.65B+00		3.65E+00

Table9. Preliminary Remediation Goals for Rural Groundwater

Target Analyte List   Chemical   Ethylbenzene   (V)   Fluoranthene   (V)   Fluorene   (V)   Fluorene   (V)   Fluorene   (V)   Fluorene   (V)   (V)   Fluorene   (V)		didant	Dumal Danidant	Rural Resident	Durel Decident	Y	-	
telist		. Kural Kesident	-	ייים אי דייכאות בחור	AND MA AND ALLENS	WILE ACTUCUL	Rural Resident	- Rivel Deeldone
telist	1						1770000	manicav m my
te-List		Noncarcinogenic	ogenic	Carcinogenic	Groundwater	Noncarchogenic	Carcinogenic	Groundwater
telist	CAS	Groundwater	rater	Groundwater	Risk # 1E-06	Groundwater	Groundwater	Rick = 1F.05
	Number	r HQ=0.1	110	Risk = 1E-06	or.HQ = 0.1	HQ=1.0	Risk = 1E-05	or HO = 10
	_	_	(8)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(ma/lea)
9	_		01		3.65E-01	3.65B+00		3 655-100
	206-44-0		01		146E-01	1.46B+00		1 455.00
	_		01		2.19E-01	2.19B+00		7 105.00
Heptachlor	76-44-8		03	1.89E-05	1.89E-05	1.83E-02	1.89E-04	1 800 04
Heptachlor epoxide	1024-57-3		05	9.36B-06	9.36E-06	4.75B-04	9.36E-05	0 76E.08
Hexachlorobenzene	118-74-1	1 2.92E-03	03	5.32B-05	\$.32E.05	2.92E-02	\$ 32B.04	20.000
Hexachlorobutadiene	87-68-3		8	1.09E-03	7.30E-04	7,30E-03	1 098-02	7 305 03
Hexachlorocyclopentadiene	77.47.4	_	02		2.19E-02	2.19E-01		7 105-03
Hexachloroethane	67-72-1	1 3.65E-03	03	6.08B-03	3.65E-03	3.65E-02	6 ORB-02	10-07/70
Indeno(1,2,3-cd)pyrene	193-39-5			1.178-04	1.17E-04		1.17B-03	3.03E-02
Iron	7439-89-6	-6 1.10E+00	8		1.10E+00	1.108+01		1 105.01
Isophorone	78-59-1	1 7.30E-01	01	8.96E-02	8.96E-02	7.30E+00	8 OKE.01	1.10E+01
Lead	7439-92-	11			4.00E+02		10.70	10-205-01
Lithium	7439-93-2	-2 7.30E-02	95		7.30E-02	7.30F.01		4.002.402
Magnesium -	7439-95-4	4						7.30E-01
Manganese (Nonfood)	7439-96-5	-5 5.11E-01	ē		\$.11E.01	411B100		
Mercury (elemental)	7439-97-6	L	-			DATE TO THE		5.11E+00
Methoxychlor	72-43-5	5 1.83E-02			1.83E.02	1 925 01		
Methylene chloride (dichloromethane) (Y)	75-09-2	-	ē	1.14E-02	1.141.02	7 108,00		1.83E-01
2-Methylnaphthalene (V)	91-57-6		92		7.30E-02	7.30R-01	1.148-01	1.14E-01
4-Methyl-2-pentanone (methyl (V)	108-10-1		-01		2.92E-01	2.92E+00		7.30E-01 2.92E+00
2-Methylphenol (o-cresol)	95-48-7	7 1.83E-01	ē		1.83E.01	1 838,00		
4-Methylphenol (p-cresol)	106-44-5	-5 1.83B-02	20.		1.83E-02	1 838-01		1.83E+00
Molybdenum	7439-98-7	3-7 1.83E-02	8		1.83E-02	1.83E-01		1.83E-01
Naphthalene (V)	) 91-20-3	3 7.30B-02	92		7.30E-02	7,30R-01		1.83E-01
Nickel (soluble)	7440-02-0	2-0 7.30B-02	-02		7.30E-02	7 208-01		/30E-01
2-Nitroaniline	88-74-4	4				10000		7.30E-01
	_		မှ		1.83E-03	1.83E-02		1 020 02
4-Nitrophenøl (V)	100-02-7		2.92B-02		2.92E-02	2.92P-01		70-20-07

Table9. Preliminary Remediation Goals for Rural Groundwater

	_		Groundwater	Granding and A Mos at American Control of the Contr				
			Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Resident
			Noncarcinogenic	Carcinogenic	Groundwater	Noncarcinogenic	Carcinogenic	Groundwater
		CAS	Groundwater	Groundwater	Risk = 1E-06	Groundwater	Groundwater	Risk = 1E-05
Concer Amelote I let		Number	HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ=1.0	Risk = 1E-05	or HQ = 1.0
Chemical			(mg/kg)	(gy/gm)	(mg/kg)	(gy/gan)	(mg/kg)	(mg/kg)
Diversity Total Process		53-70-3		1.17E-05	1.17E-05		1.17E-04	1.17E-04
Civiliandinan		132-64-9	1.46E-02		1.46E-02	1.46B-01		1.46E-01
Othomochlotomethane		124-48-1	7.30E-02	1.01B-03	1.01E-03	7.30E-01	1.01E-02	1.01E-02
Di-n-bury/ohthalate		84-74-2	3.65E-01		3.65E-01	3.65E+00		3.65E+00
1.2-Dichtorobenzene (o-)	3	95-50-1	3.29E-01		3.29E-01	3.29E+00		3.29E+00
1.4-Dichlorobenzene (D-)	3	1	1.10E-01	3.55E-03	3.55E-03	1.10E+00	3.55B-02	3.55E-02
3.3-Dichlorobenzidine	_	91-94-1		1.89E-04	1.89E-04		1.89E-03	1.89E-03
1.1-Dichloroethane	3	75-34-3	3.65E-01		3.65E-01	3.65B+00	1	3.65E+00
1.2-Dichloroethane	3	_	1.10E-01	9.36E-04	9.36E-04	1.10B+00	9.36E-03	9.36E-03
1.14Dichloroethene	3	١	3.29B-02	1.42E-04	1.42E-04	3.29B-01	1,42E-03	1.42E-03
1.24Dichloroethene (total)	3	1	3.29E-02		3.29E-02	3.29E-01		3.29E-01
2.4-Dichlorophenol (at pH 6.8)	-	120-83-2	1.10E-02	188	1.10E-02	1.10E-01		1.10E-01
1,2-Dichloropropane	$\mathbb{S}$	78-87-5		1.25E-03	1.25E-03	2.	1.25E-02	1.25E-02
cis-1;3-Dichloropropene	3	10061-01-5	1.10E-01	8.52B-04	8.52E-04	1.10E+00	8.52E-03	8.52E-03
trans-1,3-Dichloropropene	3	-	1.10E-01	8.52E-04	8.52E-04	1.10B+00	8.52E-03	8.52E-03
Dieldrin	-	60-57-1	1.83B-04	5.32E-06	5.32E-06	1.83E-03	\$.32E-05	5.32E-05
Diethylohthalate	-	84-66-2	2.92E+00	dust i	2.92E+00	2.92E+01		2.92E+01
2,4-Dimethylphenol	3	105-67-9	7.30E-02		7.30E-02	7.30E-01		7.30E-01
Dimethylphthalate	-	131-11-3	3.65E+01		3.65E+01	3.65B+02		3.65E+02
4,6-Dinitro-2-methylphenol (4,6-dinitro-o-cresol)	ઉ	534-52-1	3.65E-03		3.65E-03	3.65E-02		3.65E-02
2,4-Dinitrophenol	-	51-28-5	7.30E-03		7.30E-03	7.30E-02		7.30E-02
2.4-Dinitrotoluene	-	121-14-2	7.30B-03	1.25E-04	1.25E-04	7.30E-02	1.25E-03	1.25E-03
2.6-Dinitrotoluene	-	606-20-2	3.65E-03	1.25B-04	1.25E-04	3.65E-02	1.25E-03	1.25E-03
Di-n-octvlohthalate	H	117-84-0	7.30B-02		7:30B-02	7.30E-01		7.30E-01
Endosulfan I	-	8-86-656	2.19B-02		2,19E-02	2:19B-01		2.19E-01
Endosulfan II	-	33213-65-9	.9 2.19E-02		2.19E-02	2.19B-01		2.19E-01
Endosulfan sulfate	-	1031-07-8	8 2.19E-02		2.19E-02	2.19E-01		2.19E-01
Endosulfan (technical)	-	115-29-7			2.19E-02	2.195-01		2.19E-01
Dan A dan Standard Lands.	_	0.00			******	VV:40.		***

Table9. Preliminary Remediation Goals for Rural Groundwater

	l							
			Groundwater )	Groundwater PRGs at Risk = 1E-06 and HQ = 0.1	and HQ = 0.1	Groundwater	Groundwater PRGs at Risk - 1E-05 and HQ1	and HQ1
			Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Restdent	Rural Resident
	Ŀ		Noncarcinogenic	Carchogenic	Groundwater	Nonceminosenic	Cambacania	
	_	CAS	Groundwater	Groundwater	Risk = 1E-06	Gmindweiter	Car curogenic	Ground Water
Target Analyte List	_	Number	HQ = 0.1	Risk = 1E-06	or HO = 0.1	HO=10	Diet - 15 Ag	KUSK # 1E-US
Chemical			(mg/kg)	(mg/kg)	(me/kg)	(mo/ke)	Contraction,	טר מלא דיט
bis(2-ethylhexyl)phthalate		117-81-7	7.30E-02	6.08E-03	6.08R-03	7 308-01	(Sv Con)	(mg/kg)
Bromodichloromethane	3	75-27-4	7.30B-02	1.37E-03	1.37E-03	7 30B-01	0.005-02	6.08E-02
Bromoform	3	75-25-2	7.30E-02	1.08E-02	1.08F-02	7 30B-01	1.375-02	1.37E-02
Bromomethane (methyl bromide)	3	74-83-9	5.11E-03		5.11E-03	1.305-01 4 11E 03	1.082-01	1.08E-01
2-Butanone (methyl ethyl ketone)	3	78-93-3	2.198+00		2.19F±00	2 100.01		5.11E-02
Butylbenzylphthalate		85-68-7	7.30E-01		7 305 01	4.195+01		2.19E+01
Cadmium (food)	L	7440-43-9			TOMOGRA	WHENC'		7.30E+00
Cadmium (water)	L	7440-43-9	1 838-03		1 625 42			
Cartorin distriblide	5	4-	2 KSB 01		1-0355-03	1.83E-02		1.83E-02
Cotton value of local de		_1_	2,035,01		3.65E-01	3.65E+00		3.65E+00
ראויטת וכתשכנווטנותב	2	1.	Z.36E-U3	6.55E-04	6.55E-04	2.56E-02	6.55B-03	6.54E.03
alpha-Chlordane		5103-71-9	1.83E-03	2.43E-04	2.43E-04	1.83E-02	2.43E-03	2.43E.03
beta-Chlordane		5103-74-2		2.43E-04	2.43E-04	1.83E-02	2.43E.03	2 425 03
gamma-Chlordane	_	12789-03-6	1.83E-03	2.43E-04	2.43E-04	1 83R_02	2 420 00	4.45E-U3
4-Chloroaniline		106-47-8	1.46E-02		1.46E-02	1.46R.01	4.43D-U3	2.43E-03
Chlorobenzene	$\Im$	1.08-90-7	7.30B-02		7.301.00	7 200 01		1.46E-01
Chlorbethane (ethyl chloride)	3	1_	1.46E+00	2.94E-02	2 04E-02	10-90c-/		7.30E-01
Chloroform	3		3.65F-02		40.01.00	1.40E+01	2.94E-01	2.94E-01
Chloromethane (methyl chloride)	3			ע צעם עט	70-20-0-0	3.65E-01		3.65E-01
2-Chloronaphthalene	8		2 07E.01	0.7700	0-25-03		6.55E-02	6.55E-02
2-Chlorophenoi	1		1 83B-03		2.92E-01	2.92E+00		2.92E+00
Chromium III		1	70-700-7 5 48B 100		L-83E-02	1.83E-01		1.83E-01
Chomium VI	1	19540 200			5.48K+U0	5.48E+01		5.48E+01
Christia	-	710 010			1.10E-02	1.10E-01		1.10E-01
Cur) sene	1	V-10-012		1:17E-02	1.17E-02	-	1.17E-01	1.17E.01
Copalit	4	7440-48-4	7.30E-02		7.30E-02	7.30E-01		7 308-01
Copper		7440-50-8	1.46E-01		1.46E-01	1.46E+00		1 4 (20.00)
Cyanide	:	57-12-5	7.30E-02		7.30E-02	7.30R-01		7400400
4,4-DDD		72-54-8		3.55E-04	3.55E-04	10.700	20,000	7.30E-01
4,4-DDB		72-55-9		2.50E-04	2.50E-04		2.235-03	3.55E-03
4,4-DDT	Ļ	50-29-3	1.83E-03	2.50F-04	2 80E-04	00 H00 .	2.30E-03	2.50E-03
						1.035-02	2.50E-03	2.50E-03

Table9. Preliminary Remediation Goals for Rural Groundwater

	<u> </u>		Groundwater	Groundwater PRGs at Risk = 1E-06 and HQ = 0.1	and HQ = 0.1	Groundwater	Groundwater PRGs at Risk - 1E-05 and HQ1	and HQ1
		•	Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Resident	Rural Resident
	_		Noncarcinogenic	Carcinogenic	Groundwater	Noncarcinogenic	Carcinogenic	Groundwater
	_	CAS	Groundwater	Groundwater	Risk = 1E-06	Groundwater	Groundwater	Risk = 1E-05
Target Analyte List	Ŀ	Number	HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ = 1.0	Risk * 1E-05	or HQ = 1.0
Chemical			(mg/kg)	(mg/kg)	( <b>a</b> b/ <b>ga</b> )	(mg/kg)	(mg/kg)	(mg/kg)
Acenaphthene	હ	83-32-9	2.19E-01		2.19E-01	2.19B+00		2.19E+00
Acetone	$\mathcal{S}$	67-64-1	3.65E-01		3.65E-01	3.65B±00		3.65E+00
Aldrin	_	309-00-2	1.108-04	5.01B-06	5.01E-06	1.10B-03	5.01E-05	5.01E-05
Aluminum	_	7429-90-5	3.65B+00		3.65E+00	3.65B+01		3.65E+01
Anthracene	(X)	120-12-7	1.10E+00		1.10E+00	1.108+01		1.10E+01
Antimony		7440-36-0	1.46E-03		1.46E-03	1.46E-02		1.46E-02
Aroelor 1016		12674-11-2	2.56E-04	1.22E-03	2.56E-04	2.56E-03	1.22E-02	2.56E-03
Aroclor 1221		11104-28-2		4.26E-05	4.26E-05		4.26E-04	4.26E-04
Arcelor 1232		11141-16-5		4.26E-05	4.26E-05		4.26E-04	4.26E-04
Aroclor 1242		53469-21-9		4.26E-05	4.26E-05		4.26E-04	4.26E-04
Aroclor 1248		12672-29-6		4.26E-05	4.26E-05		4,26E-04	4.26E-04
Aroclor 1254		11097-69-1	1 7.30B-05	4.26E-05	4.26E-05	7.30B-04	4.26E-04	4.26E-04
Aroclor 1260	_	11096-82-5	). 	4.26E-05	4.26E-05		4.26E-04	4.26E-04
Arsenic	-	7440-38-2		5.68E-05	5.68E-05	1.10B-02	5.68E-04	5.68E-04
Barium	-	7440-39-3			2.56E-01	2.56E+00		2.56E+00
Benzene	3	_	1.10E-02	1.55E-03	1.55E-03	1.10E-01	1.55B-02	1.55E-02
alpha-BHC	-	319-84-6		1.35E-05	1.35E-05	ý	1.35E-04	1.35E-04
beta-BHC	-	319-85-7		4.73E-05	4.73E-05		4.73E-04	4.73E-04
delta-BHC	-	319-86-8						
gamma-BHC (Lindane)	-	58-89-9	1.10B-03	6.55E-05	6.55E-05	1.10B-02	6.55E-04	6.55E-04
Benzo(a)anthracene	$\dashv$	56-55-3		1.175-04	1:17E-04		1.17E-03	1.17E-03
Benzó(a)pyreñe	-	50-32-8		1.17B-05	1.17E-05		1.17E-04	1.17E-04
Benzo(5)flüoranthene		205-99-2		1.178-04	1.17E-04		1.17E-03	1.17E-03
Benzo(k)flüöranthene		207-08-9	_	1.17E-03	1.17E-03		1.17E-02	1.17E-02
Benzoic Acid (at pH 7)		65-85-0	_		1.46E+01	1.46B+02		1.46E+02
Benzyl Alcohol		100-51-6			1.10E+00	1.10E+01		1.10E+01
Beryllium	1		7 7.30E-03		.7.30E-03	7.30E-02		7.30E-02
bis(2-chloroethyl)ether		3 111 44 4		7.74B-05	7.74E-05		7.74B-04	7.74臣-04
bis(2-chloroisopropyl)ether	4	(V) 39638-32-9	9 1.46E-01	1.22B-03	1.22E-03	1.46E+00	1.22B-02	1.22E-02

13/

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

	Volatile Organica			PRGs at	PRGs at Risk = 1E-06 and HQ = 0.1	Q = 0.1	PRGs	PRGs at Risk = 1E-05 and HQ =1	TH CO
ž		1		Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
. "6				Noncardnogenic	Carcinogenic	Soil PRG	Noncarcinogenic	Carchogenic	Soft PRG
		CAS	·	Soll PRG	Soft PRG	Risk = 1E-06	Soll PRG	Soil PRG	Risk = 1E-05
Target Analyte List		Number	-	HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ=1.0	Risk = 1E-05	or HO = 1.0
Nitrate		14797-55-8		1.64B+05		1.64E+05	1.64B+06	24	1.64E+06
Nitrite		14797-65-0		1.02B+04		1.02E+04	1.02B+05		1.02E+05
Ammonium (as Ammonia)		7664-41-7		8.39E+05		8.39E+05	8.39E+06		8.39E+06
Fluoride (as fluorine)	<u> </u>	7782-41-4		6,13E+03	,  -	6.13E+03	6.13E+04		6.13E+04

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

Target Analyte List (V)	Esup							
hane	10							
hane	•	Adult	ult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
hane		Nonc	Noncarcinogenic	Carcinogenic	Soil PRG	Noncarchogenic	Carcinogenic	Soll PRG
hane	CAS	S	Soil PRG	Soil PRG	Risk = 1E-06	. Soil PRG	Soft PRG	Risk = 1E-05
	Number		HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ = 1.0	Risk = 1E-05	or HQ = 1.0
_	(V) 79-34-5	_	6.13E+03	1.00E+01	1.00E+01	6.13E+04	1.00E+02	1.00E+02
Tetrachloroethene (V	(V) 127-18-4		1.02E+03	6.15B+01	6.15E+01	1.02E+04	6.15E+02	6.15E+02
Tin	7440-31-5	 	6.13E+04		6.13E+04	6.13E+05		6.13E+05
Toluene (V	(V) 108-88-3	_	3.13E+03	,	3.13E+03	3.13E+04		3.13E+04
Toxaphene	8001-35-2			2.50E+00	2.50E+00		2.50E+01	2.50E+01
1,2,4-Trichlorobenzene (V	(V) 120-82-1		9.23E+02	,	9.23E+02	9.23E+03		9.23E+03
1,1,1-Trichloroethane	(V) 71-55-6	_	7.97E+03		7.97E+03	7.97E+04		7.97E+04
1,1,2-Trichloroethane	\$-00-61 (V)	7	4.09E+02	2.36E+01	2.36E+01	4.09E+03	2.36E+02	2.36E+02
Trichloroethene	(V) 79-01-6		2.75B+01	1.96E+00	1.96E+00	- 2.75E+02	1.96E+01	1.96E+01
2,4,5-Trichlorophenol	95-95-4		1.02B+04		1.02E+04	1.02E+05		1.02E+05
2,4,6-Trichlorophenol	88-06-2	4	-	3.47B+02	3.47E+02		3.47E+03	3.47E+03
Uranium (soluble salts)	No CAS NO		3.07E+02		3.07E+02	3.07E+03		3.07E+03
Vanadium	7440-62-2		7:15B+02	y	7.15E+02	7.15B+03		7.15E+03
Vinyl acetate	108-05-4		9.63E+04		9.63E+04	9.63B+05		9.63E+05
Vinyl chloride	(V) 75-01-4		1.25E+02	4.12B+00	4.12E+00	1.25B+03	4.12E+01	4.12E+01
Xylene (total) (	(V) 1330-20-7		2.04E+05		2.04E+05	2.04B+06		2.04E+06
Zinc	7440-66-6		3.07E+04		3.07E+04	3.07E+05		3.07E+05

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

Adult WLRW		əli gəi		PRGs a	PRGs at Risk = 1E-06 and HQ = 0.1	= 0.1	PRGs	PRGs at Risk = 1E-05 and HO =1	)×1
Adult WLRW   Adu	3	italoV negro	<del></del>						<u>.</u>
Analyte List         Noncardinogenic         Coardinogenic         Soil PRG         Soil				Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WI.RW
CAS   Soil PRG   Soi	•		-	Noncarchogenic	Carcinogenic	Soil PRG	Noncarchogenic	Carchogenic	Soil PRG
Analyte List         Number         HQ = 0.1         Risk = 1E-05         or HQ = 0.1         Risk = 1E-05           Particulation (methy)         (V) 106-10-1         1.64E+03         1.64E+03         1.64E+03         1.64E+04           Patriculation (p-cresol)         35-48-7         3.69E+02         3.69E+03         3.69E+03         3.69E+03           Pybenoil (p-cresol)         106-44-5         3.69E+02         3.69E+02         3.69E+03         3.69E+03           fetum         7439-58-7         5.11E+02         3.69E+02         3.69E+03         3.69E+03           fetum         (V) 301-20-3         3.09E+03         3.69E+03         3.69E+03         3.69E+03           fetum         (V) 301-20-3         3.09E+03         3.69E+03         3.69E+03         3.69E+03           fetum         (V) 301-20-3         3.09E+03         3.69E+03         3.69E+03         3.69E+03           fetum         (V) 301-20-3         3.32E+01         3.32E+03         1.67E+03         1.67E+03           fetum         (V) 302-03-4         1.67E+03         1.67E+03         1.67E+03         3.32E+03           fetum         (V) 302-03-5         3.13E+03         3.32E+01         3.32E+03         3.73E+03           fetum         (V) 302-03-5 <td></td> <td>CAS</td> <td>-</td> <td>Soil PRG</td> <td>Soil PRG</td> <td>Risk = 1E-06</td> <td>Soil PRG</td> <td>Soil PRG</td> <td>Risk = 1E.05</td>		CAS	-	Soil PRG	Soil PRG	Risk = 1E-06	Soil PRG	Soil PRG	Risk = 1E.05
Poly-pertanence (methyll (V) 108-10-1         1.64E+03         1.64E+04         1.64E+04           Poly-pertanence (methyll (v) 25-48-7         3.69B+03         3.69B+03         3.69B+04         3.69B+04           Polybenol (p-cresol)         106-44-5         3.69B+02         3.69B+02         3.69B+02         3.69B+03           remun         7439-28-7         5.11B+02         5.11B+02         3.69B+02         3.69B+02         3.69B+03           remun         7440-02-0         2.04B+03         2.04B+03         2.04B+03         2.04B+03         2.04B+04           sline         (V) 51-20-3         3.05B+02         3.05B+02         3.05B+02         3.05B+03         3.05B+03           sline         (V) 51-20-3         3.05B+03         1.67B+03         1.67B+03         1.67B+04         1.67B+04         1.67B+04         1.67B+03         1.67B+03         1.67B+04         1.67B+03         1.67B+03 <t< td=""><td>Target Analyte List</td><td>Number</td><td></td><td>HQ = 0.1</td><td>Risk = 1E-06</td><td>or HQ = 0.1</td><td>HQ≈1.0</td><td>Risk = 1E-05</td><td>or HO = 1.0</td></t<>	Target Analyte List	Number		HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ≈1.0	Risk = 1E-05	or HO = 1.0
ylphenol (o-creed)         95-48-7         3.69E-03         3.69E-04         3.69E-04           ylphenol (o-creed)         106-44-5         3.69E-02         3.69E-02         3.69E-03         3.69E-03           enum         7439-98-7         5.11E-02         5.11E-02         3.69E-03         3.69E-03           enum         7439-98-7         5.11E-02         3.69E-03         3.69E-03         3.69E-03           aliene         (V) 91-20-3         3.09E-02         2.04E-03         2.04E-03         2.04E-03           coluble)         7440-22-0         2.04E-03         1.67E-03         2.04E-04         7.81E-02           milline         (N) 98-95-3         3.23E-01         1.67E-03         1.67E-04         7.81E-02           phenol         (N) 100-02-7         8.18E-02         7.81E-02         8.18E-02         7.81E-03           odiphenylamine         (N) 100-02-7         8.18E-02         7.81E-02         7.81E-02         7.81E-03           odiphenylamine         (N) 86-30-6         1.56E-03         1.62E-01         7.81E-02         7.81E-02           odiphenylamine         (N) 100-02-7         8.18E-03         1.62E-01         7.81E-02         7.81E-03           odiphenylamine         (N) 100-02-0         3.11E-03	4-Methyl-2-pentanone (methyl isobutyl ketone)	(V) 108-10-1	_	1.64B+03		1.64E+03	1.64E+04		1.64E+04
vypbenot (p-creso)         106-44-5         3.69B+02         3.69B+02         3.69B+03         3.69B+03           tenum         7459-48-7         5.11B+02         5.11B+02         5.11B+03         5.11B+03           alene         (V) 91-20-3         3.09B+02         3.09B+03         2.04B+03         2.04B+03           soluble)         7440-02-0         2.04B+03         1.67B+03         2.04B+03         2.04B+03           m         (V) 98-95-3         3.32B+01         3.32B+01         3.32B+02         3.32B+02           phenol         (V) 98-95-3         3.2B+01         3.32B+02         3.32B+02         3.32B+02           phenol         (V) 98-95-3         3.18B+02         3.32B+01         3.32B+02         3.32B+02           phenol         (V) 98-95-3         3.18B+02         7.81B+02         7.81B+03         7.81B+03           sodiphenylamine         (V) 86-30-6         1.56B+03         1.62B+01         5.47B+03         7.81B+03           sodiphenylamine         (V) 86-30-6         1.56B+03         1.62B+03         2.11B+03         7.81B+03           m         7782-49-2         5.11B+03         2.11B+03         2.11B+03         7.11B+03           m         7440-24-4         6.13B+04         6.13B	2-Methylphenol (o-cresol)	95-48-7	-	3.69E+03		3.69E+03	3.69E+04		3.608.104
1,112,113,113,113,113,113,113,113,113,11	4-Methylphenol (p-cresol)	106-44-5		3.69E+02		3.69E+02	3.69E+03		3.605.03
siene         (V)         91-20-3         3.09E+02         3.09E+02         3.09E+03         3.09E+03           soluble)         7440-02-0         2.04E+03         2.04E+04         2.04E+04         2.04E+04           milline         88-74-4         1.67E+03         1.67E+03         1.67E+04         1.67E+04           phenol         (V)         98-95-3         3.32E+01         3.32E+01         3.32E+02         8.18E+02           phenol         (V)         100-02-7         8.18E+02         8.18E+02         8.18E+03         7.81E+02           sodiphenol         (V)         56-30-6         7.81E+02         7.81E+02         7.81E+03           sodiphenol         87-86-5         1.56E+03         1.62E+01         1.62E+04         1.62E+04           m         7782-49-2         5.11E+02         5.11E+02         5.11E+03         5.11E+03           m         7440-22-4         5.11E+02         5.11E+02         5.11E+03         5.11E+03           m         7440-24-6         6.13E+04         6.13E+04         6.13E+03         6.13E+03           m         7440-24-6         6.13E+04         6.13E+03         6.13E+03         6.13E+03           m         7440-24-6         6.13E+04	Molybdenum	7439-98	1	5.11B+02		5.11E+02	5.11E+03		£11E.03
1,140-02-0   1,04E+03   1,07E+04   1,07E+02   1,00-02-7   1,00-02	Naphthalene	(V) 91-20-3	-	3.09E+02		3.09E+02	3.09E+03		3,000
milline         189-744         1.67E+03         1.67E+03         1.67E+04         1.67E+04           nzene         (Y) 58-95-3         3.32E+01         3.32E+01         3.32E+02         8.18E+02         8.18E+02           phenol         (Y) 100-02-7         8.18E+02         8.18E+02         8.18E+02         8.18E+03         7.81E+03           sodiphenylamine         (V) 86-30-6         7.81E+02         7.81E+02         7.81E+02         7.81E+02           sodiphopylamine         (S21-64-7)         1.56E+03         1.62E+01         1.62E+01         1.62E+02           llorophenol         87-86-5         1.56E+03         1.62E+01         1.62E+01         1.62E+04         1.62E+02           m         129-00-0         2.21E+03         2.21E+03         2.21E+03         2.11E+02         5.11E+02           m         7740-24-6         6.13E+04         6.13E+04         6.13E+04         6.13E+04         6.13E+04           m         7440-24-6         6.13E+04         6.13E+04         6.13E+03         6.13E+04         6.13E+05           m         7(V) 100-42-5         1.23E+04         1.23E+04         1.23E+04         1.23E+05	Nickel (soluble)	7440-02	o.	2:04E+03		2.04E+03	2.04E+04		3.09E+03
phenol         (V) 100-02-7         8.18E+01         3.32E+01         3.32E+02           phenol         (V) 100-02-7         8.18E+02         8.18E+02         8.18E+02           sodiphenylamine         (V) 86-30-6         7.81E+02         7.81E+02         7.81E+02           sodiphenylamine         (G21-64-7)         5.47E-01         5.47E-01         5.47E-01           sodiphenylamine         (G21-64-7)         5.47E-01         5.47E-01         5.47E-01           sodiphenylamine         (G21-64-7)         5.47E-01         5.47E-01         5.47E-01           slocyhenol         87-86-5         6.13E+04         1.62E+01         1.62E+01         1.62E+01           m         129-00-0         2.21E+03         2.21E+03         2.21E+03         5.11E+03           m         7440-22-4         5.11E+02         5.11E+02         5.11E+03           m         7440-24-6         6.13E+04         6.13E+04         6.13E+04           m         (V) 100-42-5         1.23E+04         1.23E+05         1.23E+05	2-Nitroaniline	88-74-4	$\vdash$	1.67E+03		1.67E+03	1.67B+04		2.04E+04
pbenol         (V)         100-02-7         8.18B+02         7.81B+02         8.18B+02         8.18B+02         8.18B+03           sodiphenylamine         (V)         86-30-6         7.81B+02         7.81B+02         7.81B+02         7.81B+03           sodipropylamine         ,621-64-7         5.47B-01         5.47B-01         5.47B-01         5.47B+00           sodipropylamine         ,621-64-7         1.56B+03         1.62B+01         1.62B+04         1.62B+02           sodipropylamine         ,785-43         1.56B+03         1.62B+01         1.62B+04         1.62B+02           sodipropylamine         ,785-43         6.13B+04         6.13B+04         6.13B+03         1.62B+02           m         ,7782-49-2         5.11B+03         5.11B+03         5.11B+03         5.11B+03           mm         ,740-24-6         6.13B+04         6.13B+04         6.13B+05         6.13B+05           tm         ,779-40-5         1.23B+04         1.23B+05         1.23B+05         1.23B+05	Nitrobenzene	(V) 98-95-3	$\vdash$	3.32E+01		3.32E-01	2 200 00		1.67E+04
sodipicarylamine         (V) 86-30-6         8.18E+02         8.18E+02         8.18E+03         7.81E+02         7.81E+03         7.81E+03 </td <td>4-Nitronhenol</td> <td>200</td> <td>1</td> <td>20, 000</td> <td></td> <td>TO-COLOR</td> <td>3.32E+02</td> <td></td> <td>3.32E+02</td>	4-Nitronhenol	200	1	20, 000		TO-COLOR	3.32E+02		3.32E+02
soutpnenylamine         (Y) 86-30-6         7.81B+02         7.81B+02         7.81B+02         7.81B+02         7.81B+03           sodipropylamine         (621-64-7)         5.47B-01         5.47B-01         5.47B-01         5.47B-01         7.81B+03         7.81B+03           dlorophenol         87-86-5         1.56B+03         1.62B+01         1.62B+01         1.62B+04         1.62B+02         7.81B+02           m         129-00-0         2.21B+03         2.21B+03         2.21B+03         2.21B+04           m         7782-49-2         5.11B+02         5.11B+02         5.11B+03           m         7440-22-4         5.11B+02         5.11B+03         7.1B+03           m         7440-24-6         6.13B+04         6.13B+04         6.13B+05           m         7740-24-6         6.13B+04         6.13B+04         6.13B+05	ionardonius (	70-001		\$.18E+02		8.18E+02	8.18E+03		8.18E+03
sodipropylamine         621-64-7         5.47E-01         5.47E-01         5.47E-01         5.47E-01         5.47E+00         1.62E+02         1.62E+02         1.62E+02         1.62E+02         1.62E+02         1.62E+02         1.62E+02         1.62E+02         1.62E+03         1.62E+03         1.62E+02         1.62E+02         1.62E+02         1.62E+03         1.62E+03         1.62E+02         1.62E+02         1.62E+02         1.62E+02         1.62E+03         1.62E+03         1.62E+03         1.62E+04         1.62E+03         1.62E+04         1.62E+03         1.62E+04         1.62E+04         1.62E+04         1.62E+04         1.62E+03         1.62E+04         1.62E+03         1.62E+04         1.62E+03	n-Mirrosodipnenylamine	(v) 86-30-6			7.81E+02	7.81E+02		7.81B+03	7.81F.403
Ilorophenol         87-86-5         1.56E+03         1.62E+01         1.62E+01         1.56E+04         1.62E+02           Ilor-95-2         6.13E+04         6.13E+04         6.13E+05         1.62E+02           Ilor-95-2         6.13E+03         2.21E+04         6.13E+04           Ilor-10-00-0         7782-49-2         5.11E+02         5.11E+02           Ilor-10-00-0         5.11E+02         5.11E+02         5.11E+03           Ilor-10-00-0         6.13E+04         6.13E+04         6.13E+05           Ilor-10-00-0         1.23E+04         1.23E+04         1.23E+04	n-Nitrosodipropylamine	621-64-7			5.47B-01	5.47E-01		5.47E+00	£ 47E+00
m         129-00-0         2.21B+03         2.21E+03         2.21E+04           m         7782-49-2         5.11B+02         5.11E+02         5.11E+03           um         7440-22-4         5.11E+02         5.11E+02         5.11E+03           um         7440-24-6         6.13E+04         6.13E+04         6.13E+05           c         (V)         100-42-5         1.23E+04         1.23E+04         1.23E+05	Pentachlorophenol	87-86-5	:	1.56E+03	1.62E+01	1,62E+01	1.56B+04	1.62E+02	1 K7E+07
n         7782-49-2         5.11B+02         5.11E+02         5.11E+02         5.11E+02         5.11E+03           m         7440-22-4         5.11E+02         5.11E+02         5.11E+03         5.11E+03           m         7440-24-6         6.13B+04         6.13E+04         6.13B+05           (V)         100-42-5         1.23B+04         1.23B+05	Phenol	108-95-2	~	6.13E+04		6.13E+04	6.13E+05		ADTOLOGY A
m 7782-49-2 5.11B+02 5.11E+02 5.11E+02 5.11B+03	Pyrene	129-00-(		2.21B+03		2.21E+03	2,21,8+04		0.135+05
m 7440-22-4 5:11E+02 5:11E+02 5:11E+03 5:11B+03	Selenium	7782-49	2	5.11B+02		5.11E+02	4 11E-02		4.41E+04
m 7440-24-6 6.13E+04 6.13E+04 6.13E+05 7.11E+03 (V) 100-42-5 1.23E+04 1.23E+04 1.23E+05	Silver	7440-22	4	\$:11R-02		40 CO CO CO CO CO CO CO CO CO CO CO CO CO	SULPHUS		5.11E+03
(V) 100-42-5 1.23B+04 6.13E+04 1.23B+05 1.23B+05	Strontium	20072	-	-		5.11E+02	5:11E+03		5.11E+03
(V) 100-42-5 1.23B+04 1.23B+05 1.23B+05	S. Caracana	**************************************	P	6.13E+04		6.13E+04	6.13E+05		6.13E+05
	ouyene	(V) 100-42-		1.23E+04		1.23E+04	1.23E+05		1.23E+05

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

	italoV largiO	•						
		¥	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
		Ž	Noncarcinogenic	Carcinogenic	Soil PRG	Noncarcinogenic	Carcinogenic	Soll PRG
	CAS		Soil PRG	Soft PRG	Risk = 1E-06	Soil PRG	Soil PRG	Risk = 1E-05
Farget Analyte List	Number		HQ≈0.1	Risk = 1E-06	or HQ = 0.1	HQ = 1.0	Risk = 1E-05	or HQ = 1.0
Fluorene	(V) 86-73-7		4.08E+03		4.08E+03	4.08E+04	3	4.08E+04
Heptachlor	76-44-8		3.69B+01	6.12B-01	6.12E-01	3.69E+02	6.12E+00	6.12E+00
Heptachlor epoxide	1024-57-3		9.598-01	3.03E-01	3.03E-01	9.59E+00	3.03E+00	3.03E+00
Hexachlorobenzene	1:18:74-1		5.90E+01	1.72B+00	1.72E+00	5.90E+02	1.72E+01	1.72E+01
Hexachlorobutadiene	87-68-3		1.47B+01	3.53B+01	1.47E+01	1.47E+02	3.53E+02	1.47E+02
Hexachlorocyclopentadiene	77.47.4		3.50E+02		· 3.50E+02	3.50B+03		3-50E+03
Hexachloroethane	. 67-72-1		7.37E+01	1.97E+02	7.37E+01	7.37E+02	1.97E+03	7.37E+02
Indeno(1,2,3-cd)pyrene	193-39-5			3.49E+00	3.49E+00		3.49E+01	3.49E+01
lifon	7439-89-6		3:07E+04		3.07E+04	3.07E+05		3.07E+05
Isophorone	78-59-1		1,475+04	2.91E+03	2.91E+03	1.47E+05	2.91E+04	2.91E+04
Lead	7439-92-1							
Lithium	7439-93-2		2.04E+03		2.04E+03	2.04E+04		2.04E+04
Magnesium	7439-95-4							
Manganese (Nonfood)	7439-96-5		3.48E+02		3.48E+02	3.48E+03		3.48E+03
Mercury (elemental)	7439-97-6		2.52B+03		2.52E+03	2.52E+04		2.52E+04
Methoxychlor	72-43-5	-	5.11B+02		5.11E+02	5.11E+03		5.11E+03
Methylene chloride (dichloromethane)	(V) 75-09-2		4.63E+03	2.53E+02	2.53E+02	4.63E+04	2.53E+03	2.53E+03
2-Methylnaphthalene	(V) 91-57-6		2.04E+03		2.04E+03	2.04E+04		2.04E+04

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

		PRGs 8	PRGs at Risk = 1E-06 and HQ = 0.1	¥.0.1	PRGs	PRGs at Risk = 1E-05 and HQ =1	2=1
	isloV isgrO				· · · · · · · · · · · · · · · · · · ·		
		Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
		Noncarcinogenic	Carchogenic	Soil PRG.	Noncarcinogenic	Carcinogenic	Soil PRG
	CAS	Soll PRG	Soll PRG	Risk = 1E-06	Soil PRG	Soil PRG	Risk = 1E-05
Target Analyte List	Number	HQ:= 0.1	Risk = 1E-06	or HQ = 0.1	HQ=1.0	Risk = 1E-05	or HO = 10
cis-1,3-Dichloropropene	(V) 10061-01-5	9.74B+02	6.57-01	6.57E-01	9.74E+03	6.578+00	6 87E-00
trans-1,3-Dichloropropene	(V) 10061-02-6	9.74B+02	6.57E-01	6.57E-01	9.74E+03	6.57E±00	OO-TOTAL OF
Dieldrin	60-57-1	3.69E+00	1.72E-01	1.72E-01	3.69E+01	1 778±00	02/E-00
Diethylphthalate	84-66-2	5.90E+04	-	5.90E+04	5,90B+05		1.72E+00
2,4-Dimethylphenol	(V) 105-67-9	2.04E+03		2.04E+03	2.04E+04		5.90E+05
Dimethylphthalate	131-11-3	7.37E+05		7.37E+05	7.378±06		2,04,E+04
4,6-Dinitro-2-methylphenol	(V) 534-52-1	1.02B+02		1.02E+02	1.02E+03		1.37.8.406
2,4-Dinitrophenol	51-28-5	2,04B+02		2.04E+02	2048-003		1.042.403
2,4-Dinitrotoluene	121-14-2	2.04E+02	5.63E±00	E KOD I WO	COTATO		2.04E+03
2.6-Dinitrotoluene	606-20-2	1 028.03	00-403	DO-FACON-C	2.04E+03	5.63E+01	5.63E+01
Ti's centlabeliates	70700	1.04E#04	5.63E#00	5.63E+00	1.02E+03	5.63E+01	5.63E+01
Description data to	11/-84-0	1.478+03		1.47E+03	1.47E+04		1.47E+04
Endosulran I.	959-98-8	4.42E+02		4.42E+02	4.42E+03		4.42F±03
Endosulfan II	33213-65-9	4.42E+02		4.42E+02.	4.42E+03		4 475+03
Endosulfan sulfate	1031-07-8	4.42E+02		4.42E+02	4.42E+03		4 425 .03
Endosulfan (technical)	115-29-7	4.42E+02.		4.42E+02	4.42E+03		1400
Endrin (technical)	72-20-8	2.21B+01		2.21E+01	2.21B±02		4.4.2.E.+03
Ethylbenzene	(V) 100-41-4	5.62E+03	4.25E+02	4.25E+02	5.628+04	4 258103	2.21E+02
Fluoranthene	206-44-0	2.72E+03		2.72E+03	2.72E+04		4.25E+03
							2.72E+04

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

			THE PARTY IN THE P	-			
	уса			÷ .			-
i elo V	163.14			•	•		
		Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
		Monday	Carcinogenic	Soll PRG	Noncarcinogenic	Carcinogenic	Soll PRG
		Troncar and	Soil PRG	Risk = 1E-06	Sou PRG	Sou PRG	Risk = 1E-05
	CAS	SOUTH	Rick = 1E-06	or HO = 0.1	HQ=1.0	Risk = 1E-05	or HQ = 1.0
Target Analyte List	Number	A COBLOS		4.09E+03	4.09E+04		4.09E+04
Copper	7440-50-8	2.048±03		2.04E+03	2.04E+04		2.04E+04
Cyanide	671-76		1.43E+01	1.43E+01		1.43B+02	1.43E+02
4,4-DDD	72:34-8		1.01E+01	1,01E+01		1.01E+02	1.01E+02
4,4-DDB.	772-55-9	4.58E+01	1.01E+01	1.01E+01	4.58E+02	1.01E+02	1.01E+02
4.4.DDT	20-62-00		3.49E-01	3.49E-01		3.49E+00	3.49E+00
Dibenz(a,h)anthracene	25-07-50	COMBING		2.95E+02	2,95E+03		2.95E+03
Dibenzofuran	6- <del>1</del> 0-751	CO: 425 .	3 20R±01	3.29E+01	1.47B+04	3.29E+02	3.29E+02
Dibromochloromethane	124-48-1	1.4/00	1017/110	60 0000	MATTER T		7.37E+04
Di-n-butylohthalate	84-74-2	7.37B#03		7.37.E#U3	TOTAL COL		10.00
1	(V) 95-50-1	3.12E+03		3.12E+03	3.12E+04		3.12E+04
	00 40K 4K 7	2.72B±03	8.40E+01	8,40E+01	2.72E+04	8.40E+02	8.40E+02
7	(v) troi-to-		6 138-00	6.13E+00		6.13E+01	6.13E+01
3,3-Dichlorobenzidine.	91-94-1			2.25E403	2.25E+04		2.25E+04
1,1-Dichloroethane	(V) 75-34-3	2.25E403			COLBACA	1.06B±02	1.06E+02
1.2-Dichloroethane	(V) 107-06-2	4.74E+01	1.06E+01	1.06E401	4.145404	70 170011	
1 Dicklomethene	(V) 75-35-4	9.20E+02	1.708+00	1.70E+00	9.20E+03	1.70E+01	1.705+01
1,1-Dichiocences		9.20E+02		9.20E+02	9.20E+03		9.20E+03
LA-Dichiocement (total)		3.07E+02		3.07E+02	3.07E+03		3.07E+03
2,4-17ichiorophenoi (at pri v.c.)	5.78.87.	3.45E+01	5.63E+01	3.45E+01	3.45E+02	5.63E+02	3,45E+02

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

		E.			Towns with the Market		
		PRGs at	PRGs at Risk = 1E-06 and HQ = 0.1	# 0.1	PRGs 8	PRGs at Risk = 1E-05 and HQ =1	11
	ieloV ieg10						· · · · · · · · · · · · · · · · · · ·
35		Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WT.RW
		Noncarcinogenic	Carcinogenic	Soil PRG	Noncarcinogenic	Carchogenic	Soil PRG
	CAS	Soil PRG	Soil PRG	Risk = 1E-06	Soil PRG	Sou PRG	Risk # 1E-05
Target Analyte List	Number	HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ = 1.0	Risk = 1E-05	or HO = 10
Cadmium (water)	7440-43-9	5.11B+01	1.74E±02	5.11E+01	5.11E+02	1.74E+03	\$ 11E402
Cadmium (food)	7440-43-9	9.62E+01	1.74E+02	9.62E+01	9.62E+02	1.74E+03	0 675.03
Carbon disulfide	(V) 75-15-0	1.51B+03		1.51E+03	1.51E+04		10-10-10-10-10-10-10-10-10-10-10-10-10-1
Carbon tetrachloride	(V) 56-23-5	8.15E+00	8.21E+00	8.15E+00	8.15B+01	8 2183.01	TOTE+04
alpha-Chlordane	5103-71-9	4.39E+01	9.44E+00	9-44E+00	4.39E+02	9 44 101	8.15E+01
beta-Chlordane	5103-74-2	4.39E+01	9.44E+00	9.44E+00	4.39B+02	0448.03	>,44E+01
gamma-Chlordane	12789-03-6	4.39E+01	9.44B+00	0.4415.00	2000	3.44b401	9.44E+01
4-Chlomaniline	106.47.8	00.000		On the last	4.398+02	9.44E+01	9.44E+01
	100 000	70+9E+07		2.95E+02	2.95E+03	·	2.95E+03
Cultivocuzene	(4) 108-90-7	6.09E+02		6.09E+02	6.09E+03		6.00F±013
Chloroethane (ethyl chloride)	(V) 75-00-3	8.88E+03	1.32E+03	1.32E+03	8:88E+04	1 328404	1 300 0
Chloroform	(V) 67-66-3	1.92E+00	1.048+01	1.92E+00	1.928-401	1045.02	1.325.+04
Chloromethane (methyl	(V) 74-87-3	1.03B+02	3.71B+01	3.71E+01	1.03B+03	3.718±02	1.92E+01
2-Chloronaphthalene	(V) 91-58-7	8.18E+03		8.185.403	0.100.0		20,122+02
2-Chlorophenol	(V) 95-57-8	K 118,00		2012	0.10D+U4		8.18E+04
		3.11E+02		5.11E+02	5.11E+03		5.11E+03
	16065-83-1	1.53E+05		1.53E+05	1.53B+06		1.538+06
Chromium VI	18540-29-9	2.27B+02	2.68E+01	2.68E+01	2.27B+03	2 68 12 103	00-100-1
Chrysene	218-01-9		3.49E+02	3.49E+02		3.495403	7,402,407
Cobalt	7440-48-4	1.55E+02		1.55E+02	1 55B103		3.47E+03
Alberta Comment of the Comment of th					COTCLOS		1.55E+03

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

Volatii  Target Analyte List ben-BHC				•				
Target Aitalyte List beta-BHC								
Target Amalyte List beta-BHC			Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
Target Analyte List beta-BHC		Γ	Noncarchogenic	Carcinogenic	Soll PRG	Noncarcinogenic	Carcinogenic	Soil PRG
Target Analyte List ben-BHC	CAS		Soll PRG	Soil PRG	Risk = 1E-06	Soil PRG	Sou PRG	Risk = 1E-05
ъев-ВНС	Number		HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ=1.0	Risk = 1E-05	or HQ = 1.0
	319-85-7			1.84E+00	1.84E+00		1.84E+01	1.84E+01
delta-BHC	319-86-8							
gamma-BHC (Lindane)	6-68-85		2.66E+01	2.55E+00	2.55E+00	2:66E+02	2.55E+01	2.55E+01
Benzo(a)anthracene	56-55-3			3,49E+00	3.49E+00		3.49E+01	3.49E+01
Benzo(a)pyrene	50-32-8			3.49E-01	3.49E-01		3.49E+00	3.49E+00
Benzo(b)fluoranthene	205-99-2			3.49E+00	3.49E+00		3.49E+01	3.49E+01
Benzo(k)fluoranthene	- 207-08-9			3.49E+01	3.49E+01		3.49E+02	3.49E+02
Benzoic Acid (at pH 7)	65-85-0		4.09E+05		4.09E+05	4.09E+06		4.09E+06
Benzyl Alcohol	100-51-6		3.07E+04		3.07E+04	3.07E+05		3.07E+05
Beryllium	7440-41-7		9.21E+01	1.31E+02	9.21E+01	9.21E+02	1.31E+03	9.21E+02
bis(2-chloroethyl)ether (V.	(V) 111-44-4			3.48E+00	3.48E+00		3,48E+01	3.48E+01
bis(2-chloroisopropy1)ether (V	(V) 39638-32-9		4.09E+03	5.47E+01	5.47E+01	4.09E+04	5.47E+02	5.47E+02
bis(2-ethylhexyl)phthalate	117-81-7		1.47E+03	1.97B+02	1.97E+02	1,47E+04	1.97E+03	1.97E+03
Bromodichloromethane (V	(V) 75-27-4		2.04E+03	6.17E+01	6.17E+01	2.04E+04	6.17B+02	6.17E+02
Bromoform (V)	) 75-25-2		2.04E+03	3.73E+02	3.73E+02	2.04E+04	3.73E+03	3.73E+03
Bromomethane (methyl (V bromide)	(V) 74-83-9		1.93E+01		1.93E+01	1.93E+02		1.93E+02
ne (methyl ethyl	(V) 78-93-3		1.92E+04		1.92E+04	1.92E+05		1.92E+05
Butylbenzylphthalate	85-68-7		1.47E+04		1.47E+04	1.47E+05		1.47E+05

Table 8. Preliminary Remediation Goals for Wildlife Refuge Worker

			PKGS	FRGS at KISK = IE-06 and HQ = 0.1	T:0	PRGs	PRGs at Risk = 1E-05 and HQ =1	0=1
	itsloV arg1O							
			Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW	Adult WLRW
			Noncarcinogenic	Carcinogenic	Soil PRG	Noncarchnogenic	Carcinogenic	Soil PRG
		CAS	Soil PRG	Soil PRG	Risk = 1E-06	Soft PRG	Soll PRG	Risk = 1E-05
Target Analyte List		Number	HQ = 0.1	Risk = 1E-06	or HQ = 0.1	HQ = 1.0	Risk = 1E-05	or HQ = 1.0
Chemical			(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)	(mg/kg)
Acenaphthene	3	83-32-9	4.08B+03		4.08E+03	4.08E+04		4.08E+04
Acetone	3	(V) 67-64-1	1.02B+04		1.02E+04	1.02E+05		1.02E+05
Aldrin		309-00-2	2.21B+00	1.62E-01	1.62E-01	2.21B+01	1.62E+00	1.628±00
Aluminum	<u> </u>	7429-90-5	2.28E+04	,	2.28E+04	2,28B+05		2.28E405
Anthracene	3	(V) 120-12-7	2.04B+04		2.04E+04	2.04E+05		2.04E405
Antimony	Ŀ	7440-36-0	4.09B+01		4.09E+01	4.09E+02		4 095-02
Aroclor 1016		12674-11-2	4.64E+00	3.54E+01	4.64E+00	4.64E+01	3.548+02	4 KAE+01
Aroclor 1221		11104-28-2		1.24E+00	1.24E+00		1 24E±01	TOTAL OF
Aroclor 1232		11141-16-5		. 1,24E+00	1.24E+00		10.000	1.48+01
Aroclor 1242		53469-21-9		1.24E+00	1.24E+00		1048401	1.24E+01
Aroclor 1248		12672-29-6		1.24E+00	1.24E+00		1.248401	1.24E+01
Aroclor 1254	lacksquare	11097-69-1	1.33E+00	1.24F±00	1 24 12 100	1000	1.248+01	1.24E+01
Aroclor 1260	1	11006-82-5		12/21	No to to	1.335+01	1.24E+01	1.24E+01
	1			1.245+00	1.24E+00		1.24E+01	1.24E+01
Aisenic		7440-38-2	2.75B+01	2.22E+00	2.22E+00	2.75B+02	2.22E+01	2.22E+01
Barium		7440-39-3	2.64E+03		2.64E+03	2.64B+04		2.64E+04
Benzene	ઉ	(V) 71-43-2	3.41E+01	2.05E+01	2.05E+01	3.41B+02.	2.05B+02	2.05E+02
alpha-BHC		319-84-6		5.24E-01	5.24E-01		20.00	

- (2) Mean BCF calculated in ORNL. (1998) Empirical Models for the Uptake of Inorganic Chemicals from Soil by Plants
- (3) Derived from empirical data
- (4) BCF was calculated using the log Kow equations from Southworth et al. (1978)
- (5) Mean BCF calculated in Sample et al. (1998) Development and Validation of Bioaccumulation Models for Earthworms
- (6) BCF from USEPA (1999) Draft Combustor Risk Assessment Guidance was used.
- (7) Mean BCF calculated in Sample et al. (1998) Development and Validation of Bioaccumulation Models for Small Mammals
- (8) BCF from Charters (1991)
- (9) BCF from Paine et al. (1993)
- \* Soil to mammal and soil to bird BCFs taken from USEPA (1999) for Soil to Deer Mouse and Soil to Mourning Dove (Table D-3) except where noted

NV = No value available

Table 7
Summary of Bioaccumulation Factors (BAFs) RFETS Ecological Risk Assessment

	1st Trophic Leve Bioaccumulation		2nd Trophic Leve Bioaccumulation l	
	Soil to Plant	Soil to Invertebrate	Soil to Mammal *	Soil to Bird*
Acetone	25.3 (1)	0.045 (4)	2.17E-11	8.34E-11
Aroclor 1254	0.009(1)	0.19(9)	0.09 (8)	0.09 (8)
Arsenic	0.555 (2)	0.266 (5)	0.006 (7)	0.006 (7)
Benz(a)anthracene	0.141 (1)	0.03 (6)	1.73E-05	6.63E-05
Benzo(a)pyrene	0.080(1)	0.07 (6)	4.86E-05	1.87E-04
Benzo(b)fluoranthene	0.095 (1)	0.07 (6)	5.75E-05	2.22E-04
Benzo(k)fluoranthene	0.095 (1)	0.08 (6)	5.73E-05	2.20E-04
Beryllium	0.714 (3)	0.22 (6)	1.44E-06	NV
Carbon Tetrachloride	1.81 (1)	12.3 (4)	NV	NV
Chloroform	3.56(1)	2.93 (4)	3.22E-09	1.23E-08
Hexachloroethane	0.345 (1)	NV	NŸ	ŊŸ
Lead	0.343 (2)	6.33 (5)	0.192 (7)	0.192 (7)
Methyl Ethyl Ketone	16.2 (1)	0.117 (4)	NV	NV
Methylene Chloride	5.35 (1)	1.23 (4)	ŇV	ŇV
Tetrachloroethene	2.17(1)	8.43 (4)	NV	NV
Trichloroethene	2.39 (1)	6.85 (4)	NV	ŊŲ
Thallium	4.85 (3)	0.22 (6)	0.112 (7)	0.112 (7)
Toluene	1.88 (1)	11.4 (4)	NV	NV
Uranium	0.155 (3)	0.337 (3)	0.087 (3)	0.087
Vanadium	0.01(3)	0.138 (3)	NV	NV
Vinyl Chloride	6.01 (1)	0.964 (4)	5.05E-10	1.95E-09

Charters, D.W., 1991. Environmental Assessment, Middle Marsh Sullivan's Ledge Site, New Bedford, Massachusetts, Final Report. U.S. EPA, Environmental Response Branch.

ORNL. 1998. Empirical Models for the Uptake of Inorganic Chemicals from Soil by Plants. Bechtel Jacobs Company LLC, Oak Ridge, TN. BJC/OR-133

Paine, J.M., M.J. McKee, M.E. Ryan. Toxicity and bioaccumulation of soil PCBs in crickets: Comparison of laboratory and field studies. Env. Tox. And Chem. 12:2097-2103.

Sample, B. E., J. Beauchamp, R. Efroymson, G. W. II Suter, and T. L. Ashwood. 1998a. Development and Validation of Bioaccumulation Models for Earthworms. ES/ER/TM-220. Oak Ridge National Laboratory, Oak Ridge, TN, USA.

Sample, B. E., J. Beauchamp, R. Efroymson, and G. W. II Suter 1998b. Development and Validation of Bioaccumulation Models for Small Mammals. ES/ER/TM-219. Oak Ridge National Laboratory, Oak Ridge, TN, USA.

Southworth, G.R., J.J. Beauchamp, and P.K. Schmieder. 1978. "Bioaccumulation Potential of Polycyclic Aromatic Hydrocarbons in *Daphnia Pulex." Water Research*. Volume 12. Pages 973-977.

Travis, C.C., and A.D. Arms. 1988. "Bioconcentration of Organics in Beef, Milk, and Vegetation." Environmental Science and Technology. 22:271-274.

USEPA. 1999. Screening Level Ecological Risk Assessment Protocol for Hazardous Waste Combustion Facilities. Office of Solid Waste and Emergency Response. EPA530-D-99-001A. August 1999.

(1) BCF is estimated using the log Kow value and equations from USEPA SSL Guidance (2000) modified from Travis and Arms (1988)

Table 6. Summary of Mammalian and Avian TRVs

		*******	monalian TRV /kg day)	Meaa Av (mg/k	
	Endpoint	NOAEL	LOAEL	NOAEL	LOAEI
Acetone	All Subjethal Endpoints	3920 (5)	3470 (3)	No Relial	de TRVs
Accionic	Reproduction	4730 (4)	3450 (2)		
	Developmental	-	3500 (1)		1
Arocior 1254	All Sublethal Endpoints	5.55 (19)	20.7 (14)	34.3 (6)	56.1 (9
doctor 120	Mortality	,	47.9 (3)		5.89 (2
	Reproduction	5.08 (4)	10 (2)	2.5(1)	21:6 (4
	Developmental	4.48 (5)	19.9 (8)	0.021(1)	25.0 (2)
Arsenic	All Sublethal Endpoints	4.88 (7)	8.83 (8)	2.83 (2)	5.98 (3)
.=====	Mortality	-		51 (1)	128 (1)
	Developmental	6.83 (5)	14.9 (4)		<u> </u>
Benz(a)authracene	All Sublethal Endpoints	No Reli	able TRVs	No Reliab	le TRVs
Beazo(a)pyreae	All Sublethal Endpoints	71.1 (3)	113 (4)	No Reliab	le TRVs
searchapping.	Reproduction	86.7 (2)	160 (1)		<u></u>
	Developmental	40 (1)	96.7 (3)		
Benzo(b)fluoranthene	All Sublethal Endpoints		able TRVs	No Reliab	k TRVs
Beazo(k)fluoranthene	All Sublethal Endpoints	No Reli	able TRVs	No Reliab	le TRVs
Beryllium	All Subjectual Endpoints	1.9 (4)	1.1 (1)	No Reliab	e TRVs
Carbon Tetrachloride	All Subjected Endpoints	26 (2)	756 (2)	No Reliab	c TRYs
ALVOR LEUTACHIOTIGE	Reproduction	26 (2)		1	
	Developmental	- 20,29	756 (2)		r., .
hloroform	All Sublethal Endpoints	178 (14)	239 (7)	No Reliab	c TRVs
ANDIOLIN	Mortality	170(14)	192 (5)		
<del></del>	Reproduction	201 (10)	297 (4)		
<del>``</del>	Developmental	120 (4)	: 161 (3)		
lexachloroethane	All Sublethal Endpoints	240 (6)	543 (6)	No Reliabl	c TRVs
EXACING OCUIANC	Mortality		821 (3)		
	Reproduction	134 (2)	500 (2)		
<u> </u>	Developmental	134 (2)	500 (2)		
æad	All Sublethal Endpoints	8 (1)	40.6 (2)	39 (3)	11.3 (1)
	Reproduction	8(1)	40.6 (2)	2.49 (2)	113 (1)
Acthyl Ethyl Ketone	Reproduction	1770 (1)	4570 (1)	No Reliabl	e TRVs
dethylene Chloride	All Sublethal Endpoints	118 (4)	139 (3)	No Reliabl	e TRVs
itour)iour e-iorio	Mortality	100 (1)	300 (2)		
etrachloroethene	All Sublethal Endpoints	14 (1)	770 (6)	No Reliabl	e TRVs
	Mortality	-	429 (2)		· · · · · · · · · · · · · · · · · · ·
<del></del>	Reproduction		900 (1)		
	Developmental		900 (1)		
richloroethene	All Sublethal Endpoints	613 (10)	814 (11)	No Reliabl	e TRVs
	Mortality	450 (1)	2660 (8)		<del> </del>
	Reproduction	258 (3)	. 958 (3)		
	Developmental	390 (4)	719 (4)		
hallium	All Sublethal Endpoints		0.74 (1)	No Reliable	
olucae	All Sublethal Endpoints	-	417 (5)	No Reliabl	TRVs
	Mortality		2500 (2)		
	Reproduction		260 (1)		
	Developmental		435 (3)		
ranium	All Sublethal Endpoints	6.13 (1)	10.2 (2)	160 (1)	<del></del>
	Reproduction	6.13 (1)	15.3 (1)		
anadium	All Sublethal Endpoints	29.5 (3)	24.6 (5)	11.4 (1)	114 (1)
	Reproduction	29.5 (3)	60 (2)		
	Developmental		2.1 (1)		<u> </u>
inyl Chloride	All Sublethal Endpoints		1.7 (1)	No Reliable	TKVs
	Mortality	0.014(1)	2.48 (3)		
adionuclides - PRGs f	or Internal and External Exposu	re (Higley and Kuperman	( 1995)		
adium-228	Limiting Species (pCi/g)	. 3.50E+00			<del></del>
Iranium-233/234	Linuting Species (pCVg)	1,80E+03	<u> </u>		
Jranium-235	Limiting Species (pCl/g)	1.90E+03			<del>,</del>
Franium-238	Limiting Species (pCi/g)	1.60E+03			
lutonium-239/240	Limiting Species (pCi/g)	3.80E+03			
mericium-241	Limiting Species (pCl/g)	1.90E+03			

BOLD - Bold font indicates that the Mean LOAEL is less than the Mean NOAEL.

(#) - The number in parentheses indicates the number of database records used to calculate the mean TRV.

"-" - Indicates that no TRVs for the specific endpoint are available.

Table 5. Ecological Receptor Exposure Assumptions

Exposure Parameter	Variable	Units	Prairie Dog	Deer Mouse (Herbivore)	Deer Mouse (Insectivore)	РМЈМ	Mourning Dove	Kestrel
Body Weight	·BW	kg	0.9	0.02	0.02	0.019	0.115	0.124
Food Ingestion Rate	FIR	Kg/kg BW- day	0.65	0.17	0.17	0.17	0.23	0.3
Soil Ingestion Rate	$P_{soil}$	% of FIR	7.7	2.9	2.9	2.9	16	5
Percent Diet	Percent	<b>%</b>	100 Plant	100 Plant	100 Invertebrate	100 Plant	100 Seed	50- Insects 50 Animal
Toxicity Reference Value	TRVs	mg/kg BW- day	Specific	Specific	Specific	Specific	Specific	Specific
Soil Bio Availability	AF	Unitles s	1.0	1.0	1.0	1.0	1.0	1.0
Area Use Factor	AUF	Unitles s	1.0	1.0	1.0	1.0	1.0	1.0
Bio Accumulati on	BAF	Unitles s	Specific	Specific	Specific	Specific	Specific	Specific

Sources: USEPA. 2000. Ecological Soil Screening Level Guidance. Office of Emergency and Remedial Response. USEPA. 1993. Wildlife Exposure Factors Handbook. Office of Emergency and Remedial Response. Higley, K. and R. Kuperman. 1995. Radiological Benchmarks for Wildlife at Rocky Flats Environmental Technology Site.

Target Risk HQ = 1.0, where HQ = Intake/TRV.

Intake = [(Soil Concentration \* Psoil \* FIR \* AFsoil) +  $\sum_{i=1}^{n}$  (BAF \* Soil Concentration) \* P<sub>i</sub>food \* FIR \* AFfood)] / AUF.

PRG = TRV \* HQ/ IRfood \* (Psoil + (BAF1 \* BAF2)).

Table 4. Conceptual Exposure Model for Receptors Included in RFETS Ecological PRG Development Process

